



M26L - SPY 391 SOFT 93040 DIM5

23438 9035 BRC

AVAILABLE IN

NEGRO 23438 9035 B

ALU CEPILLADO 23438 9035 BRA

ANTRACITA CEPILLADO 23438 9035 BRAT

COBRE CEPILLADO 23438 9035 BRCU

ORO CEPILLADO 23438 9035 BRC

BRONCE VIEJO CEPILLADO 23438 9035 BROB

FLEMISH BRONZE 23438 9035 FBR

FLEMISH GOLD 23438 9035 FG

ORO COLOREADO 23438 9035 GC

NEGRO PIANO 23438 9035 PB

BLANCO 23438 9035 W



[View on website](#)



General info

LOCATION	interior
INSTALLATION	Sistemas de baja tensión Montado en sistemas de baja tensión
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.3
ADJUSTABILITY	0° to 85° giratorio, 360° orientable
INFORMATION	REFLECTOR WFL-40° EXCL.LED POWER SUPPLY 48V-DC

Electrical info

ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	con DALI
ENERGY CLASS	F
CERTIFICATION	EPD

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 6W / CRI>90 (R9: 50) / 3000K-1800K / 623lm
RVALUES	rf: 90 / Rg: 99
SDMC	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
BEAMANGLE	40°
LED TECHNICS (LIGHT SOURCE)	623lm // 6W // 105lm/W
LED TECHNICS (LUMINAIRE)	505lm // 6,9W // 73lm/W





Requirements

SPY 39 TUBE


LED POWER SUPPLY 48V-DC

For detailed installation instructions, please consult the manual : [23438_XXX5_HAND.pdf](#)

FINISH YOUR SPECIFICATION

Fuente de Alimentación LED			# of Fixtures
 web2print_power_supply_info_box			Min current Max current
	300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN Dimtype: no dimerizable	8	
	300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN Dimtype: no dimerizable	20	
	21012 0230 LED POWER SUPPLY 48V-DC / 100W Dimtype: no dimerizable Cutout dimension (mm): 40	8	
	21012 0240 LED POWER SUPPLY 48V-DC / 200W Dimtype: no dimerizable Cutout dimension (mm): 40	17	

Termina tu producto

	24144 0010 B SPY 39 TUBE B	
	24144 0010 FBR SPY 39 TUBE FBR	
	24144 0010 FG SPY 39 TUBE FG	
	24144 0010 GC SPY 39 TUBE GC	
	24144 0010 W SPY 39 TUBE W	

DELTALIGHT

M26L - SPY 391 SOFT 93040 DIM5

23438 9035 BRG




24144 0070 SPY 39 TUBE SBL




COMPATIBLE COMPOSABLES


SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)	Available Colours
--	-------------------




23358 0000 SLM26L - PROFILE



23358 0010 SLM26L - PROFILE 1m



23358 0020 SLM26L - PROFILE 2m



23358 0030 SLM26L - PROFILE 3m



Notes: