
DELTALIGHT




# SPY 52 HE 93020 ADM DIM5

**REFERENCE** 19801 9325 B

AVAILABLE IN
**BLACK** 19801 9325 B
**FULL WHITE** 19801 9325 FW
**WHITE** 19801 9325 W




View on website

| General info | |
|---|---|
| **LOCATION** | indoor |
| **INSTALLATION** | Mains voltage track Mains voltage track mounted |
| **INGRESS PROTECTION** | IP20 |
| **WEIGHT (KG)** | 0.5 |
| **ADJUSTABILITY** | 0° to 90° swiveling, 355° rotatable |
| **INFORMATION** | LENS FL-20°<br>3F MULTI DIMMABLE POWER ADAPTER 350mA |

| Electrical info | |
|---|---|
| **ELECTRICAL** | 220-240V / 50-60Hz |
| **CLASS** | II |
| **POWER SUPPLY** | YES |
| **DIM TYPE** | DALI |
| **ENERGY CLASS** | D |

| Lightsource info | |
|---|---|
| **LIGHTSOURCE NAME** | LED |
| **LIGHTSOURCE** | LED array 6W / CRI>90 (R9: 50) / 3000K / 945lm |
| **SDCM** | SDCM2 |
| **RISKGROUP** | RG1 |
| **LM80** | L90B10 > 50000 |
| **BEAMANGLE** | 20° |
| **LED TECHNICS (LIGHT SOURCE)** | 945lm // 6W // 157lm/W |
| **LED TECHNICS (LUMINAIRE)** | 765lm // 6,9W // 111lm/W |

**Remarks**

High Efficacy : > 100lm/W

**Requirements**

SPY 52 TUBE
TRACK 3F DIM

For detailed installation instructions, please consult the manual : **19801_XXX5_HAND.pdf**

DELTALIGHT

# SPY 52 HE 93020 ADM DIM5

19801 9325 B

## FINISH YOUR SPECIFICATION

### Finish your product




| | | |
|---|---|---|
| **19810 0100 B** | SPY 52 TUBE B | ☐ |
| **19810 0100 FBR** | SPY 52 TUBE FBR | ☐ |
| **19810 0100 FG** | SPY 52 TUBE FG | ☐ |
| **19810 0100 GC** | SPY 52 TUBE GC | ☐ |
| **19810 0100 W** | SPY 52 TUBE W | ☐ |

## COMPATIBLE TRACKS

| TRACK 3F DIM H | | | Available Colours |
|---|---|---|---|
| **200 14 410** | TRACK 3F DIM H 1m | 1000 m 1.6 kg | |
| **200 14 420** | TRACK 3F DIM H 2m | 2000 m 3.2 kg | |
| **200 14 430** | TRACK 3F DIM H 3m | 3000 m 4.8 kg | |

| TRACK 3F DIM IN | | | Available Colours |
|---|---|---|---|
| **200 13 410** | TRACK 3F DIM IN 1m | 1000 m 1.2 kg | |
| **200 13 420** | TRACK 3F DIM IN 2m | 2000 m 2.4 kg | |
| **200 13 430** | TRACK 3F DIM IN 3m | 3000 m 3.5 kg | |

| TRACK 3F DIM ON | | | Available Colours |
|---|---|---|---|
| **200 12 410** | TRACK 3F DIM ON 1m | 1000 m 1.1 kg | |
| **200 12 420** | TRACK 3F DIM ON 2m | 2000 m 2.1 kg | |
| **200 12 430** | TRACK 3F DIM ON 3m | 3000 m 3.1 kg | |

## SPY 52 HE 93020 ADM DIM5

19801 9325 B

Notes: