






FRAGMA 4X4 ADM DIM1P

DEEL
 PARTIE
 TEIL
 PART
 PARTE
 PARTE

A



ACCESSORIES

FRAGMA 4X4 BEAM LENS 26°	23613 0010
FRAGMA 4X4 BEAM LENS 47°	23613 0040
FRAGMA 4X4 SOFTENING LENS (Only with 14°)	23613 0070
FRAGMA 4X4 LINEAR SPREAD LENS (Only with 14°)	23613 0100
FRAGMA 4X4 WALLWASH LENS (Only with 14°)	23613 0160
FRAGMA 4X4 FLAPS	23613 0190
FRAGMA 4X4 HONEYCOMB	23613 0220
FRAGMA 4X4 RASTER	23613 0250

REQUIREMENTS

TRACK 3F DIM ON	200 12 4X0
TRACK 3F DIM IN	200 13 4X0
TRACK 3F DIM H	200 14 4X0





IP20


Beschermd tegen vaste voorwerpen die groter zijn dan 12 mm
 Protégé contre les objets solides de plus de 12 mm
 Geschützt gegen Festkörper größer als 12 mm
 Protected against solid objects greater than 12 mm
 Protegido contra objetos sólidos superiores a 12 mm
 Protetto contro oggetti solidi più grandi di 12 mm




Voorzien van aardingsaansluiting
 Avec mise à la terre
 Ausgerüstet mit Erdungsanschluss
 Provided with grounding
 Con la toma de tierra
 Con presa a terra




3 CHOOSING CHANNEL



4



5



This product contains a light source of energy efficiency class D at 3000K, CRI90
本产品包含能效等级为 D 3000K · CRI90 的光源
Этот артикул содержит источник света с энергоэффективностью класса D, 3000K, CRI90

D Dit product bevat een verlichtingsbron van energie-efficiëntieklasse D, bij 3000K, CRI90
Ce produit contient une source d'éclairage de classe d'efficacité énergétique D pour 3000K, CRI90
Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse D bei 3000K, CRI90
Este producto contiene una fuente de iluminación de clase de eficiencia energética D en 3000K, CRI90
Questo prodotto contiene una fonte di illuminazione in classe di efficienza energetica D a 3000K, CRI90

Replaceable (LED only) light source and control gear by a professional
(仅针对LED)光源及其控制设备只能由专业人员更换

(для СВЕТОДИОДНЫХ светильников) замена источника света и блока питания может быть произведена только квалифицированным специалистом



Verlichtingsbron (enkel LED) en voorschakelapparaat kan enkel vervangen worden door een professional

La source d'éclairage (uniquement LED) et le ballast ne peut être remplacé que par un professionnel

Die Lichtquelle (nur LED) und Vorschaltgerät kann nur von einem Fachmann ausgetauscht werden

La fuente de iluminación (solo LED) solo puede ser reemplazada por un profesional

La sorgente luminosa (LED) e l'alimentatore possono essere sostituiti solo da un professionista.

De verlichtingsbron van dit verlichtingstoestel zal enkel door de fabrikant of door de fabrikant aangestelde installateur vervangen worden.

La source lumière de cet appareil ne sera remplacée que par l'entrepreneur ou par un agent reconnu.

Das enthaltene Leuchtmittel sollte nur durch entsprechendes Fachpersonal ersetzt werden.

The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent.

La fuente de iluminación que tiene esta luminaria sólo puede remplazarse por el fabricante o por un instalador autorizado.

La sorgente luminosa incorporata in questo apparecchio può essere sostituita solo dal produttore, da un suo centro assistenza oppure da una persona in possesso della necessaria abilitazione.





This product contains a light source of energy efficiency class E


本产品包含能效等级为 E 的光源

Этот артикул содержит источник света с энергоэффективностью класса E

E Dit product bevat een verlichtingsbron van energie-efficiëntieklasse E
Ce produit contient une source d'éclairage de classe d'efficacité énergétique E
Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse E
Este producto contiene una fuente de iluminación de clase de eficiencia energética E
Questo prodotto contiene una fonte di illuminazione in classe di efficienza energetica E


ACCESSORIES



- A**  23613 0010 FRAGMA 4X4 BEAM LENS 26°
 23613 0040 FRAGMA 4X4 BEAM LENS 47°
 23613 0070 FRAGMA 4X4 SOFTENING LENS (only with 14°)
 23613 0100 FRAGMA 4X4 LINEAR SPREAD LENS (only with 14°)
 23613 0160 FRAGMA 4X4 WALLWASH LENS (only with 14°)
- B**  23613 0190 FRAGMA 4X4 FLAPS
- C**  23613 0220 FRAGMA 4X4 HONEYCOMB
- D**  23613 0250 FRAGMA 4X4 RASTER





removal of lens

A
Place the suction cup in one of the four corners.





C 23613 0220 FRAGMA 4X4 HONEYCOMB



D 23613 0250 FRAGMA 4X4 RASTER

