




TRACK 3F DIM ON 2m

200 12 420 W

DISPONIBLE EN
ALU ANODISÉ 200 12 420 ANO
NOIR 200 12 420 B
BLANC 200 12 420 W



 [Voir sur le site Web](#)



Informations générales

EMPLACEMENT	interieur
INSTALLATION	Plafond Applique,Plafond Suspendu
INDICE DE PROTECTION	IP20
POIDS (KG)	2.1

Informations électriques

CLASSE	I
---------------	---


Références optionnelles

TRACK OPTIONS

Pour des instructions d'installation détaillées, veuillez consulter le manuel : [200_12_4x0_HAND.pdf](#)

TRACKS COMPATIBLES


Track profiles

	200 12 410 ANO TRACK 3F DIM ON 1m ANO	<input type="checkbox"/>
	200 12 410 B TRACK 3F DIM ON 1m B	<input type="checkbox"/>
	200 12 410 W TRACK 3F DIM ON 1m W	<input type="checkbox"/>

DELTALIGHT

TRACK 3F DIM ON 2m


200 12 420 W



200 12 420 ANO TRACK 3F DIM ON 2m ANO

200 12 420 B TRACK 3F DIM ON 2m B

200 12 420 W TRACK 3F DIM ON 2m W




200 12 430 ANO TRACK 3F DIM ON 3m ANO

200 12 430 B TRACK 3F DIM ON 3m B

200 12 430 W TRACK 3F DIM ON 3m W


les accessoires pour rail 3 fases



200 12 11 A TRACK 3F DIM END SUPPLY 11 A

200 12 11 B TRACK 3F DIM END SUPPLY 11 B


200 12 11 W TRACK 3F DIM END SUPPLY 11 W



200 12 12 A TRACK 3F DIM END SUPPLY 12 A

200 12 12 B TRACK 3F DIM END SUPPLY 12 B

200 12 12 W TRACK 3F DIM END SUPPLY 12 W



200 12 14 A TRACK 3F DIM MIDDLE SUPPLY A


200 12 14 B TRACK 3F DIM MIDDLE SUPPLY B

DELTALIGHT

TRACK 3F DIM ON 2m

200 12 420 W


200 12 14 W TRACK 3F DIM MIDDLE SUPPLY W



200 12 21 A TRACK 3F DIM CORNER 180° A

200 12 21 B TRACK 3F DIM CORNER 180° B

200 12 21 W TRACK 3F DIM CORNER 180° W



200 12 24 A TRACK 3F DIM ON FLEX CORNER A

200 12 24 B TRACK 3F DIM ON FLEX CORNER B


200 12 24 W TRACK 3F DIM ON FLEX CORNER W



200 12 34 A TRACK 3F DIM CORNER 90° IN A

200 12 34 B TRACK 3F DIM CORNER 90° IN B


200 12 34 W TRACK 3F DIM CORNER 90° IN W



200 12 35 A TRACK 3F DIM CORNER 90° OUT A

200 12 35 B TRACK 3F DIM CORNER 90° OUT B

200 12 35 W TRACK 3F DIM CORNER 90° OUT W



200 12 41 A TRACK 3F DIM ON END CAP A

200 12 41 B TRACK 3F DIM ON END CAP B


DELTALIGHT

TRACK 3F DIM ON 2m


200 12 420 W

200 12 41 W TRACK 3F DIM ON END CAP W

les accessoires de fixations



200 12 02 ANO TRACK 3F DIM ON DIRECT FIXATION ANO



200 12 13 TRACK 3F DIM ON SUSPENSION 3,0m




200 12 50 A TRACK 3F DIM ON ROD SUSPENSION 1,0m A

200 12 50 B TRACK 3F DIM ON ROD SUSPENSION 1,0m B

200 12 50 W TRACK 3F DIM ON ROD SUSPENSION 1,0m W

le cable d'alimentation


200 99 53 TRACK CURRENT SUPPLY 5 x 0,75mm² 3,0m



203 99 55 ANO CABLE BASE R ANO

203 99 55 B CABLE BASE R B

203 99 55 W CABLE BASE R W



203 99 56 ANO CABLE BASE S ANO

203 99 56 B CABLE BASE S B

203 99 56 W CABLE BASE S W

DELTALIGHT

TRACK 3F DIM ON 2m

200 12 420 W

les accessoires pour connexions électriques



15225 0360 B CONNECTION ST B




Dimension de découpe (mm): 43

15225 0360 W CONNECTION ST W



les composants supplémentaires




200 12 01 TRACK 3F DIM CUTTING TOOL




LUMINAIRES COMPATIBLES


BOXY R ADM




251 74 811 822 ADM ED8 BOXY R 82733 ADM DIM8



251 74 811 832 ADM ED8 BOXY R 83033 ADM DIM8




251 74 811 922 ADM ED8 BOXY R 92733 ADM DIM8




251 74 811 932 ADM ED8 BOXY R 93033 ADM DIM8

DRUMMER 68 ADM



251 80 93 ADM DRUMMER 68 930 ADM

DRUMMER 90 ADM




251 791 93 ADM DRUMMER 90 FOCUS 930 ADM

DELTALIGHT

TRACK 3F DIM ON 2m


200 12 420 W

DUMMY




416 63 1902 ED8 SPLIT-IT PINTOR 63 9-SOFT DIM8

FRAGMA L ADM




23610 931W FRAGMA L 93014 ADM WD




23610 941W FRAGMA L 94014 ADM WD

FRAGMA L SUPERSPOT ADM




23616 931W FRAGMA L SUPERSPOT 9308 ADM WD




23616 941W FRAGMA L SUPERSPOT 9408 ADM WD

FRAGMA M ADM




23611 931W FRAGMA M 93014 ADM WD




23611 941W FRAGMA M 94014 ADM WD

FRAGMA M SUPERSPOT ADM



23615 931W FRAGMA M SUPERSPOT 9308 ADM WD




23615 941W FRAGMA M SUPERSPOT 9408 ADM WD

DELTALIGHT


TRACK 3F DIM ON 2m

200 12 420 W

FRAGMA S ADM




23612 931W FRAGMA S 93014 ADM WD




23612 941W FRAGMA S 94014 ADM WD

FRAGMA S SUPERSPOT ADM




23614 931W FRAGMA S SUPERSPOT 9308 ADM WD




23614 941W FRAGMA S SUPERSPOT 9408 ADM WD


INFORM OK ADM



29312 8325 INFORM OK 83067 ADM SLIM DIM5




29312 9225 INFORM OK 92767 ADM SLIM DIM5




29312 9325 INFORM OK 93067 ADM SLIM DIM5

LED LINE OK ADM



29311 9305 LED LINE OK 930 ADM SLIM DIM5

MAXISPY 95 ADM




414 562 21 82 ADM ED5 MAXISPY 95 827 ADM DIM5


DELTALIGHT

TRACK 3F DIM ON 2m


200 12 420 W



414 562 21 83 ADM ED5 MAXISPY 95 830 ADM DIM5




414 562 21 92 ADM ED5 MAXISPY 95 927 ADM DIM5



414 562 21 93 ADM ED5 MAXISPY 95 930 ADM DIM5




MAXISPY 95 HV ADM




414 66 3083 ADM MAXISPY ON 95 HV 830 ADM




MAXISPY ADM




414 46 21 822 ADM ED1 MAXISPY 82720 ADM DIM1




414 46 21 823 ADM ED1 MAXISPY 82735 ADM DIM1



414 46 21 824 ADM ED1 MAXISPY 82750 ADM DIM1



414 46 21 832 ADM ED1 MAXISPY 83020 ADM DIM1






414 46 21 833 ADM ED1 MAXISPY 83035 ADM DIM1



DELTALIGHT

TRACK 3F DIM ON 2m

200 12 420 W



MAXISPY DYNAMIC FOCUS ADM



MULTINOVA 30 ADM




DELTALIGHT

TRACK 3F DIM ON 2m


200 12 420 W

MULTINOVA 30 PIVOT ADM




27937 9305 MULTINOVA 30 PIVOT SMOKE 930 ADM DIM5

MULTINOVA 55 ADM




28034 9005 MULTINOVA 55 TW PRISM 930 ADM DIM5


SPY 52 ADM



19881 9025 SPY 52 TW 96520 ADM DIM5




19881 9035 SPY 52 TW 96545 ADM DIM5




19881 9045 SPY 52 TW 96530 ADM DIM5

SPY 52 WALLWASH ADM




19886 9205 SPY 52 WALLWASH 927 ADM SLIM DIM5




19886 9305 SPY 52 WALLWASH 930 ADM SLIM DIM5

SPY 66 ADM



24629 9015 SPY 66 TW 96518 ADM DIM5




24629 9025 SPY 66 TW 96525 ADM DIM5

DELTALIGHT

TRACK 3F DIM ON 2m

200 12 420 W



24629 9035 SPY 66 TW 96535 ADM DIM5

SPY 66 LP/MP ADM



24612 9235 SPY 66 MP 92739 ADM DIM5



24612 9335 SPY 66 MP 93039 ADM DIM5

SPY 66 WALLWASH ADM




24632 9205 SPY 66 WALLWASH 927 ADM SLIM DIM5



24632 9305 SPY 66 WALLWASH 930 ADM SLIM DIM5

SPY 90 ADM



19884 9015 SPY 90 TW 96518 ADM DIM5




19884 9025 SPY 90 TW 96530 ADM DIM5



19884 9035 SPY 90 TW 96545 ADM DIM5

SPY ADM



414 367 821 ADM SPY ON 82706 ADM


DELTALIGHT

TRACK 3F DIM ON 2m

200 12 420 W



414 367 831 ADM SPY ON 83006 ADM




414 367 921 ADM SPY ON 92706 ADM




414 367 931 ADM SPY ON 93006 ADM


SPY FOCUS ADM




414 365 811 82 ADM SPY FOCUS ON 827 ADM



414 365 811 83 ADM SPY FOCUS ON 830 ADM



414 365 811 92 ADM SPY FOCUS ON 927 ADM



414 365 811 93 ADM SPY FOCUS ON 930 ADM

SPYCO 70 ADM

19922 9325 SPYCO 70 HONEYCOMB 93024 ADM DIM5

19922 9335 SPYCO 70 HONEYCOMB 93036 ADM DIM5

19922 9425 SPYCO 70 HONEYCOMB 94024 ADM DIM5

19922 9435 SPYCO 70 HONEYCOMB 94036 ADM DIM5

SPYCO 90 ADM

19923 9315 SPYCO 90 HONEYCOMB 93018 ADM DIM5

19923 9325 SPYCO 90 HONEYCOMB 93024 ADM DIM5

19923 9335 SPYCO 90 HONEYCOMB 93036 ADM DIM5

19923 9415 SPYCO 90 HONEYCOMB 94018 ADM DIM5

DELTALIGHT

TRACK 3F DIM ON 2m

200 12 420 W

19923 9425 SPYCO 90 HONEYCOMB 94024 ADM DIM5

19923 9435 SPYCO 90 HONEYCOMB 94036 ADM DIM5

SPYCO AC ADM



28317 9228 SPYCO AC 92733 ADM DIM8



28317 9328 SPYCO AC 93033 ADM DIM8




SPYCO Hi ADM



414 353 10 ADM SPYCO Hi ADM



SUPER-OH XS PIVOT ADM




308 22 03 83 ADM ED8 SUPER-OH! XS PIVOT 39 ADM DIM8

SUPERNOVA XS PIVOT ADM




274 88 3224 ADM ED5 SUPERNOVA XS PIVOT 330 ADM DIM5

TRACK 3F DIM ON




200 12 430 TRACK 3F DIM ON 3m

YOU-TURN ADM



313 031 21 821 ADM ED5 YOU-TURN ON OPTO 30 82715 ADM DIM5




313 031 21 822 ADM ED5 YOU-TURN ON OPTO 30 82733 ADM DIM5


DELTALIGHT

TRACK 3F DIM ON 2m


200 12 420 W




313 031 21 823 ADM ED5 YOU-TURN ON OPTO 30 82755 ADM DIM5




313 031 21 831 ADM ED5 YOU-TURN ON OPTO 30 83015 ADM DIM5




313 031 21 832 ADM ED5 YOU-TURN ON OPTO 30 83033 ADM DIM5




313 031 21 833 ADM ED5 YOU-TURN ON OPTO 30 83055 ADM DIM5




313 031 21 921 ADM ED5 YOU-TURN ON OPTO 30 92715 ADM DIM5




313 031 21 922 ADM ED5 YOU-TURN ON OPTO 30 92733 ADM DIM5




313 031 21 923 ADM ED5 YOU-TURN ON OPTO 30 92755 ADM DIM5



313 031 21 931 ADM ED5 YOU-TURN ON OPTO 30 93015 ADM DIM5



313 031 21 932 ADM ED5 YOU-TURN ON OPTO 30 93033 ADM DIM5



313 031 21 933 ADM ED5 YOU-TURN ON OPTO 30 93055 ADM DIM5

DELTALIGHT

TRACK 3F DIM ON 2m

200 12 420 W

Notes: