



## SUPERLOOP-SPY FOCUS LP 930 MDL



20547 9300 B

AVAILABLE IN

**BLACK** 20547 9300 B

**FLEMISH BRONZE** 20547 9300 FBR

**FLEMISH GOLD** 20547 9300 FG



[View on website](#)



### General info

|                           |                                                                                 |
|---------------------------|---------------------------------------------------------------------------------|
| <b>LOCATION</b>           | indoor                                                                          |
| <b>INSTALLATION</b>       | Low voltage systems Low voltage system mounted                                  |
| <b>INGRESS PROTECTION</b> | IP20                                                                            |
| <b>WEIGHT (KG)</b>        | 0.5                                                                             |
| <b>ADJUSTABILITY</b>      | 0° to 90° swiveling, 355° rotatable                                             |
| <b>INFORMATION</b>        | ADJUSTABLE BEAM 8°-43°<br>INCL.CLIP 48V ADAPTER<br>EXCL.LED POWER SUPPLY 48V-DC |

### Electrical info

|                     |                                    |
|---------------------|------------------------------------|
| <b>ELECTRICAL</b>   | 48V-DC                             |
| <b>CLASS</b>        | III                                |
| <b>DIM TYPE</b>     | MDL = 1-10V or DALI or push button |
| <b>ENERGY CLASS</b> | E                                  |
| <b>CERTIFICATES</b> | CB, EAC, ENEC                      |

### Lightsource info

|                                    |                                                   |
|------------------------------------|---------------------------------------------------|
| <b>LIGHTSOURCE NAME</b>            | LED                                               |
| <b>LIGHTSOURCE</b>                 | LED array 8,6W / CRI>90 (R9: 52) / 3000K / 1018lm |
| <b>TM-30 VALUES</b>                | rf: 90 / Rg: 99                                   |
| <b>SDCM</b>                        | SDCM1                                             |
| <b>RISKGROUP</b>                   | RG1                                               |
| <b>LM80</b>                        | L90B10 > 50000                                    |
| <b>BEAMANGLE</b>                   | 8°-43°                                            |
| <b>LED TECHNICS (LIGHT SOURCE)</b> | 1018lm // 8,6W // 118lm/W                         |
| <b>LED TECHNICS (LUMINAIRE)</b>    | 417lm // 9,9W // 42lm/W                           |

### Requirements

LED POWER SUPPLY 48V-DC

### Options

DIMMABLE MODULATOR

For detailed installation instructions, please consult the manual : [20547\\_XXXX\\_HAND.pdf](#)

## SUPERLOOP-SPY FOCUS LP 930 MDL

20547 9300 B

### FINISH YOUR SPECIFICATION


#### SMART 48

#### # of Fixtures



# of fixtures indicates how many devices can be connected (min -> max) to the power supply. The values before and after the '|' correspond respectively with the minimum and maximum driving current. Values between brackets are applicable to 110V.


Min current | Max current



**300 90 011** SMART 48 MODULATOR DIM9

18

Dimtype: 1-10V or DALI or push button



**300 90 012** SMART 48 MODULATOR WD

18

Dimtype: WDL = wireless dimmable


#### LED power supplies

#### # of Fixtures



# of fixtures indicates how many devices can be connected (min -> max) to the power supply. The values before and after the '|' correspond respectively with the minimum and maximum driving current. Values between brackets are applicable to 110V.

Min current | Max current




**300 89 48 90** LED POWER SUPPLY 48V-DC / 90W

9

Dimtype: non-dimmable


Cutout dimension (mm): 75



**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

9


Dimtype: non-dimmable



**300 89 48 150** LED POWER SUPPLY 48V-DC / 150W

15

Dimtype: non-dimmable



**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN



23

Dimtype: non-dimmable







# DELTALIGHT

## SUPERLOOP-SPY FOCUS LP 930 MDL

20547 9300 B

|                                                                                  |                                                  |    |                          |
|----------------------------------------------------------------------------------|--------------------------------------------------|----|--------------------------|
|  | <b>21012 0230</b> LED POWER SUPPLY 48V-DC / 100W | 9  | <input type="checkbox"/> |
|                                                                                  | Dimtype: non-dimmable                            |    |                          |
|                                                                                  | Cutout dimension (mm): 40                        |    |                          |
|  | <b>21012 0240</b> LED POWER SUPPLY 48V-DC / 200W | 19 | <input type="checkbox"/> |
|                                                                                  | Dimtype: non-dimmable                            |    |                          |
|                                                                                  | Cutout dimension (mm): 40                        |    |                          |


### COMPATIBLE COMPOSABLES

| SUPERLOOP HC MDL                                                                   |                                        | Available Colours                                                                     |  |
|------------------------------------------------------------------------------------|----------------------------------------|---------------------------------------------------------------------------------------|--|
|    | <b>418 481 07</b> SUPERLOOP HC 70 MDL  |    |  |
|  | <b>418 481 09</b> SUPERLOOP HC 90 MDL  |  |  |
|  | <b>418 481 12</b> SUPERLOOP HC 120 MDL |  |  |
|  | <b>418 481 17</b> SUPERLOOP HC 170 MDL |  |  |
| SUPERLOOP HC MDL XL                                                                |                                        | Available Colours                                                                     |  |
|  | <b>20555 0000</b> SUPERLOOP HC 200 MDL |  |  |
|  | <b>20556 0000</b> SUPERLOOP HC 250 MDL |  |  |

# DELTALIGHT


## SUPERLOOP-SPY FOCUS LP 930 MDL

20547 9300 B




**20557 0000** SUPERLOOP HC 300 MDL






**20558 0000** SUPERLOOP HC 350 MDL





**20559 0000** SUPERLOOP HC 400 MDL






**20560 0000** SUPERLOOP HC 500 MDL




### SUPERLOOP PLUS MDL

Available Colours




**20564 0000** SUPERLOOP PLUS HC 70 MDL





**20565 0000** SUPERLOOP PLUS HC 90 MDL






**20566 0000** SUPERLOOP PLUS HC 120 MDL




### SUPERLOOP S HC MDL

Available Colours



**418 482 106** SUPERLOOP S HC 106 MDL







**418 482 109** SUPERLOOP S HC 109 MDL



SUPERLOOP-SPY FOCUS LP 930 MDL

20547 9300 B

|                                                                                  |                                           |                                                                                     |
|----------------------------------------------------------------------------------|-------------------------------------------|-------------------------------------------------------------------------------------|
|  | <b>418 482 211</b> SUPERLOOP S HC 211 MDL |  |
|  | <b>418 482 217</b> SUPERLOOP S HC 217 MDL |  |

Notes: