




SPM52 - PROFILE 2m

420 52 20 00 B

ERHÄLTlich IN  
SCHWARZ 420 52 20 00 B



 [Auf der Website anzeigen](#)




| Allgemeine Information             |                                                                                |
|------------------------------------|--------------------------------------------------------------------------------|
| ANWENDUNGSBEREICH                  | innenbereich                                                                   |
| INSTALLATION                       | Decke Einbau,Wand Einbau                                                       |
| FORM / GRÖSSE DES AUSSCHNITTS (MM) | rechteck - 121 x (L + 5)                                                       |
| EINBAUTIEFE (MM)                   | 150                                                                            |
| DICKE DER BEFESTIGUNGSFLÄCHE (MM)  | max.12                                                                         |
| GEWICHT (KG)                       | 7.6                                                                            |
| INFORMATION                        | L : 2m<br>2 x 48V conductors<br>2 DIM CONDUCTORS (For individual DALI dimming) |
| Elektrische Informationen          |                                                                                |
| KLASSE                             | III                                                                            |

Detaillierte Installationsanweisungen finden Sie in der Montageanleitung : [420\\_52\\_20\\_00\\_HAND.pdf](#)


KOMPATIBLE TEILE

Befestigungskomponenten



**420 52 98 01** SPM52 - SUSPENSION BRACKET

Eckverbinder




**420 06 01** SPM - CORNER 180°


# DELTALIGHT

## SPM52 - PROFILE 2m

420 52 20 00 B




**420 52 06 06** SPM52 - CORNER SET 90°



**420 52 06 17** SPM52 - CORNER SET V90°


### Endkappen




**420 52 03 01** SPM52 - END CAP SET




### LED Betriebsgeräte




**300 89 48 90** LED POWER SUPPLY 48V-DC / 90W




**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN




**300 89 48 150** LED POWER SUPPLY 48V-DC / 150W



**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN



**21012 0230** LED POWER SUPPLY 48V-DC / 100W




**21012 0240** LED POWER SUPPLY 48V-DC / 200W

# DELTALIGHT


## SPM52 - PROFILE 2m

420 52 20 00 B


### Profile



**420 52 10 00** SPM52 - PROFILE 1m




**420 52 20 00** SPM52 - PROFILE 2m




**420 52 30 00** SPM52 - PROFILE 3m



### SMART 48




**300 90 011** SMART 48 MODULATOR DIM9




**300 90 012** SMART 48 MODULATOR WD


### Spezielle Komponenten




**200 12 01** TRACK 3F DIM CUTTING TOOL



**21032 0040** M - WIRELESS PRESENCE AND DAYLIGHT SENSOR



**21032 0185** M - DALI PRESENCE AND DAYLIGHT SENSOR (BROADCAST)




**21032 0190** M - WIRELESS SENSOR HUB

# DELTALIGHT


## SPM52 - PROFILE 2m

420 52 20 00 B


### Stromversorgung




**420 99 01** SPM - CONNECTOR 48V - 180°



**420 99 02** SPM - CONNECTOR 48V - 0-180°




**420 99 03** SPM - SUPPLY 48V




**21032 0030** SMART 48 MODULATOR PLUG-IN WD

## KOMPATIBLE LEUCHTEN

### DUMMY




**421 158 811 92 MDL** M52 - SPY FOCUS 927 MDL




**421 158 811 93 MDL** M52 - SPY FOCUS 930 MDL

### SPLITLINE M/SHIFTLINE M - CUPPA



**28814 9035** M - CUPPA C SOFT 93040 DIM5

### SPLITLINE M/SHIFTLINE M - GIBBO




**421 622 811 920 MDL** M - GIBBO 927 MDL

# DELTALIGHT


## SPM52 - PROFILE 2m

420 52 20 00 B




**421 622 811 930 MDL** M - GIBBO 930 MDL

## SPLITLINE M/SHIFTLINE M - HEDRA 39 C




**22539 9235** M - HEDRA 39 C 92745 DIM5




**22539 9335** M - HEDRA 39 C 93045 DIM5

## SPLITLINE M/SHIFTLINE M - MICROSPY 39 C




**421 612 811 921 MDL** M - MICROSPY 39 C 92745 MDL




**421 612 811 931 MDL** M - MICROSPY 39 C 93045 MDL

## SPLITLINE M52 - 2 LED




**421 248 2822 MDL** M52 - 2 LED OK 82720 MDL




**421 248 2832 MDL** M52 - 2 LED OK 83020 MDL

## SPLITLINE M52 - LED



**421 228 811 922 D MDL** M52 - 1 LED D 92733 MDL



**421 228 811 932 D MDL** M52 - 1 LED D 93033 MDL

# DELTALIGHT

## SPM52 - PROFILE 2m

420 52 20 00 B

### SPLITLINE M52 - MIDISPY

**421 138 272 822 MDL** M52 - MIDISPY 82720 MDL

**421 138 272 832 MDL** M52 - MIDISPY 83020 MDL

### SPLITLINE M52 - SPY

**421 148 811 921 MDL** M52 - SPY 92718 MDL

**421 148 811 922 MDL** M52 - SPY 92733 MDL

**421 148 811 931 MDL** M52 - SPY 93018 MDL

**421 148 811 932 MDL** M52 - SPY 93033 MDL

### SPLITLINE M52 - SPY 39

**24454 9025** M52 - SPY 39I SOFT 93020 DIM5

**24454 9035** M52 - SPY 39I SOFT 93040 DIM5


### SPLITLINE M52 - SPY 39 L

**24456 9025** M52 - SPY 39I L SOFT 93020 DIM5

# DELTALIGHT


## SPM52 - PROFILE 2m

420 52 20 00 B




**24456 9035** M52 - SPY 391 L SOFT 93040 DIM5


### SPLITLINE M52 - SPY 52



**24452 9025** M52 - SPY 52 SOFT 93020 DIM5




**24452 9035** M52 - SPY 52 SOFT 93045 DIM5




**24452 9045** M52 - SPY 52 SOFT 93030 DIM5


### SPLITLINE M52 - SPY 66



**24446 9015** M52 - SPY 66 TW 96518 DIM5




**24446 9025** M52 - SPY 66 TW 96530 DIM5




**24446 9035** M52 - SPY 66 TW 96545 DIM5

### SPLITLINE M52 - SPY FOCUS



**24429 9205** M52 - SPY FOCUS LP 927 DIM5




**24429 9305** M52 - SPY FOCUS LP 930 DIM5

# DELTALIGHT




## SPM52 - PROFILE 2m

420 52 20 00 B




### SPLITLINE M52 profile



### SPY II 39 M CABLE



### SPY II 39 M52





# DELTALIGHT

## SPM52 - PROFILE 2m

420 52 20 00 B

### SPY II 39 M52 FOCUS

**12306231MD00-9027AB** SPY II 39 M52 FOCUS CRI90 2700K MDL

**12306231MD00-9030AB** SPY II 39 M52 FOCUS CRI90 3000K MDL

**12306231MD00-9035AB** SPY II 39 M52 FOCUS CRI90 3500K MDL

**12306231MD00-9040AB** SPY II 39 M52 FOCUS CRI90 4000K MDL

**12306231MD00-9727AB** SPY II 39 M52 FOCUS CRI97 2700K MDL

**12306231MD00-9730AB** SPY II 39 M52 FOCUS CRI97 3000K MDL

**12306231MD00-9735AB** SPY II 39 M52 FOCUS CRI97 3500K MDL

**12306231MD00-9740AB** SPY II 39 M52 FOCUS CRI97 4000K MDL


### SPY II 39 M52 FRAMER

**12306341MD00-902700** SPY II 39 M52 FRAMER CRI90 2700K MDL


# DELTALIGHT

## SPM52 - PROFILE 2m


420 52 20 00 B




**12306341MD00-903000** SPY II 39 M52 FRAMER CRI90 3000K MDL




**12306341MD00-903500** SPY II 39 M52 FRAMER CRI90 3500K MDL




**12306341MD00-904000** SPY II 39 M52 FRAMER CRI90 4000K MDL




**12306341MD00-972700** SPY II 39 M52 FRAMER CRI97 2700K MDL



**12306341MD00-973000** SPY II 39 M52 FRAMER CRI97 3000K MDL




**12306341MD00-973500** SPY II 39 M52 FRAMER CRI97 3500K MDL



**12306341MD00-974000** SPY II 39 M52 FRAMER CRI97 4000K MDL

## SPY II 39 M52 WALLWASH



**12306452MD00-90D200** SPY II 39 M52 WALLWASH SOFT CRI90 3000K-1800K MDL

Notes: