




MULTINOVA 55 PRISM 930 DIM4

REFERENCE 28012 9304 W

AVAILABLE IN  
**BLACK** 28012 9304 B  
**WHITE** 28012 9304 W



 [View on website](#)



| General info                |                                                            |
|-----------------------------|------------------------------------------------------------|
| LOCATION                    | indoor                                                     |
| INSTALLATION                | Ceiling Recessed,Ceiling Surface mounted,Ceiling Suspended |
| INGRESS PROTECTION          | IP20                                                       |
| WEIGHT (KG)                 | 4.5                                                        |
| ADJUSTABILITY               | non adjustable                                             |
| INFORMATION                 | INCL.PC PRISMATIC<br>INCL.DIMMABLE LED POWER SUPPLY        |
| Electrical info             |                                                            |
| ELECTRICAL                  | 220-240V / 50-60Hz                                         |
| CLASS                       | I                                                          |
| POWER SUPPLY                | YES                                                        |
| DIM TYPE                    | DALI or DSI or push button                                 |
| ENERGY CLASS                | D                                                          |
| CERTIFICATES                | CB, ENEC, EPD, RCM                                         |
| Lightsource info            |                                                            |
| LIGHTSOURCE NAME            | LED                                                        |
| LIGHTSOURCE                 | LED cluster 34,4W / CRI>90 (R9: 68) / 3000K / 4767lm       |
| TM-30 VALUES                | Rf: 89 / Rg: 97                                            |
| SDCM                        | SDCM3                                                      |
| LM80                        | L70 > 60000                                                |
| LED TECHNICS (LIGHT SOURCE) | 4767lm // 34,4W // 139lm/W                                 |
| LED TECHNICS (LUMINAIRE)    | 3466lm // 39,6W // 88lm/W                                  |
| Options                     |                                                            |
| MULTINOVA 55 SUSPENSION SET |                                                            |
| MULTINOVA ROD SUSPENSION    |                                                            |
| MULTINOVA 55 RECESSED KIT   |                                                            |

For detailed installation instructions, please consult the manual : [28012\\_XXX4\\_HAND.pdf](#)

MULTINOVA 55 PRISM 930 DIM4


28012 9304 W

CEILING COMPATIBILITY


| Ceiling Type                                                                                                 | Mounting Kit                                                                                                                                   |
|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
|  System ceiling              |  28010 0050 - MULTINOVA 55 RECESSED KIT <span>Required</span> |
|  Plasterboard                |  28010 0050 - MULTINOVA 55 RECESSED KIT <span>Required</span> |
|  Stucanet                    |  28010 0050 - MULTINOVA 55 RECESSED KIT <span>Required</span> |
|  Concrete + plaster          |  28010 0050 - MULTINOVA 55 RECESSED KIT <span>Required</span> |
|  Lintel + plaster            |  28010 0050 - MULTINOVA 55 RECESSED KIT <span>Required</span> |
|  Hollow-core slab + plaster |  28010 0050 - MULTINOVA 55 RECESSED KIT <span>Required</span> |

FINISH YOUR SPECIFICATION

Recessed kits

|                                                                                     |                                                                      |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------|
|  | <b>28010 0050</b> MULTINOVA 55 RECESSED KIT <input type="checkbox"/> |
|  | Cutout dimension (mm): 610                                           |


Suspension parts

|                                                                                     |                                                                                      |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|  | <b>27910 0010 B</b> MULTINOVA 55 SUSPENSION SET 5x0,75 3m B <input type="checkbox"/> |
|                                                                                     | <b>27910 0010 W</b> MULTINOVA 55 SUSPENSION SET 5x0,75 3m W <input type="checkbox"/> |
|  | <b>27910 0030 B</b> MULTINOVA 55 ROD SUSPENSION 0,4m B <input type="checkbox"/>      |
|                                                                                     | <b>27910 0030 W</b> MULTINOVA 55 ROD SUSPENSION 0,4m W <input type="checkbox"/>      |

# DELTALIGHT

## MULTINOVA 55 PRISM 930 DIM4

28012 9304 W



**27910 0040 B** MULTINOVA 55 ROD SUSPENSION 0,8m B

☐

**27910 0040 W** MULTINOVA 55 ROD SUSPENSION 0,8m W

☐

Notes: