





SOLI - 52 SHHH NLT 982745

27182 7230 W

AVAILABLE IN
BLACK 27182 7230 B
GOLD COLOURED 27182 7230 GC
WHITE 27182 7230 W



[View on website](#)



General info	
LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.4
ADJUSTABILITY	0° to 90° swiveling, 360° rotatable
INFORMATION	REFLECTOR WFL-45° EXCL.LED POWER SUPPLY 600mA-DC NLT = Natural Light Technology Optional REFLECTORS 20° & 30° available
Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F
CERTIFICATES	CB, ENEC, LCA
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 10,7W / CRI>98 (R9: 96) / 2700K / 967lm
TM-30 VALUES	rf: 97 / Rg: 102
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
BEAMANGLE	45°
LED TECHNICS (LIGHT SOURCE)	967lm // 10,7W // 91lm/W
LED TECHNICS (LUMINAIRE)	619lm // 12,3W // 50lm/W

Requirements

SPY 52 TUBE

Accessories

HONEYCOMB 42
 SPREAD LENS 42
 LINEAR SPREAD LENS 42
 SOFTENING LENS 42
 GLASS SBL 42

For detailed installation instructions, please consult the manual : [27182_XXX0_HAND.pdf](#)


FINISH YOUR SPECIFICATION

Light altering devices




¹³ **19810 0010 B** HONEYCOMB 42 SINGLE USE B

☐



¹³ **19810 0020** LINEAR SPREAD LENS 42

☐




¹³ **19810 0030** SPREAD LENS 42

☐




¹³ **19810 0040** SOFTENING LENS 42

☐



¹³ **19810 0050** GLASS SBL 42


☐



¹⁴ **19810 0060 B** HONEYCOMB 42 DOUBLE USE B

☐

Finish your product



⁴⁰ **19810 0100 B** SPY 52 TUBE B

☐

DELTALIGHT

SOLI - 52 SHHH NLT 982745

27182 7230 W

19810 0100 FBR	SPY 52 TUBE FBR	☐
19810 0100 FG	SPY 52 TUBE FG	☐
19810 0100 GC	SPY 52 TUBE GC	☐
19810 0100 W	SPY 52 TUBE W	☐



Replaceable reflector / lens

	19810 0180	SPY 52 REFLECTOR 20°	☐
	19810 0190	SPY 52 REFLECTOR 45°	☐
	19810 0240	SPY 52 REFLECTOR 30°	☐

COMPATIBLE COMPOSABLES

SOLISCAPE - SHHH PLUS










Available Colours

	21413 0005	SOLI - SHHH PLUS 60/4 SCARLET DIM5	☒ ☐
	21414 0005	SOLI - SHHH PLUS 60/4 SAND DIM5	☒ ☐
	21415 0005	SOLI - SHHH PLUS 60/4 LILAC DIM5	☒ ☐

DELTALIGHT

SOLI - 52 SHHH NLT 982745

27182 7230 W

	21416 0005 SOLI - SHHH PLUS 60/4 ARCTIC DIM5	
	21417 0005 SOLI - SHHH PLUS 90/4 SCARLET DIM5	
	21418 0005 SOLI - SHHH PLUS 90/4 SAND DIM5	
	21419 0005 SOLI - SHHH PLUS 90/4 LILAC DIM5	
	21420 0005 SOLI - SHHH PLUS 90/4 ARCTIC DIM5	
	21421 0005 SOLI - SHHH PLUS 120/4 SCARLET DIM5	
	21422 0005 SOLI - SHHH PLUS 120/4 SAND DIM5	
	21423 0005 SOLI - SHHH PLUS 120/4 LILAC DIM5	
	21424 0005 SOLI - SHHH PLUS 120/4 ARCTIC DIM5	
	21425 0005 SOLI - SHHH PLUS 120/8 SCARLET DIM5	

DELTALIGHT

SOLI - 52 SHHH NLT 982745


27182 7230 W

	21426 0005 SOLI - SHHH PLUS 120/8 SAND DIM5	
	21427 0005 SOLI - SHHH PLUS 120/8 LILAC DIM5	
	21428 0005 SOLI - SHHH PLUS 120/8 ARCTIC DIM5	
	27173 0005 SOLI - SHHH PLUS 60/4 LIGHT GREY DIM5	
	27174 0005 SOLI - SHHH PLUS 60/4 DARK GREY DIM5	
	27175 0005 SOLI - SHHH PLUS 90/4 LIGHT GREY DIM5	
	27176 0005 SOLI - SHHH PLUS 90/4 DARK GREY DIM5	
	27177 0005 SOLI - SHHH PLUS 120/4 LIGHT GREY DIM5	
	27178 0005 SOLI - SHHH PLUS 120/4 DARK GREY DIM5	
	27179 0005 SOLI - SHHH PLUS 120/8 LIGHT GREY DIM5	

DELTALIGHT

SOLI - 52 SHHH NLT 982745

27182 7230 W



27180 0005 SOLI - SHHH PLUS 120/8 DARK GREY DIM5



Notes: