





Image may differ from the actual product  
Consult drawing for correct size and structure

## INFORM 40 SQ 160 DOWN 94063 DIM5

30711 9435 W-B

DISPONIBLE EN  
**NOIR-NOIR** 30711 9435 B-B  
**BLANC-NOIR** 30711 9435 W-B



 [Voir sur le site Web](#)



### Informations générales

<b>EMPLACEMENT</b>	interieur
<b>INSTALLATION</b>	Plafond Applique,Plafond Suspendu
<b>INDICE DE PROTECTION</b>	IP20
<b>POIDS (KG)</b>	2.6
<b>ORIENTATION</b>	non réglable
<b>INFORMATIONS</b>	INCL.DIMMABLE LED POWER SUPPLY (DALI DT6) Power selection to be set on driver EXCL.CABLE SUSPENSION

### Informations électriques

<b>ÉLECTRIQUE</b>	220-240V / 0 50-60Hz
<b>CLASSE</b>	I
<b>ALIMENTATION</b>	YES
<b>TYPE DIM</b>	DALI
<b>CLASSE D'ÉNERGIE</b>	D

### Info Source lumineuse

<b>LIGHTSOURCE NAME</b>	LED
<b>SOURCE DE LUMIÈRE</b>	HO: LED cluster 27W / CRI>90 (R9: 50) / 4000K / 3987lm Or LED cluster 16,3W / CRI>90 (R9: 50) / 4000K / 2643lm
<b>VALEURS TM-30</b>	Rf: 90 / Rg: 101 rf: 90 / Rg: 101
<b>SDCM</b>	SDCM3
<b>GROUPE DE RISQUE</b>	RG1
<b>LM80</b>	L80 > 60000
<b>BEAMANGLE</b>	63°
<b>TECHNIQUES LED (SOURCE LUMINEUSE)</b>	HO: 3987lm // 27W // 148lm/W Or 2643lm // 16,3W // 162lm/W
<b>TECHNIQUES LED (LUMINAIRE)</b>	HO: 2759lm // 31W // 89lm/W Or 1829lm // 18,7W // 98lm/W

### Références optionnelles

INF40 SQ 160/180 - SUSPENSION SET  
CABLE BASE R / S

# DELTALIGHT

## INFORM 40 SQ 160 DOWN 94063 DIM5

30711 9435 W-B

Pour des instructions d'installation détaillées, veuillez consulter le manuel : [30711\\_XXX5\\_HAND.pdf](#)

### TERMINEZ VOTRE SPÉCIFICATION

#### le cable d'alimentation



**203 99 55 ANO** CABLE BASE R ANO

**203 99 55 B** CABLE BASE R B

**203 99 55 W** CABLE BASE R W



**203 99 56 ANO** CABLE BASE S ANO

**203 99 56 B** CABLE BASE S B

**203 99 56 W** CABLE BASE S W

#### les accessoires de fixations



**30710 0010 B** INF40 SQ 160/180 - SUSPENSION SET 1,6m B

**30710 0010 W** INF40 SQ 160/180 - SUSPENSION SET 1,6m W



**30710 0030 B** INF40 SQ 160/180 - SUSPENSION SET 3,0m B

**30710 0030 W** INF40 SQ 160/180 - SUSPENSION SET 3,0m W

# DELTALIGHT

## **INFORM 40 SQ 160 DOWN 94063 DIM5**

30711 9435 W-B

Notes: