




Image may differ from the actual product

LED POWER SUPPLY MULTI
POWER 60-360mA-DC

21012 0080



 [Visualizza sul sito web](#)



Informazioni generali	
AMBIENTE	indoor
DIMENSIONE DEL FORO (MM)	rotondo - 40
PROTEZIONE DELL'INGRESSO	IP20
PESO (KG)	0.1
INFORMAZIONI	OUTPUT: 60mA-DC / 2,5W / 2-41,5V-DC OUTPUT: 100mA-DC / 4,1W / 2-41,5V-DC OUTPUT: 180mA / 7,4W / 2-41,5V-DC OUTPUT: 240mA / 10W / 2-41,5V-DC OUTPUT: 300mA / 12,4W (10W@110V) / 2-41,5V-DC OUTPUT: 360mA / 15W (10W@110V) / 2-41,5V-DC $\lambda > 0,8$ Inrush current : 27A - 250 μ s @ 230V-AC Max. 27 units on circuit breaker B 16A @ 230V-AC
Informazioni elettriche	
CLASSE DI ISOLAMENTO	II
TIPO DI DIMMERAZIONE	non dimmerabile

Per istruzioni di installazione dettagliate, consultare il manuale : [21012_0080_HAND.pdf](#)

Dove usato

13211 9200	INLET TRIMLESS XS 927
13211 9300	INLET TRIMLESS XS 930
26311 8210	EN-SUITE R 82718
26311 8230	EN-SUITE R 82737
26311 8310	EN-SUITE R 83018
26311 8330	EN-SUITE R 83037
26311 9210	EN-SUITE R 92718
26311 9230	EN-SUITE R 92737
26311 9310	EN-SUITE R 93018
26311 9330	EN-SUITE R 93037
26312 8210	EN-SUITE R IP 82718
26312 8230	EN-SUITE R IP 82737
26312 8310	EN-SUITE R IP 83018
26312 8330	EN-SUITE R IP 83037
26312 9210	EN-SUITE R IP 92718
26312 9230	EN-SUITE R IP 92737
26312 9310	EN-SUITE R IP 93018

LED POWER SUPPLY MULTI POWER 60-360mA-DC

21012 0080

26312 9330	EN-SUITE R IP 93037
26313 8210	EN-SUITE S 82718
26313 8230	EN-SUITE S 82737
26313 8310	EN-SUITE S 83018
26313 8330	EN-SUITE S 83037
26313 9210	EN-SUITE S 92718
26313 9230	EN-SUITE S 92737
26313 9310	EN-SUITE S 93018
26313 9330	EN-SUITE S 93037
26314 8210	EN-SUITE S IP 82718
26314 8230	EN-SUITE S IP 82737
26314 8310	EN-SUITE S IP 83018
26314 8330	EN-SUITE S IP 83037
26314 9210	EN-SUITE S IP 92718
26314 9230	EN-SUITE S IP 92737
26314 9310	EN-SUITE S IP 93018
26314 9330	EN-SUITE S IP 93037
26315 8210	EN-SUITE R OK 82718
26315 8230	EN-SUITE R OK 82737
26315 8310	EN-SUITE R OK 83018
26315 8330	EN-SUITE R OK 83037
26315 9210	EN-SUITE R OK 92718
26315 9230	EN-SUITE R OK 92737
26315 9310	EN-SUITE R OK 93018
26315 9330	EN-SUITE R OK 93037
26316 8210	EN-SUITE R OK IP 82718
26316 8230	EN-SUITE R OK IP 82737
26316 8310	EN-SUITE R OK IP 83018
26316 8330	EN-SUITE R OK IP 83037
26316 9210	EN-SUITE R OK IP 92718
26316 9230	EN-SUITE R OK IP 92737
26316 9310	EN-SUITE R OK IP 93018
26316 9330	EN-SUITE R OK IP 93037
26317 8210	EN-SUITE S OK 82718
26317 8230	EN-SUITE S OK 82737
26317 8310	EN-SUITE S OK 83018
26317 8330	EN-SUITE S OK 83037
26317 9210	EN-SUITE S OK 92718
26317 9230	EN-SUITE S OK 92737
26317 9310	EN-SUITE S OK 93018
26317 9330	EN-SUITE S OK 93037
26318 8210	EN-SUITE S OK IP 82718
26318 8230	EN-SUITE S OK IP 82737
26318 8310	EN-SUITE S OK IP 83018
26318 8330	EN-SUITE S OK IP 83037
26318 9210	EN-SUITE S OK IP 92718
26318 9230	EN-SUITE S OK IP 92737
26318 9310	EN-SUITE S OK IP 93018
26318 9330	EN-SUITE S OK IP 93037
26319 8210	EN-SUITE 2S 82718
26319 8230	EN-SUITE 2S 82737
26319 8310	EN-SUITE 2S 83018
26319 8330	EN-SUITE 2S 83037
26319 9210	EN-SUITE 2S 92718
26319 9230	EN-SUITE 2S 92737
26319 9310	EN-SUITE 2S 93018
26319 9330	EN-SUITE 2S 93037
26320 8210	EN-SUITE 2S IP 82718
26320 8230	EN-SUITE 2S IP 82737
26320 8310	EN-SUITE 2S IP 83018
26320 8330	EN-SUITE 2S IP 83037
26320 9210	EN-SUITE 2S IP 92718
26320 9230	EN-SUITE 2S IP 92737
26320 9310	EN-SUITE 2S IP 93018
26320 9330	EN-SUITE 2S IP 93037
26321 9210	EN-SUITE R HE 92718
26321 9230	EN-SUITE R HE 92737
26321 9310	EN-SUITE R HE 93018
26321 9330	EN-SUITE R HE 93037
26322 9210	EN-SUITE R HE IP 92718
26322 9230	EN-SUITE R HE IP 92737
26322 9310	EN-SUITE R HE IP 93018
26322 9330	EN-SUITE R HE IP 93037
26323 9210	EN-SUITE R HE OK 92718
26323 9230	EN-SUITE R HE OK 92737

DELTALIGHT

LED POWER SUPPLY MULTI POWER 60-360mA-DC

21012 0080

26323 9310	EN-SUITE R HE OK 93018
26323 9330	EN-SUITE R HE OK 93037
26324 9210	EN-SUITE R HE OK IP 92718
26324 9230	EN-SUITE R HE OK IP 92737
26324 9310	EN-SUITE R HE OK IP 93018
26324 9330	EN-SUITE R HE OK IP 93037

Notes: