





MICROGRID IN 1 93015

100055 9310 W-B

AVAILABLE IN  
**BLACK-BLACK** 100055 9310 B-B  
**BLACK-WHITE** 100055 9310 B-W  
**WHITE-BLACK** 100055 9310 W-B  
**WHITE-WHITE** 100055 9310 W-W



[View on website](#)



| General info                       |                                               |
|------------------------------------|-----------------------------------------------|
| LOCATION                           | indoor                                        |
| INSTALLATION                       | Ceiling Recessed                              |
| CUTOUT SHAPE/SIZE (MM)             | rectangle - 62 x 59                           |
| RECESSED DEPTH (MM)                | 75                                            |
| THICKNESS OF MOUNTING SURFACE (MM) | min.12 - max.25                               |
| INGRESS PROTECTION                 | IP20                                          |
| WEIGHT (KG)                        | 0.2                                           |
| ADJUSTABILITY                      | 0° to 20° swiveling, 350° rotatable           |
| INFORMATION                        | LENS SP-15°<br>EXCL.LED POWER SUPPLY 350mA-DC |

| Electrical info |                           |
|-----------------|---------------------------|
| CLASS           | III                       |
| DIM TYPE        | depending on power supply |
| ENERGY CLASS    | F                         |
| CERTIFICATES    | CB, ENEC                  |

| Lightsource info            |                                                  |
|-----------------------------|--------------------------------------------------|
| LIGHTSOURCE NAME            | LED                                              |
| LIGHTSOURCE                 | LED array 3,9W / CRI>90 (R9: 55) / 3000K / 385lm |
| TM-30 VALUES                | Rf: 92 / Rg: 98                                  |
| SDCM                        | SDCM2                                            |
| RISKGROUP                   | RG2 (threshold 0,6m)                             |
| LM80                        | L90B10 > 41000                                   |
| BEAMANGLE                   | 15°                                              |
| LED TECHNICS (LIGHT SOURCE) | 385lm // 3,9W // 98lm/W                          |
| LED TECHNICS (LUMINAIRE)    | 288lm // 4,5W // 64lm/W                          |

| Requirements                  |  |
|-------------------------------|--|
| LED POWER SUPPLY 350mA-DC DIM |  |

| Accessories |  |
|-------------|--|
| MICRO VISOR |  |

For detailed installation instructions, please consult the manual : [100055\\_XXX0\\_HAND.pdf](#)

# DELTALIGHT

## MICROGRID IN 1 93015


100055 9310 W-B

### CEILING COMPATIBILITY



| Ceiling Type                                                                                       | Mounting Kit |
|----------------------------------------------------------------------------------------------------|--------------|
|  System ceiling    | -            |
|  Plasterboard      | -            |
|  Stucanet          | -            |
|  Wood              | -            |
|  Stretched ceiling | -            |

### FINISH YOUR SPECIFICATION

#### Emergency units






|                                                                                    |                                                                     |                          |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------|--------------------------|
|  | <b>21032 0270 B</b> EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B | <input type="checkbox"/> |
|                                                                                    | <b>21032 0270 W</b> EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W | <input type="checkbox"/> |

#### LED power supplies

|                                                                                                                                                                                                                                                                                                                                                     |                                                                          | # of Fixtures              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|----------------------------|
| <p> # of fixtures indicates how many devices can be connected (min -&gt; max) to the power supply. The values before and after the ' ' correspond respectively with the minimum and maximum driving current. Values between brackets are applicable to 110V.</p> |                                                                          | Min current   Max current  |
|                                                                                                                                                                                                                                                                   | <b>300 48 350 ED1</b> LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM1 | 3 <input type="checkbox"/> |
|                                                                                                                                                                                                                                                                                                                                                     | <b>Dimtype:</b> 1-10V                                                    |                            |
|                                                                                                                                                                                                                                                                                                                                                     | <b>Cutout dimension (mm):</b> 30                                         |                            |
|                                                                                                                                                                                                                                                                   | <b>300 48 350 ED5</b> LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5 | 3 <input type="checkbox"/> |
|                                                                                                                                                                                                                                                                                                                                                     | <b>Dimtype:</b> DALI                                                     |                            |
|                                                                                                                                                                                                                                                                                                                                                     | <b>Cutout dimension (mm):</b> 45                                         |                            |











MICROGRID IN 1 93015

100055 9310 W-B

|                                                                                    |                                                                         |          |                          |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------|--------------------------|
|    | <b>300 48 350 MDL</b> LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W MDL | 3        | <input type="checkbox"/> |
|                                                                                    | Dimtype: non-dimmable                                                   |          |                          |
|                                                                                    | Cutout dimension (mm): 30                                               |          |                          |
|    | <b>300 48 350 WDL</b> LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W WDL | 3        | <input type="checkbox"/> |
|                                                                                    | Dimtype: WDL = wireless dimmable                                        |          |                          |
|                                                                                    | Cutout dimension (mm): 45                                               |          |                          |
|    | <b>300 90 61</b> LED POWER SUPPLY MULTI-POWER DIM6                      | 3        | <input type="checkbox"/> |
|                                                                                    | Dimtype: mains (phase cut-off) or push button                           |          |                          |
|                                                                                    | Cutout dimension (mm): 56                                               |          |                          |
|    | <b>300 90 63</b> LED POWER SUPPLY MULTI-POWER DIM9                      | 6(6)     | <input type="checkbox"/> |
|                                                                                    | Dimtype: 1-10V or DALI or push button                                   |          |                          |
|                                                                                    | Cutout dimension (mm): 82                                               |          |                          |
|  | <b>300 90 64</b> LED POWER SUPPLY MULTI-POWER DIM7                      | 2->4(3)  | <input type="checkbox"/> |
|                                                                                    | Dimtype: 1-10V or push button                                           |          |                          |
|                                                                                    | Cutout dimension (mm): 72                                               |          |                          |
|  | <b>300 90 67</b> LED POWER CONVERTER 24V-DC TO MULTI CURRENT 48W DIM9   | 3        | <input type="checkbox"/> |
|                                                                                    | Dimtype: 1-10V or DALI or push button                                   |          |                          |
|  | <b>300 90 68</b> LED POWER SUPPLY MULTI-POWER DIM5                      | 4(3)     | <input type="checkbox"/> |
|                                                                                    | Dimtype: DALI                                                           |          |                          |
|                                                                                    | Cutout dimension (mm): 72                                               |          |                          |
|  | <b>300 90 69</b> LED POWER SUPPLY MULTI-POWER HV DIM9                   | 2->9(10) | <input type="checkbox"/> |
|                                                                                    | Dimtype: 1-10V or DALI or push button                                   |          |                          |
|                                                                                    | Cutout dimension (mm): 84                                               |          |                          |
|  | <b>300 90 124</b> LED POWER SUPPLY MULTI-POWER DIM7                     | 2->4(3)  | <input type="checkbox"/> |
|                                                                                    | Dimtype: 1-10V or push button                                           |          |                          |
|                                                                                    | Cutout dimension (mm): 55                                               |          |                          |
|  | <b>300 90 125</b> LED POWER SUPPLY MULTI-POWER MINI DIM5                | 4(3)     | <input type="checkbox"/> |
|                                                                                    | Dimtype: DALI                                                           |          |                          |
|                                                                                    | Cutout dimension (mm): 55                                               |          |                          |

## MICROGRID IN 1 93015


100055 9310 W-B

|                                                                                    |                                                                                                                                         |      |                          |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|------|--------------------------|
|    | <b>300 90 135</b><br>LED POWER SUPPLY MULTI-POWER HV<br><br>Dimtype: non-dimmable<br>Cutout dimension (mm): 90                          | 5->7 | <input type="checkbox"/> |
|    | <b>21012 0010</b><br>LED POWER SUPPLY MULTI POWER<br><br>Dimtype: non-dimmable<br>Cutout dimension (mm): 50                             | 2->3 | <input type="checkbox"/> |
|    | <b>21012 0021</b><br>LED POWER SUPPLY MULTI POWER DIM1<br><br>Dimtype: 1-10V<br>Cutout dimension (mm): 54                               | 4    | <input type="checkbox"/> |
|    | <b>21012 0035</b><br>LED POWER SUPPLY MULTI POWER DIM5<br><br>Dimtype: DALI<br>Cutout dimension (mm): 54                                | 4    | <input type="checkbox"/> |
|  | <b>21012 004W</b><br>LED POWER SUPPLY MULTI-POWER WDL<br><br>Dimtype: WDL = wireless dimmable<br>Cutout dimension (mm): 84              | 6(6) | <input type="checkbox"/> |
|  | <b>21012 005W</b><br>LED POWER SUPPLY MULTI-POWER COMPACT WDL<br><br>Dimtype: WDL = wireless dimmable<br>Cutout dimension (mm): 54      | 4    | <input type="checkbox"/> |
|  | <b>21012 0258</b><br>LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8<br><br>Dimtype: mains (phase cut-off)<br>Cutout dimension (mm): 50 | 2->2 | <input type="checkbox"/> |
|  | <b>21012 0268</b><br>LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8<br><br>Dimtype: mains (phase cut-off)<br>Cutout dimension (mm): 50 | 3->3 | <input type="checkbox"/> |
|  | <b>21012 0298</b><br>LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8<br><br>Dimtype: mains (phase cut-off)<br>Cutout dimension (mm): 48 | 3    | <input type="checkbox"/> |
|  | <b>21012 0480</b><br>LED POWER SUPPLY 350mA-DC / 17W IP68<br><br>Dimtype: non-dimmable<br>Cutout dimension (mm): 60                     | 4(3) | <input type="checkbox"/> |


# DELTALIGHT

## MICROGRID IN 1 93015

100055 9310 W-B

|                                                                                  |                                                                             |   |                          |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------|---|--------------------------|
|  | <b><u>21032 0295</u></b> LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5 | 3 | <input type="checkbox"/> |
| Dimtype: DALI                                                                    |                                                                             |   |                          |
| Cutout dimension (mm): 30                                                        |                                                                             |   |                          |

### Light altering devices

|                                                                                   |                                          |                          |
|-----------------------------------------------------------------------------------|------------------------------------------|--------------------------|
|  | <b><u>10034 0010 B</u></b> MICRO VISOR B | <input type="checkbox"/> |
|-----------------------------------------------------------------------------------|------------------------------------------|--------------------------|

Notes: