
DELTALIGHT

# CONNECTION ST

**REFERENCE** 15225 0360 W

AVAILABLE IN
**BLACK** 15225 0360 B
**WHITE** 15225 0360 W






View on website

| General info | |
|---|---|
| **LOCATION** | indoor |
| **CUTOUT SHAPE/SIZE (MM)** | round - 43 |
| **RECESSED DEPTH (MM)** | 80 |
| **THICKNESS OF MOUNTING SURFACE (MM)** | max.25 |
| **INGRESS PROTECTION** | IP20 |
| **WEIGHT (KG)** | 0.2 |
| **INFORMATION** | INCL.1 x CONNECTOR 4 x 1,5mm² / 16A / 250V + PE<br>Can not be used to suspend luminaires on power cable |

| Electrical info | |
|---|---|
| **CLASS** | I |

For detailed installation instructions, please consult the manual : **15225_0360_HAND.pdf**

## WHERE USED

| | |
|---|---|
| **200 12 410** | TRACK 3F DIM ON 1m |
| **200 12 420** | TRACK 3F DIM ON 2m |
| **200 12 430** | TRACK 3F DIM ON 3m |
| **200 14 410** | TRACK 3F DIM H 1m |
| **200 14 420** | TRACK 3F DIM H 2m |
| **200 14 430** | TRACK 3F DIM H 3m |
| **200 99 53** | TRACK CURRENT SUPPLY 5 x 0,75mm² 3,0m |
| **274 95 06 26 ED5** | SUPERNOVA LINE 65 TW DIM5 |
| **274 95 06 26 WD** | SUPERNOVA LINE 65 TW WD |
| **274 95 09 26 ED5** | SUPERNOVA LINE 95 TW DIM5 |
| **274 95 09 26 WD** | SUPERNOVA LINE 95 TW WD |
| **274 95 12 26 ED5** | SUPERNOVA LINE 125 TW DIM5 |
| **274 95 12 26 WD** | SUPERNOVA LINE 125 TW WD |
| **274 96 06 26 ED5** | SUPERNOVA LINE 65 TW DOWN-UP DIM5 |
| **274 96 09 26 ED5** | SUPERNOVA LINE 95 TW DOWN-UP DIM5 |
| **274 96 12 26 ED5** | SUPERNOVA LINE 125 TW DOWN-UP DIM5 |
| **308 07 03 822** | SUPER-OH! 70 82720 |
| **308 07 03 832** | SUPER-OH! 70 83020 |
| **308 07 05 00** | SUPER-OH! 70 |
| **308 07 06 822** | SUPER-OH! 70 DOWN-UP 82720 |
| **308 07 06 832** | SUPER-OH! 70 DOWN-UP 83020 |
| **308 12 06 822** | SUPER-OH! 120 82720 |

# CONNECTION ST

15225 0360 W

| | |
|---|---|
| **308 12 06 832** | SUPER-OH! 120 83020 |
| **308 12 07 00** | SUPER-OH! 120 |
| **308 12 12 822** | SUPER-OH! 120 DOWN-UP 82720 |
| **308 12 12 832** | SUPER-OH! 120 DOWN-UP 83020 |
| **308 17 08 822** | SUPER-OH! 170 82720 |
| **308 17 08 832** | SUPER-OH! 170 83020 |
| **308 17 10 00** | SUPER-OH! 170 |
| **308 17 16 822** | SUPER-OH! 170 DOWN-UP 82720 |
| **308 17 16 832** | SUPER-OH! 170 DOWN-UP 83020 |
| **321 107 92** | SUPERLOOP HC 70 SBL 927 |
| **321 107 93** | SUPERLOOP HC 70 SBL 930 |
| **321 109 92** | SUPERLOOP HC 90 SBL 927 |
| **321 109 93** | SUPERLOOP HC 90 SBL 930 |
| **321 112 92** | SUPERLOOP HC 120 SBL 927 |
| **321 112 93** | SUPERLOOP HC 120 SBL 930 |
| **321 117 92** | SUPERLOOP HC 170 SBL 927 |
| **321 117 93** | SUPERLOOP HC 170 SBL 930 |
| **321 207 93** | SUPERLOOP HC 70 SPR 930 |
| **321 209 93** | SUPERLOOP HC 90 SPR 930 |
| **321 212 93** | SUPERLOOP HC 120 SPR 930 |
| **321 217 93** | SUPERLOOP HC 170 SPR 930 |
| **377 98 51** | HDL75 - CURRENT SUPPLY 3 x 0,75mm² 1,6m |
| **377 98 56** | HDL75 - CURRENT SUPPLY 3 x 0,75mm² 6,0m |
| **377 99 51** | HDL75 - CURRENT SUPPLY 5 x 0,75mm² 1,6m |
| **377 99 56** | HDL75 - CURRENT SUPPLY 5 x 0,75mm² 6,0m |
| **389 01 00 00** | SRL 70S - PROFILE |
| **389 011 243 E** | STREAMLINER 70S P2483 |
| **389 011 243 ED1** | STREAMLINER 70S P2483 DIM1 |
| **389 011 483 E** | STREAMLINER 70S P4883 |
| **389 011 483 ED1** | STREAMLINER 70S P4883 DIM1 |
| **389 02 00 00** | SRL 70L - PROFILE |
| **391 00 00** | FTL35 - PROFILE |
| **391 97 51** | FTL35 - CURRENT SUPPLY 2 x 0,75 mm² 1,6m |
| **392 01 00 00** | FTL35 F HE - PROFILE |
| **392 02 00 00** | FTL35 F HE DOWN-UP - PROFILE |
| **392 02 97 51** | FTL35 F HE DOWN-UP - CURRENT SUPPLY 2 x 0,75 mm² 1,6m |
| **399 01 00** | MIC40/40+ - PROFILE |
| **399 98 51** | MIC40 - CURRENT SUPPLY 3 x 0,75mm² 1,6m |
| **399 98 56** | MIC40 - CURRENT SUPPLY 3 x 0,75mm² 6,0m |
| **399 99 51** | MIC40 - CURRENT SUPPLY 5 x 0,75mm² 1,6m |
| **399 99 56** | MIC40 - CURRENT SUPPLY 5 x 0,75mm² 6,0m |
| **404 00 00** | OAO - PROFILE |
| **404 12 93** | ONE-AND-ONLY P12 DOWN-UP 930 |
| **404 12 93 ED1** | ONE-AND-ONLY P12 DOWN-UP 930 DIM1 |
| **404 20 93** | ONE-AND-ONLY P20 DOWN-UP 930 |
| **404 20 93 ED1** | ONE-AND-ONLY P20 DOWN-UP 930 DIM1 |
| **404 20 93 ED5** | ONE-AND-ONLY P20 DOWN-UP 930 DIM5 |
| **418 481 07** | SUPERLOOP HC 70 MDL |
| **418 481 09** | SUPERLOOP HC 90 MDL |
| **418 481 12** | SUPERLOOP HC 120 MDL |
| **418 481 17** | SUPERLOOP HC 170 MDL |
| **418 482 106** | SUPERLOOP S HC 106 MDL |
| **418 482 109** | SUPERLOOP S HC 109 MDL |
| **418 482 211** | SUPERLOOP S HC 211 MDL |
| **418 482 217** | SUPERLOOP S HC 217 MDL |
| **425 04 00 00** | TGL-ON - PROFILE |
| **425 97 51** | TGL-ON - CURRENT SUPPLY 2 x 0,50mm² 1,6m |
| **15225 0280** | SUSPENSION SET 28 3x0,75 3m |
| **15225 0290** | SUSPENSION SET 29 5x0,75 3m |
| **15225 0300** | SUSPENSION SET 30 2x0,75 1,6m |
| **15225 0310** | SUSPENSION SET 31 5x0,75 1,6m |
| **15225 0320** | SUSPENSION SET 32 5x0,75 1,6m |
| **15225 0330** | SUSPENSION SET 33 2x0,75 1,6m |
| **20549 9300** | SUPERLOOP HC 200 SBL 930 |
| **20550 9300** | SUPERLOOP HC 250 SBL 930 |
| **20551 9300** | SUPERLOOP HC 300 SBL 930 |
| **20552 9300** | SUPERLOOP HC 350 SBL 930 |
| **20553 9300** | SUPERLOOP HC 400 SBL 930 |
| **20554 9300** | SUPERLOOP HC 500 SBL 930 |
| **20555 0000** | SUPERLOOP HC 200 MDL |
| **20556 0000** | SUPERLOOP HC 250 MDL |
| **20557 0000** | SUPERLOOP HC 300 MDL |
| **20558 0000** | SUPERLOOP HC 350 MDL |
| **20559 0000** | SUPERLOOP HC 400 MDL |
| **20560 0000** | SUPERLOOP HC 500 MDL |

## CONNECTION ST

15225 0360 W

| | |
|---|---|
| **20561 9200** | SUPERLOOP PLUS HC 70 SBL 927 |
| **20561 9300** | SUPERLOOP PLUS HC 70 SBL 930 |
| **20562 9200** | SUPERLOOP PLUS HC 90 SBL 927 |
| **20562 9300** | SUPERLOOP PLUS HC 90 SBL 930 |
| **20563 9200** | SUPERLOOP PLUS HC 120 SBL 927 |
| **20563 9300** | SUPERLOOP PLUS HC 120 SBL 930 |
| **20564 0000** | SUPERLOOP PLUS HC 70 MDL |
| **20565 0000** | SUPERLOOP PLUS HC 90 MDL |
| **20566 0000** | SUPERLOOP PLUS HC 120 MDL |
| **20570 9200** | SUPERLOOP HC SBL OVAL S 927 |
| **20570 9300** | SUPERLOOP HC SBL OVAL S 930 |
| **20571 9200** | SUPERLOOP HC SBL OVAL M 927 |
| **20571 9300** | SUPERLOOP HC SBL OVAL M 930 |
| **20572 9200** | SUPERLOOP SLIM IN 70 SBL 927 |
| **20572 9300** | SUPERLOOP SLIM IN 70 SBL 930 |
| **20573 9200** | SUPERLOOP SLIM IN 90 SBL 927 |
| **20573 9300** | SUPERLOOP SLIM IN 90 SBL 930 |
| **20574 9200** | SUPERLOOP SLIM IN 120 SBL 927 |
| **20574 9300** | SUPERLOOP SLIM IN 120 SBL 930 |
| **20575 9200** | SUPERLOOP SLIM IN 170 SBL 927 |
| **20575 9300** | SUPERLOOP SLIM IN 170 SBL 930 |
| **20576 9200** | SUPERLOOP SLIM OUT 70 SBL 927 |
| **20576 9300** | SUPERLOOP SLIM OUT 70 SBL 930 |
| **20577 9200** | SUPERLOOP SLIM OUT 90 SBL 927 |
| **20577 9300** | SUPERLOOP SLIM OUT 90 SBL 930 |
| **20578 9200** | SUPERLOOP SLIM OUT 120 SBL 927 |
| **20578 9300** | SUPERLOOP SLIM OUT 120 SBL 930 |
| **20579 9200** | SUPERLOOP SLIM OUT 170 SBL 927 |
| **20579 9300** | SUPERLOOP SLIM OUT 170 SBL 930 |
| **20580 9200** | SUPERLOOP SLIM DOWN 70 SBL 927 |
| **20580 9300** | SUPERLOOP SLIM DOWN 70 SBL 930 |
| **20582 9200** | SUPERLOOP SLIM DOWN 120 SBL 927 |
| **20582 9300** | SUPERLOOP SLIM DOWN 120 SBL 930 |
| **20612 9300** | SUPERNOVA FLAT 65 DOWN-UP 930 |
| **20612 9301** | SUPERNOVA FLAT 65 DOWN-UP 930 DIM1 |
| **20612 9305** | SUPERNOVA FLAT 65 DOWN-UP 930 DIM5 |
| **20613 9300** | SUPERNOVA FLAT 65 PRISMATIC DOWN-UP 930 |
| **20613 9301** | SUPERNOVA FLAT 65 PRISMATIC DOWN-UP 930 DIM1 |
| **20613 9305** | SUPERNOVA FLAT 65 PRISMATIC DOWN-UP 930 DIM5 |
| **20614 9300** | SUPERNOVA FLAT 95 DOWN-UP 930 |
| **20614 9301** | SUPERNOVA FLAT 95 DOWN-UP 930 DIM1 |
| **20614 9305** | SUPERNOVA FLAT 95 DOWN-UP 930 DIM5 |
| **20615 9300** | SUPERNOVA FLAT 95 PRISMATIC DOWN-UP 930 |
| **20615 9301** | SUPERNOVA FLAT 95 PRISMATIC DOWN-UP 930 DIM1 |
| **20615 9305** | SUPERNOVA FLAT 95 PRISMATIC DOWN-UP 930 DIM5 |
| **20616 9300** | SUPERNOVA LINE 65 DOWN-UP 930 |
| **20616 9301** | SUPERNOVA LINE 65 DOWN-UP 930 DIM1 |
| **20616 9305** | SUPERNOVA LINE 65 DOWN-UP 930 DIM5 |
| **20618 9300** | SUPERNOVA LINE 95 DOWN-UP 930 |
| **20618 9301** | SUPERNOVA LINE 95 DOWN-UP 930 DIM1 |
| **20618 9305** | SUPERNOVA LINE 95 DOWN-UP 930 DIM5 |
| **20620 9300** | SUPERNOVA LINE 125 DOWN-UP 930 |
| **20620 9301** | SUPERNOVA LINE 125 DOWN-UP 930 DIM1 |
| **20620 9305** | SUPERNOVA LINE 125 DOWN-UP 930 DIM5 |
| **20622 9300** | SUPERNOVA LINE 65 930 |
| **20622 9301** | SUPERNOVA LINE 65 930 DIM1 |
| **20622 9305** | SUPERNOVA LINE 65 930 DIM5 |
| **20624 9300** | SUPERNOVA LINE 95 930 |
| **20624 9301** | SUPERNOVA LINE 95 930 DIM1 |
| **20624 9305** | SUPERNOVA LINE 95 930 DIM5 |
| **20626 9300** | SUPERNOVA LINE 125 930 |
| **20626 9301** | SUPERNOVA LINE 125 930 DIM1 |
| **20626 9305** | SUPERNOVA LINE 125 930 DIM5 |
| **20631 9300** | SUPERNOVA FLAT 65 930 |
| **20631 9301** | SUPERNOVA FLAT 65 930 DIM1 |
| **20631 9305** | SUPERNOVA FLAT 65 930 DIM5 |
| **20632 9300** | SUPERNOVA FLAT 65 SMOOTH UP 930 |
| **20632 9301** | SUPERNOVA FLAT 65 SMOOTH UP 930 DIM1 |
| **20632 9305** | SUPERNOVA FLAT 65 SMOOTH UP 930 DIM5 |
| **20633 9300** | SUPERNOVA FLAT 65 PRISMATIC 930 |
| **20633 9301** | SUPERNOVA FLAT 65 PRISMATIC 930 DIM1 |
| **20633 9305** | SUPERNOVA FLAT 65 PRISMATIC 930 DIM5 |
| **20634 9300** | SUPERNOVA FLAT 65 PRISMATIC SMOOTH UP 930 |
| **20634 9301** | SUPERNOVA FLAT 65 PRISMATIC SMOOTH UP 930 DIM1 |
| **20634 9305** | SUPERNOVA FLAT 65 PRISMATIC SMOOTH UP 930 DIM5 |

## CONNECTION ST

15225 0360 W

| | |
|---|---|
| **20635 9300** | SUPERNOVA FLAT 95 930 |
| **20635 9301** | SUPERNOVA FLAT 95 930 DIM1 |
| **20635 9305** | SUPERNOVA FLAT 95 930 DIM5 |
| **20636 9300** | SUPERNOVA FLAT 95 SMOOTH UP 930 |
| **20636 9301** | SUPERNOVA FLAT 95 SMOOTH UP 930 DIM1 |
| **20636 9305** | SUPERNOVA FLAT 95 SMOOTH UP 930 DIM5 |
| **20637 9300** | SUPERNOVA FLAT 95 PRISMATIC 930 |
| **20637 9301** | SUPERNOVA FLAT 95 PRISMATIC 930 DIM1 |
| **20637 9305** | SUPERNOVA FLAT 95 PRISMATIC 930 DIM5 |
| **20638 9300** | SUPERNOVA FLAT 95 PRISMATIC SMOOTH UP 930 |
| **20638 9301** | SUPERNOVA FLAT 95 PRISMATIC SMOOTH UP 930 DIM1 |
| **20638 9305** | SUPERNOVA FLAT 95 PRISMATIC SMOOTH UP 930 DIM5 |
| **20737 9300** | SUPER-OH! SLIM 80 SBL DOWN 930 |
| **20737 9304** | SUPER-OH! SLIM 80 SBL DOWN 930 DIM4 |
| **20738 9300** | SUPER-OH! SLIM 120 SBL DOWN 930 |
| **20738 9304** | SUPER-OH! SLIM 120 SBL DOWN 930 DIM4 |
| **20739 9300** | SUPER-OH! SLIM 80 C SBL DOWN-UP 930 |
| **20739 9304** | SUPER-OH! SLIM 80 C SBL DOWN-UP 930 DIM4 |
| **20740 9300** | SUPER-OH! SLIM 120 C SBL DOWN-UP 930 |
| **20740 9304** | SUPER-OH! SLIM 120 C SBL DOWN-UP 930 DIM4 |
| **21413 0005** | SOLI - SHHH PLUS 60/4 SCARLET DIM5 |
| **21414 0005** | SOLI - SHHH PLUS 60/4 SAND DIM5 |
| **21415 0005** | SOLI - SHHH PLUS 60/4 LILAC DIM5 |
| **21416 0005** | SOLI - SHHH PLUS 60/4 ARCTIC DIM5 |
| **21417 0005** | SOLI - SHHH PLUS 90/4 SCARLET DIM5 |
| **21418 0005** | SOLI - SHHH PLUS 90/4 SAND DIM5 |
| **21419 0005** | SOLI - SHHH PLUS 90/4 LILAC DIM5 |
| **21420 0005** | SOLI - SHHH PLUS 90/4 ARCTIC DIM5 |
| **21421 0005** | SOLI - SHHH PLUS 120/4 SCARLET DIM5 |
| **21422 0005** | SOLI - SHHH PLUS 120/4 SAND DIM5 |
| **21423 0005** | SOLI - SHHH PLUS 120/4 LILAC DIM5 |
| **21424 0005** | SOLI - SHHH PLUS 120/4 ARCTIC DIM5 |
| **21425 0005** | SOLI - SHHH PLUS 120/8 SCARLET DIM5 |
| **21426 0005** | SOLI - SHHH PLUS 120/8 SAND DIM5 |
| **21427 0005** | SOLI - SHHH PLUS 120/8 LILAC DIM5 |
| **21428 0005** | SOLI - SHHH PLUS 120/8 ARCTIC DIM5 |
| **23358 0000** | SLM26L - PROFILE |
| **23358 0010** | SLM26L - PROFILE 1m |
| **23358 0020** | SLM26L - PROFILE 2m |
| **23358 0030** | SLM26L - PROFILE 3m |
| **23359 0000** | SLM26H - PROFILE |
| **23359 0010** | SLM26H - PROFILE 1m |
| **23359 0020** | SLM26H - PROFILE 2m |
| **23359 0030** | SLM26H - PROFILE 3m |
| **23359 2120** | SLM - CURRENT SUPPLY SET 2 x 0,75mm² 1,6m MDL |
| **23359 2140** | SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m DIM5 |
| **23359 2160** | SLM - CURRENT SUPPLY SET 6 x 0,75mm² 1,6m DIM5 UP |
| **23359 2220** | SLM - CURRENT SUPPLY SET 2 x 0,75mm² 1,6m BLACK MDL |
| **23359 2240** | SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m BLACK DIM5 |
| **23359 2260** | SLM - CURRENT SUPPLY SET 6 x 0,75mm² 1,6m BLACK DIM5 UP |
| **23359 2340** | SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m MDL UP |
| **23359 2440** | SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m BLACK MDL UP |
| **23374 0000** | SLM44 - PROFILE |
| **23374 0020** | SLM44 - PROFILE 2m |
| **23374 0030** | SLM44 - PROFILE 3m |
| **23375 0000** | SLM35R - PROFILE |
| **23375 0010** | SLM35R - PROFILE 1m |
| **23375 0020** | SLM35R - PROFILE 2m |
| **23375 0030** | SLM35R - PROFILE 3m |
| **24811 9220** | LASS-OH! 6060 92734 |
| **24811 9320** | LASS-OH! 6060 93034 |
| **24812 9220** | LASS-OH! 60110 92734 |
| **24812 9320** | LASS-OH! 60110 93034 |
| **24813 9220** | LASS-OH! 60160 92734 |
| **24813 9320** | LASS-OH! 60160 93034 |
| **24815 9220** | LASS-OH! L150-2 92734 |
| **24815 9320** | LASS-OH! L150-2 93034 |
| **24816 9220** | LASS-OH! L150-3 92734 |
| **24816 9320** | LASS-OH! L150-3 93034 |
| **24817 9220** | LASS-OH! L210-3 92734 |
| **24817 9320** | LASS-OH! L210-3 93034 |
| **24818 9220** | LASS-OH! L210-4 92734 |
| **24818 9320** | LASS-OH! L210-4 93034 |
| **24819 9220** | LASS-OH! L330-6 92734 |
| **24819 9320** | LASS-OH! L330-6 93034 |

## CONNECTION ST

15225 0360 W

| | |
|---|---|
| **24820 9220** | LASS-OH! L330-4 92734 |
| **24820 9320** | LASS-OH! L330-4 93034 |
| **24821 9220** | LASS-OH! R65 - 3 92734 |
| **24821 9320** | LASS-OH! R65 - 3 93034 |
| **24822 9220** | LASS-OH! R90 - 4 92734 |
| **24822 9320** | LASS-OH! R90 - 4 93034 |
| **25542 3100** | INF SQ+ - CURRENT SUPPLY SET 3 x 0,75mm² 1,6m BLACK |
| **25542 3110** | INF SQ+ - CURRENT SUPPLY SET 3 x 0,75mm² 1,6m GREY |
| **25542 3120** | INF SQ+ - CURRENT SUPPLY SET 3 x 0,75mm² 1,6m TRANSPARENT |
| **25542 3600** | INF SQ+ - CURRENT SUPPLY SET 3 x 0,75mm² 3,0m BLACK |
| **25542 3610** | INF SQ+ - CURRENT SUPPLY SET 3 x 0,75mm² 3,0m GREY |
| **25542 3620** | INF SQ+ - CURRENT SUPPLY SET 3 x 0,75mm² 3,0m TRANSPARENT |
| **25542 5100** | INF SQ+ - CURRENT SUPPLY SET 5 x 0,75mm² 1,6m BLACK |
| **25542 5110** | INF SQ+ - CURRENT SUPPLY SET 5 x 0,75mm² 1,6m GREY |
| **25542 5120** | INF SQ+ - CURRENT SUPPLY SET 5 x 0,75mm² 1,6m TRANSPARENT |
| **25542 5600** | INF SQ+ - CURRENT SUPPLY SET 5 x 0,75mm² 3,0m BLACK |
| **25542 5610** | INF SQ+ - CURRENT SUPPLY SET 5 x 0,75mm² 3,0m GREY |
| **25542 5620** | INF SQ+ - CURRENT SUPPLY SET 5 x 0,75mm² 3,0m TRANSPARENT |
| **25570 8320** | INFORM SQ P392-6 DOWN 83067 |
| **25570 9220** | INFORM SQ P392-6 DOWN 92767 |
| **25570 9320** | INFORM SQ P392-6 DOWN 93067 |
| **25571 8320** | INFORM SQ P392-6 DOWN-UP 83067 |
| **25571 9220** | INFORM SQ P392-6 DOWN-UP 92767 |
| **25571 9320** | INFORM SQ P392-6 DOWN-UP 93067 |
| **25572 8320** | INFORM SQ P475-9 DOWN 83067 |
| **25572 9220** | INFORM SQ P475-9 DOWN 92767 |
| **25572 9320** | INFORM SQ P475-9 DOWN 93067 |
| **25573 8320** | INFORM SQ P475-9 DOWN-UP 83067 |
| **25573 9220** | INFORM SQ P475-9 DOWN-UP 92767 |
| **25573 9320** | INFORM SQ P475-9 DOWN-UP 93067 |
| **25574 8320** | INFORM SQ P585-9 DOWN 83067 |
| **25574 9220** | INFORM SQ P585-9 DOWN 92767 |
| **25574 9320** | INFORM SQ P585-9 DOWN 93067 |
| **25575 8320** | INFORM SQ P585-9 DOWN-UP 83067 |
| **25575 9220** | INFORM SQ P585-9 DOWN-UP 92767 |
| **25575 9320** | INFORM SQ P585-9 DOWN-UP 93067 |
| **26511 7324** | CONFORM P14 DOWN-UP 953067 DIM4 |
| **26511 7424** | CONFORM P14 DOWN-UP 954067 DIM4 |
| **26512 7324** | CONFORM P20 DOWN-UP 953067 DIM4 |
| **26512 7424** | CONFORM P20 DOWN-UP 954067 DIM4 |
| **26513 7324** | CONFORM P28 DOWN-UP 953067 DIM4 |
| **26513 7424** | CONFORM P28 DOWN-UP 954067 DIM4 |
| **26514 7320** | CONFORM P14 PDS DOWN-UP 953067 |
| **26514 7420** | CONFORM P14 PDS DOWN-UP 954067 |
| **26515 7320** | CONFORM P20 PDS DOWN-UP 953067 |
| **26515 7420** | CONFORM P20 PDS DOWN-UP 954067 |
| **26516 7320** | CONFORM P28 PDS DOWN-UP 953067 |
| **26516 7420** | CONFORM P28 PDS DOWN-UP 954067 |
| **26811 9220** | INFORM R1 DOWN 92748 |
| **26811 9320** | INFORM R1 DOWN 93048 |
| **26812 9220** | INFORM R1 DOWN-UP 92748 |
| **26812 9320** | INFORM R1 DOWN-UP 93048 |
| **26813 9225** | INFORM R1+ DOWN 92748 DIM5 |
| **26813 9325** | INFORM R1+ DOWN 93048 DIM5 |
| **26814 9225** | INFORM R1+ DOWN-UP 92748 DIM5 |
| **26814 9325** | INFORM R1+ DOWN-UP 93048 DIM5 |
| **26817 9220** | INFORM R2 DOWN 92748 |
| **26817 9320** | INFORM R2 DOWN 93048 |
| **26818 9220** | INFORM R2 DOWN-UP 92748 |
| **26818 9320** | INFORM R2 DOWN-UP 93048 |
| **26819 9225** | INFORM R2+ DOWN 92748 DIM5 |
| **26819 9325** | INFORM R2+ DOWN 93048 DIM5 |
| **26820 9225** | INFORM R2+ DOWN-UP 92748 DIM5 |
| **26820 9325** | INFORM R2+ DOWN-UP 93048 DIM5 |
| **26821 9225** | INFORM R3+ DOWN 92748 DIM5 |
| **26821 9325** | INFORM R3+ DOWN 93048 DIM5 |
| **26822 9220** | INFORM R3 DOWN 92748 |
| **26822 9320** | INFORM R3 DOWN 93048 |
| **26823 9220** | INFORM R3 DOWN-UP 92748 |
| **26823 9320** | INFORM R3 DOWN-UP 93048 |
| **26825 9220** | INFORM R4 C DOWN 92748 |
| **26825 9320** | INFORM R4 C DOWN 93048 |
| **26826 9220** | INFORM R4 C DOWN-UP 92748 |
| **26826 9320** | INFORM R4 C DOWN-UP 93048 |
| **27173 0005** | SOLI - SHHH PLUS 60/4 LIGHT GREY DIM5 |

DELTALIGHT

## CONNECTION ST

15225 0360 W

| | |
|---|---|
| **27174 0005** | SOLI - SHHH PLUS 60/4 DARK GREY DIM5 |
| **27175 0005** | SOLI - SHHH PLUS 90/4 LIGHT GREY DIM5 |
| **27176 0005** | SOLI - SHHH PLUS 90/4 DARK GREY DIM5 |
| **27177 0005** | SOLI - SHHH PLUS 120/4 LIGHT GREY DIM5 |
| **27178 0005** | SOLI - SHHH PLUS 120/4 DARK GREY DIM5 |
| **27179 0005** | SOLI - SHHH PLUS 120/8 LIGHT GREY DIM5 |
| **27180 0005** | SOLI - SHHH PLUS 120/8 DARK GREY DIM5 |
| **27910 0010** | MULTINOVA 55 SUSPENSION SET 5x0,75 3m |
| **27910 0020** | MULTINOVA 30 SUSPENSION SET 5x0,75 3m |
| **28056 9304** | MULTINOVA 255 930 DIM4 |
| **28057 9304** | MULTINOVA 255 PRISM 930 DIM4 |
| **28058 9304** | MULTINOVA 255 SMOKE 930 DIM4 |
| **28059 9005** | MULTINOVA 255 TW 930 DIM5 |
| **28060 9005** | MULTINOVA 255 TW PRISM 930 DIM5 |
| **28061 9005** | MULTINOVA 255 SOFT 930 DIM5 |
| **28062 9304** | MULTINOVA 355 930 DIM4 |
| **28063 9304** | MULTINOVA 355 PRISM 930 DIM4 |
| **28064 9304** | MULTINOVA 355 SMOKE 930 DIM4 |
| **28065 9005** | MULTINOVA 355 TW 930 DIM5 |
| **28066 9005** | MULTINOVA 355 TW PRISM 930 DIM5 |
| **28067 9005** | MULTINOVA 355 SOFT 930 DIM5 |
| **28211 9300** | ZOOVER 120 LIGHT GREY 930 |
| **28211 9304** | ZOOVER 120 LIGHT GREY 930 DIM4 |
| **28212 9300** | ZOOVER 120 DARK GREY 930 |
| **28212 9304** | ZOOVER 120 DARK GREY 930 DIM4 |
| **28213 9300** | ZOOVER 140 LIGHT GREY 930 |
| **28213 9304** | ZOOVER 140 LIGHT GREY 930 DIM4 |
| **28214 9300** | ZOOVER 140 DARK GREY 930 |
| **28214 9304** | ZOOVER 140 DARK GREY 930 DIM4 |
| **28215 0005** | ZOOVER 4CLIP 120 LIGHT GREY DIM5 |
| **28216 0005** | ZOOVER 4CLIP 120 DARK GREY DIM5 |
| **28217 0005** | ZOOVER 4CLIP 140 LIGHT GREY DIM5 |
| **28218 0005** | ZOOVER 4CLIP 140 DARK GREY DIM5 |
| **28219 9300** | ZOOVER 120 DOWN-UP LIGHT GREY 930 |
| **28219 9304** | ZOOVER 120 DOWN-UP LIGHT GREY 930 DIM4 |
| **28220 9300** | ZOOVER 120 DOWN-UP DARK GREY 930 |
| **28220 9304** | ZOOVER 120 DOWN-UP DARK GREY 930 DIM4 |
| **28221 9300** | ZOOVER 140 DOWN-UP LIGHT GREY 930 |
| **28221 9304** | ZOOVER 140 DOWN-UP LIGHT GREY 930 DIM4 |
| **28222 9300** | ZOOVER 140 DOWN-UP DARK GREY 930 |
| **28222 9304** | ZOOVER 140 DOWN-UP DARK GREY 930 DIM4 |
| **29914 0000** | HIGH PROFILE C E27 |
| **31000 3100** | OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm² 1,6m BLACK |
| **31000 3110** | OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm² 1,6m GREY |
| **31000 3120** | OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm² 1,6m TRANSPARENT |
| **31000 3300** | OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm² 3,0m BLACK |
| **31000 3310** | OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm² 3,0m GREY |
| **31000 3320** | OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm² 3,0m TRANSPARENT |
| **31000 5100** | OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm² 1,6m BLACK |
| **31000 5110** | OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm² 1,6m GREY |
| **31000 5120** | OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm² 1,6m TRANSPARENT |
| **31000 5300** | OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm² 3,0m BLACK |
| **31000 5310** | OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm² 3,0m GREY |
| **31000 5320** | OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm² 3,0m TRANSPARENT |
| **31100 0000** | OML50 C - PROFILE |

Notes: