


CONNECTION ST

15225 0360 W

DISPONIBLE EN
NOIR 15225 0360 B
BLANC 15225 0360 W



Voir sur le site Web



Informations générales	
EMPLACEMENT	interieur
FORME / TAILLE DE DÉCOUPE (MM)	circulaire - 43
PROFONDEUR D'ENCASTREMENT (MM)	80
ÉPAISSEUR DE LA SURFACE DE MONTAGE (MM)	max.25
INDICE DE PROTECTION	IP20
POIDS (KG)	0.2
INFORMATIONS	INCL.1 x CONNECTOR 4 x 1,5mm ² / 16A / 250V + PE Can not be used to suspend luminaires on power cable
Informations électriques	
CLASSE	I

Pour des instructions d'installation détaillées, veuillez consulter le manuel : [15225_0360_HAND.pdf](#)

Utilisation à quel endroit ?

200 12 410	TRACK 3F DIM ON 1m
200 12 420	TRACK 3F DIM ON 2m
200 12 430	TRACK 3F DIM ON 3m
200 14 410	TRACK 3F DIM H 1m
200 14 420	TRACK 3F DIM H 2m
200 14 430	TRACK 3F DIM H 3m
200 99 53	TRACK CURRENT SUPPLY 5 x 0,75mm ² 3,0m
274 95 06 26 ED5	SUPERNOVA LINE 65 TW DIM5
274 95 06 26 WD	SUPERNOVA LINE 65 TW WD
274 95 09 26 ED5	SUPERNOVA LINE 95 TW DIM5
274 95 09 26 WD	SUPERNOVA LINE 95 TW WD
274 95 12 26 ED5	SUPERNOVA LINE 125 TW DIM5
274 95 12 26 WD	SUPERNOVA LINE 125 TW WD
274 96 06 26 ED5	SUPERNOVA LINE 65 TW DOWN-UP DIM5
274 96 09 26 ED5	SUPERNOVA LINE 95 TW DOWN-UP DIM5
274 96 12 26 ED5	SUPERNOVA LINE 125 TW DOWN-UP DIM5
308 07 03 822	SUPER-OH! 70 82720
308 07 03 832	SUPER-OH! 70 83020
308 07 05 00	SUPER-OH! 70
308 07 06 822	SUPER-OH! 70 DOWN-UP 82720
308 07 06 832	SUPER-OH! 70 DOWN-UP 83020
308 12 06 822	SUPER-OH! 120 82720

DELTALIGHT

CONNECTION ST

15225 0360 W

308 12 06 832	SUPER-OH! 120 83020
308 12 07 00	SUPER-OH! 120
308 12 12 822	SUPER-OH! 120 DOWN-UP 82720
308 12 12 832	SUPER-OH! 120 DOWN-UP 83020
308 17 08 822	SUPER-OH! 170 82720
308 17 08 832	SUPER-OH! 170 83020
308 17 10 00	SUPER-OH! 170
308 17 16 822	SUPER-OH! 170 DOWN-UP 82720
308 17 16 832	SUPER-OH! 170 DOWN-UP 83020
321 107 92	SUPERLOOP HC 70 SBL 927
321 107 93	SUPERLOOP HC 70 SBL 930
321 109 92	SUPERLOOP HC 90 SBL 927
321 109 93	SUPERLOOP HC 90 SBL 930
321 112 92	SUPERLOOP HC 120 SBL 927
321 112 93	SUPERLOOP HC 120 SBL 930
321 117 92	SUPERLOOP HC 170 SBL 927
321 117 93	SUPERLOOP HC 170 SBL 930
321 207 93	SUPERLOOP HC 70 SPR 930
321 209 93	SUPERLOOP HC 90 SPR 930
321 212 93	SUPERLOOP HC 120 SPR 930
321 217 93	SUPERLOOP HC 170 SPR 930
377 98 51	HDL75 - CURRENT SUPPLY 3 x 0,75mm ² 1,6m
377 98 56	HDL75 - CURRENT SUPPLY 3 x 0,75mm ² 6,0m
377 99 51	HDL75 - CURRENT SUPPLY 5 x 0,75mm ² 1,6m
377 99 56	HDL75 - CURRENT SUPPLY 5 x 0,75mm ² 6,0m
389 01 00 00	SRL 70S - PROFILE
389 011 243 E	STREAMLINER 70S P2483
389 011 243 ED1	STREAMLINER 70S P2483 DIM1
389 011 483 E	STREAMLINER 70S P4883
389 011 483 ED1	STREAMLINER 70S P4883 DIM1
389 02 00 00	SRL 70L - PROFILE
391 00 00	FTL35 - PROFILE
391 97 51	FTL35 - CURRENT SUPPLY 2 x 0,75 mm ² 1,6m
392 01 00 00	FTL35 F HE - PROFILE
392 02 00 00	FTL35 F HE DOWN-UP - PROFILE
392 02 97 51	FTL35 F HE DOWN-UP - CURRENT SUPPLY 2 x 0,75 mm ² 1,6m
399 01 00	MIC40/40+ - PROFILE
399 98 51	MIC40 - CURRENT SUPPLY 3 x 0,75mm ² 1,6m
399 98 56	MIC40 - CURRENT SUPPLY 3 x 0,75mm ² 6,0m
399 99 51	MIC40 - CURRENT SUPPLY 5 x 0,75mm ² 1,6m
399 99 56	MIC40 - CURRENT SUPPLY 5 x 0,75mm ² 6,0m
404 00 00	OA0 - PROFILE
404 12 93	ONE-AND-ONLY P12 DOWN-UP 930
404 12 93 ED1	ONE-AND-ONLY P12 DOWN-UP 930 DIM1
404 20 93	ONE-AND-ONLY P20 DOWN-UP 930
404 20 93 ED1	ONE-AND-ONLY P20 DOWN-UP 930 DIM1
404 20 93 ED5	ONE-AND-ONLY P20 DOWN-UP 930 DIM5
418 481 07	SUPERLOOP HC 70 MDL
418 481 09	SUPERLOOP HC 90 MDL
418 481 12	SUPERLOOP HC 120 MDL
418 481 17	SUPERLOOP HC 170 MDL
418 482 106	SUPERLOOP S HC 106 MDL
418 482 109	SUPERLOOP S HC 109 MDL
418 482 211	SUPERLOOP S HC 211 MDL
418 482 217	SUPERLOOP S HC 217 MDL
425 04 00 00	TGL-ON - PROFILE
425 97 51	TGL-ON - CURRENT SUPPLY 2 x 0,50mm ² 1,6m
15225 0280	SUSPENSION SET 28 3x0,75 3m
15225 0290	SUSPENSION SET 29 5x0,75 3m
15225 0300	SUSPENSION SET 30 2x0,75 1,6m
15225 0310	SUSPENSION SET 31 5x0,75 1,6m
15225 0320	SUSPENSION SET 32 5x0,75 1,6m
15225 0330	SUSPENSION SET 33 2x0,75 1,6m
20549 9300	SUPERLOOP HC 200 SBL 930
20550 9300	SUPERLOOP HC 250 SBL 930
20551 9300	SUPERLOOP HC 300 SBL 930
20552 9300	SUPERLOOP HC 350 SBL 930
20553 9300	SUPERLOOP HC 400 SBL 930
20554 9300	SUPERLOOP HC 500 SBL 930
20555 0000	SUPERLOOP HC 200 MDL
20556 0000	SUPERLOOP HC 250 MDL
20557 0000	SUPERLOOP HC 300 MDL
20558 0000	SUPERLOOP HC 350 MDL
20559 0000	SUPERLOOP HC 400 MDL
20560 0000	SUPERLOOP HC 500 MDL

DELTALIGHT

CONNECTION ST

15225 0360 W

20561 9200	SUPERLOOP PLUS HC 70 SBL 927
20561 9300	SUPERLOOP PLUS HC 70 SBL 930
20562 9200	SUPERLOOP PLUS HC 90 SBL 927
20562 9300	SUPERLOOP PLUS HC 90 SBL 930
20563 9200	SUPERLOOP PLUS HC 120 SBL 927
20563 9300	SUPERLOOP PLUS HC 120 SBL 930
20564 0000	SUPERLOOP PLUS HC 70 MDL
20565 0000	SUPERLOOP PLUS HC 90 MDL
20566 0000	SUPERLOOP PLUS HC 120 MDL
20570 9200	SUPERLOOP HC SBL OVAL S 927
20570 9300	SUPERLOOP HC SBL OVAL S 930
20571 9200	SUPERLOOP HC SBL OVAL M 927
20571 9300	SUPERLOOP HC SBL OVAL M 930
20572 9200	SUPERLOOP SLIM IN 70 SBL 927
20572 9300	SUPERLOOP SLIM IN 70 SBL 930
20573 9200	SUPERLOOP SLIM IN 90 SBL 927
20573 9300	SUPERLOOP SLIM IN 90 SBL 930
20574 9200	SUPERLOOP SLIM IN 120 SBL 927
20574 9300	SUPERLOOP SLIM IN 120 SBL 930
20575 9200	SUPERLOOP SLIM IN 170 SBL 927
20575 9300	SUPERLOOP SLIM IN 170 SBL 930
20576 9200	SUPERLOOP SLIM OUT 70 SBL 927
20576 9300	SUPERLOOP SLIM OUT 70 SBL 930
20577 9200	SUPERLOOP SLIM OUT 90 SBL 927
20577 9300	SUPERLOOP SLIM OUT 90 SBL 930
20578 9200	SUPERLOOP SLIM OUT 120 SBL 927
20578 9300	SUPERLOOP SLIM OUT 120 SBL 930
20579 9200	SUPERLOOP SLIM OUT 170 SBL 927
20579 9300	SUPERLOOP SLIM OUT 170 SBL 930
20580 9200	SUPERLOOP SLIM DOWN 70 SBL 927
20580 9300	SUPERLOOP SLIM DOWN 70 SBL 930
20582 9200	SUPERLOOP SLIM DOWN 120 SBL 927
20582 9300	SUPERLOOP SLIM DOWN 120 SBL 930
20612 9300	SUPERNOVA FLAT 65 DOWN-UP 930
20612 9301	SUPERNOVA FLAT 65 DOWN-UP 930 DIM1
20612 9305	SUPERNOVA FLAT 65 DOWN-UP 930 DIM5
20613 9300	SUPERNOVA FLAT 65 PRISMATIC DOWN-UP 930
20613 9301	SUPERNOVA FLAT 65 PRISMATIC DOWN-UP 930 DIM1
20613 9305	SUPERNOVA FLAT 65 PRISMATIC DOWN-UP 930 DIM5
20614 9300	SUPERNOVA FLAT 95 DOWN-UP 930
20614 9301	SUPERNOVA FLAT 95 DOWN-UP 930 DIM1
20614 9305	SUPERNOVA FLAT 95 DOWN-UP 930 DIM5
20615 9300	SUPERNOVA FLAT 95 PRISMATIC DOWN-UP 930
20615 9301	SUPERNOVA FLAT 95 PRISMATIC DOWN-UP 930 DIM1
20615 9305	SUPERNOVA FLAT 95 PRISMATIC DOWN-UP 930 DIM5
20616 9300	SUPERNOVA LINE 65 DOWN-UP 930
20616 9301	SUPERNOVA LINE 65 DOWN-UP 930 DIM1
20616 9305	SUPERNOVA LINE 65 DOWN-UP 930 DIM5
20618 9300	SUPERNOVA LINE 95 DOWN-UP 930
20618 9301	SUPERNOVA LINE 95 DOWN-UP 930 DIM1
20618 9305	SUPERNOVA LINE 95 DOWN-UP 930 DIM5
20620 9300	SUPERNOVA LINE 125 DOWN-UP 930
20620 9301	SUPERNOVA LINE 125 DOWN-UP 930 DIM1
20620 9305	SUPERNOVA LINE 125 DOWN-UP 930 DIM5
20622 9300	SUPERNOVA LINE 65 930
20622 9301	SUPERNOVA LINE 65 930 DIM1
20622 9305	SUPERNOVA LINE 65 930 DIM5
20624 9300	SUPERNOVA LINE 95 930
20624 9301	SUPERNOVA LINE 95 930 DIM1
20624 9305	SUPERNOVA LINE 95 930 DIM5
20626 9300	SUPERNOVA LINE 125 930
20626 9301	SUPERNOVA LINE 125 930 DIM1
20626 9305	SUPERNOVA LINE 125 930 DIM5
20631 9300	SUPERNOVA FLAT 65 930
20631 9301	SUPERNOVA FLAT 65 930 DIM1
20631 9305	SUPERNOVA FLAT 65 930 DIM5
20632 9300	SUPERNOVA FLAT 65 SMOOTH UP 930
20632 9301	SUPERNOVA FLAT 65 SMOOTH UP 930 DIM1
20632 9305	SUPERNOVA FLAT 65 SMOOTH UP 930 DIM5
20633 9300	SUPERNOVA FLAT 65 PRISMATIC 930
20633 9301	SUPERNOVA FLAT 65 PRISMATIC 930 DIM1
20633 9305	SUPERNOVA FLAT 65 PRISMATIC 930 DIM5
20634 9300	SUPERNOVA FLAT 65 PRISMATIC SMOOTH UP 930
20634 9301	SUPERNOVA FLAT 65 PRISMATIC SMOOTH UP 930 DIM1
20634 9305	SUPERNOVA FLAT 65 PRISMATIC SMOOTH UP 930 DIM5

DELTALIGHT

CONNECTION ST

15225 0360 W

20635 9300	SUPERNOVA FLAT 95 930
20635 9301	SUPERNOVA FLAT 95 930 DIM1
20635 9305	SUPERNOVA FLAT 95 930 DIM5
20636 9300	SUPERNOVA FLAT 95 SMOOTH UP 930
20636 9301	SUPERNOVA FLAT 95 SMOOTH UP 930 DIM1
20636 9305	SUPERNOVA FLAT 95 SMOOTH UP 930 DIM5
20637 9300	SUPERNOVA FLAT 95 PRISMATIC 930
20637 9301	SUPERNOVA FLAT 95 PRISMATIC 930 DIM1
20637 9305	SUPERNOVA FLAT 95 PRISMATIC 930 DIM5
20638 9300	SUPERNOVA FLAT 95 PRISMATIC SMOOTH UP 930
20638 9301	SUPERNOVA FLAT 95 PRISMATIC SMOOTH UP 930 DIM1
20638 9305	SUPERNOVA FLAT 95 PRISMATIC SMOOTH UP 930 DIM5
20737 9300	SUPER-OH! SLIM 80 SBL DOWN 930
20737 9304	SUPER-OH! SLIM 80 SBL DOWN 930 DIM4
20738 9300	SUPER-OH! SLIM 120 SBL DOWN 930
20738 9304	SUPER-OH! SLIM 120 SBL DOWN 930 DIM4
20739 9300	SUPER-OH! SLIM 80 C SBL DOWN-UP 930
20739 9304	SUPER-OH! SLIM 80 C SBL DOWN-UP 930 DIM4
20740 9300	SUPER-OH! SLIM 120 C SBL DOWN-UP 930
20740 9304	SUPER-OH! SLIM 120 C SBL DOWN-UP 930 DIM4
21413 0005	SOLI - SHHH PLUS 60/4 SCARLET DIM5
21414 0005	SOLI - SHHH PLUS 60/4 SAND DIM5
21415 0005	SOLI - SHHH PLUS 60/4 LILAC DIM5
21416 0005	SOLI - SHHH PLUS 60/4 ARCTIC DIM5
21417 0005	SOLI - SHHH PLUS 90/4 SCARLET DIM5
21418 0005	SOLI - SHHH PLUS 90/4 SAND DIM5
21419 0005	SOLI - SHHH PLUS 90/4 LILAC DIM5
21420 0005	SOLI - SHHH PLUS 90/4 ARCTIC DIM5
21421 0005	SOLI - SHHH PLUS 120/4 SCARLET DIM5
21422 0005	SOLI - SHHH PLUS 120/4 SAND DIM5
21423 0005	SOLI - SHHH PLUS 120/4 LILAC DIM5
21424 0005	SOLI - SHHH PLUS 120/4 ARCTIC DIM5
21425 0005	SOLI - SHHH PLUS 120/8 SCARLET DIM5
21426 0005	SOLI - SHHH PLUS 120/8 SAND DIM5
21427 0005	SOLI - SHHH PLUS 120/8 LILAC DIM5
21428 0005	SOLI - SHHH PLUS 120/8 ARCTIC DIM5
23358 0000	SLM26L - PROFILE
23358 0010	SLM26L - PROFILE 1m
23358 0020	SLM26L - PROFILE 2m
23358 0030	SLM26L - PROFILE 3m
23359 0000	SLM26H - PROFILE
23359 0010	SLM26H - PROFILE 1m
23359 0020	SLM26H - PROFILE 2m
23359 0030	SLM26H - PROFILE 3m
23359 2120	SLM - CURRENT SUPPLY SET 2 x 0,75mm ² 1,6m MDL
23359 2140	SLM - CURRENT SUPPLY SET 4 x 0,75mm ² 1,6m DIM5
23359 2160	SLM - CURRENT SUPPLY SET 6 x 0,75mm ² 1,6m DIM5 UP
23359 2220	SLM - CURRENT SUPPLY SET 2 x 0,75mm ² 1,6m BLACK MDL
23359 2240	SLM - CURRENT SUPPLY SET 4 x 0,75mm ² 1,6m BLACK DIM5
23359 2260	SLM - CURRENT SUPPLY SET 6 x 0,75mm ² 1,6m BLACK DIM5 UP
23359 2340	SLM - CURRENT SUPPLY SET 4 x 0,75mm ² 1,6m MDL UP
23359 2440	SLM - CURRENT SUPPLY SET 4 x 0,75mm ² 1,6m BLACK MDL UP
23374 0000	SLM44 - PROFILE
23374 0020	SLM44 - PROFILE 2m
23374 0030	SLM44 - PROFILE 3m
23375 0000	SLM35R - PROFILE
23375 0010	SLM35R - PROFILE 1m
23375 0020	SLM35R - PROFILE 2m
23375 0030	SLM35R - PROFILE 3m
24811 9220	LASS-OH! 6060 92734
24811 9320	LASS-OH! 6060 93034
24812 9220	LASS-OH! 60110 92734
24812 9320	LASS-OH! 60110 93034
24813 9220	LASS-OH! 60160 92734
24813 9320	LASS-OH! 60160 93034
24815 9220	LASS-OH! L150-2 92734
24815 9320	LASS-OH! L150-2 93034
24816 9220	LASS-OH! L150-3 92734
24816 9320	LASS-OH! L150-3 93034
24817 9220	LASS-OH! L210-3 92734
24817 9320	LASS-OH! L210-3 93034
24818 9220	LASS-OH! L210-4 92734
24818 9320	LASS-OH! L210-4 93034
24819 9220	LASS-OH! L330-6 92734
24819 9320	LASS-OH! L330-6 93034

DELTALIGHT

CONNECTION ST

15225 0360 W

24820 9220	LASS-OH! L330-4 92734
24820 9320	LASS-OH! L330-4 93034
24821 9220	LASS-OH! R65 - 3 92734
24821 9320	LASS-OH! R65 - 3 93034
24822 9220	LASS-OH! R90 - 4 92734
24822 9320	LASS-OH! R90 - 4 93034
25542 3100	INF SQ+ - CURRENT SUPPLY SET 3 x 0,75mm ² 1,6m BLACK
25542 3110	INF SQ+ - CURRENT SUPPLY SET 3 x 0,75mm ² 1,6m GREY
25542 3120	INF SQ+ - CURRENT SUPPLY SET 3 x 0,75mm ² 1,6m TRANSPARENT
25542 3600	INF SQ+ - CURRENT SUPPLY SET 3 x 0,75mm ² 3,0m BLACK
25542 3610	INF SQ+ - CURRENT SUPPLY SET 3 x 0,75mm ² 3,0m GREY
25542 3620	INF SQ+ - CURRENT SUPPLY SET 3 x 0,75mm ² 3,0m TRANSPARENT
25542 5100	INF SQ+ - CURRENT SUPPLY SET 5 x 0,75mm ² 1,6m BLACK
25542 5110	INF SQ+ - CURRENT SUPPLY SET 5 x 0,75mm ² 1,6m GREY
25542 5120	INF SQ+ - CURRENT SUPPLY SET 5 x 0,75mm ² 1,6m TRANSPARENT
25542 5600	INF SQ+ - CURRENT SUPPLY SET 5 x 0,75mm ² 3,0m BLACK
25542 5610	INF SQ+ - CURRENT SUPPLY SET 5 x 0,75mm ² 3,0m GREY
25542 5620	INF SQ+ - CURRENT SUPPLY SET 5 x 0,75mm ² 3,0m TRANSPARENT
25570 8320	INFORM SQ P392-6 DOWN 83067
25570 9220	INFORM SQ P392-6 DOWN 92767
25570 9320	INFORM SQ P392-6 DOWN 93067
25571 8320	INFORM SQ P392-6 DOWN-UP 83067
25571 9220	INFORM SQ P392-6 DOWN-UP 92767
25571 9320	INFORM SQ P392-6 DOWN-UP 93067
25572 8320	INFORM SQ P475-9 DOWN 83067
25572 9220	INFORM SQ P475-9 DOWN 92767
25572 9320	INFORM SQ P475-9 DOWN 93067
25573 8320	INFORM SQ P475-9 DOWN-UP 83067
25573 9220	INFORM SQ P475-9 DOWN-UP 92767
25573 9320	INFORM SQ P475-9 DOWN-UP 93067
25574 8320	INFORM SQ P585-9 DOWN 83067
25574 9220	INFORM SQ P585-9 DOWN 92767
25574 9320	INFORM SQ P585-9 DOWN 93067
25575 8320	INFORM SQ P585-9 DOWN-UP 83067
25575 9220	INFORM SQ P585-9 DOWN-UP 92767
25575 9320	INFORM SQ P585-9 DOWN-UP 93067
26511 7324	CONFORM P14 DOWN-UP 953067 DIM4
26511 7424	CONFORM P14 DOWN-UP 954067 DIM4
26512 7324	CONFORM P20 DOWN-UP 953067 DIM4
26512 7424	CONFORM P20 DOWN-UP 954067 DIM4
26513 7324	CONFORM P28 DOWN-UP 953067 DIM4
26513 7424	CONFORM P28 DOWN-UP 954067 DIM4
26514 7320	CONFORM P14 PDS DOWN-UP 953067
26514 7420	CONFORM P14 PDS DOWN-UP 954067
26515 7320	CONFORM P20 PDS DOWN-UP 953067
26515 7420	CONFORM P20 PDS DOWN-UP 954067
26516 7320	CONFORM P28 PDS DOWN-UP 953067
26516 7420	CONFORM P28 PDS DOWN-UP 954067
26811 9220	INFORM R1 DOWN 92748
26811 9320	INFORM R1 DOWN 93048
26812 9220	INFORM R1 DOWN-UP 92748
26812 9320	INFORM R1 DOWN-UP 93048
26813 9225	INFORM R1+ DOWN 92748 DIM5
26813 9325	INFORM R1+ DOWN 93048 DIM5
26814 9225	INFORM R1+ DOWN-UP 92748 DIM5
26814 9325	INFORM R1+ DOWN-UP 93048 DIM5
26817 9220	INFORM R2 DOWN 92748
26817 9320	INFORM R2 DOWN 93048
26818 9220	INFORM R2 DOWN-UP 92748
26818 9320	INFORM R2 DOWN-UP 93048
26819 9225	INFORM R2+ DOWN 92748 DIM5
26819 9325	INFORM R2+ DOWN 93048 DIM5
26820 9225	INFORM R2+ DOWN-UP 92748 DIM5
26820 9325	INFORM R2+ DOWN-UP 93048 DIM5
26821 9225	INFORM R3+ DOWN 92748 DIM5
26821 9325	INFORM R3+ DOWN 93048 DIM5
26822 9220	INFORM R3 DOWN 92748
26822 9320	INFORM R3 DOWN 93048
26823 9220	INFORM R3 DOWN-UP 92748
26823 9320	INFORM R3 DOWN-UP 93048
26825 9220	INFORM R4 C DOWN 92748
26825 9320	INFORM R4 C DOWN 93048
26826 9220	INFORM R4 C DOWN-UP 92748
26826 9320	INFORM R4 C DOWN-UP 93048
27173 0005	SOLI - SHHH PLUS 60/4 LIGHT GREY DIM5

DELTALIGHT

CONNECTION ST

15225 0360 W

27174 0005	SOLI - SHHH PLUS 60/4 DARK GREY DIM5
27175 0005	SOLI - SHHH PLUS 90/4 LIGHT GREY DIM5
27176 0005	SOLI - SHHH PLUS 90/4 DARK GREY DIM5
27177 0005	SOLI - SHHH PLUS 120/4 LIGHT GREY DIM5
27178 0005	SOLI - SHHH PLUS 120/4 DARK GREY DIM5
27179 0005	SOLI - SHHH PLUS 120/8 LIGHT GREY DIM5
27180 0005	SOLI - SHHH PLUS 120/8 DARK GREY DIM5
27910 0010	MULTINOVA 55 SUSPENSION SET 5x0,75 3m
27910 0020	MULTINOVA 30 SUSPENSION SET 5x0,75 3m
28056 9304	MULTINOVA 255 930 DIM4
28057 9304	MULTINOVA 255 PRISM 930 DIM4
28058 9304	MULTINOVA 255 SMOKE 930 DIM4
28059 9005	MULTINOVA 255 TW 930 DIM5
28060 9005	MULTINOVA 255 TW PRISM 930 DIM5
28061 9005	MULTINOVA 255 SOFT 930 DIM5
28062 9304	MULTINOVA 355 930 DIM4
28063 9304	MULTINOVA 355 PRISM 930 DIM4
28064 9304	MULTINOVA 355 SMOKE 930 DIM4
28065 9005	MULTINOVA 355 TW 930 DIM5
28066 9005	MULTINOVA 355 TW PRISM 930 DIM5
28067 9005	MULTINOVA 355 SOFT 930 DIM5
28211 9300	ZOOVER 120 LIGHT GREY 930
28211 9304	ZOOVER 120 LIGHT GREY 930 DIM4
28212 9300	ZOOVER 120 DARK GREY 930
28212 9304	ZOOVER 120 DARK GREY 930 DIM4
28213 9300	ZOOVER 140 LIGHT GREY 930
28213 9304	ZOOVER 140 LIGHT GREY 930 DIM4
28214 9300	ZOOVER 140 DARK GREY 930
28214 9304	ZOOVER 140 DARK GREY 930 DIM4
28215 0005	ZOOVER 4CLIP 120 LIGHT GREY DIM5
28216 0005	ZOOVER 4CLIP 120 DARK GREY DIM5
28217 0005	ZOOVER 4CLIP 140 LIGHT GREY DIM5
28218 0005	ZOOVER 4CLIP 140 DARK GREY DIM5
28219 9300	ZOOVER 120 DOWN-UP LIGHT GREY 930
28219 9304	ZOOVER 120 DOWN-UP LIGHT GREY 930 DIM4
28220 9300	ZOOVER 120 DOWN-UP DARK GREY 930
28220 9304	ZOOVER 120 DOWN-UP DARK GREY 930 DIM4
28221 9300	ZOOVER 140 DOWN-UP LIGHT GREY 930
28221 9304	ZOOVER 140 DOWN-UP LIGHT GREY 930 DIM4
28222 9300	ZOOVER 140 DOWN-UP DARK GREY 930
28222 9304	ZOOVER 140 DOWN-UP DARK GREY 930 DIM4
29914 0000	HIGH PROFILE C E27
31000 3100	OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm ² 1,6m BLACK
31000 3110	OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm ² 1,6m GREY
31000 3120	OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm ² 1,6m TRANSPARENT
31000 3300	OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm ² 3,0m BLACK
31000 3310	OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm ² 3,0m GREY
31000 3320	OML50/50+ C - CURRENT SUPPLY SET 3 x 0,75mm ² 3,0m TRANSPARENT
31000 5100	OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm ² 1,6m BLACK
31000 5110	OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm ² 1,6m GREY
31000 5120	OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm ² 1,6m TRANSPARENT
31000 5300	OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm ² 3,0m BLACK
31000 5310	OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm ² 3,0m GREY
31000 5320	OML50/50+ C - CURRENT SUPPLY SET 5 x 0,75mm ² 3,0m TRANSPARENT

Notes: