



## M26L - SPY 39 WALLWASH 930 DIM5

23434 9305 BRG

AVAILABLE IN

**BLACK** 23434 9305 B  
**BRUSHED ALU** 23434 9305 BRA  
**BRUSHED ANTHRACITE** 23434 9305 BRAT  
**BRUSHED COPPER** 23434 9305 BRCU  
**BRUSHED GOLD** 23434 9305 BRG  
**BRUSHED OLD BRONZE** 23434 9305 BROB  
**FLEMISH BRONZE** 23434 9305 FBR  
**FLEMISH GOLD** 23434 9305 FG  
**GOLD COLOURED** 23434 9305 GC  
**WHITE** 23434 9305 W



[View on website](#)



General info	
LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.3
ADJUSTABILITY	0° to 85° swiveling, 360° rotatable
INFORMATION	WALLWASH LENS EXCL.LED POWER SUPPLY 48V-DC
Electrical info	
ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	DALI
ENERGY CLASS	E
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8W / CRI>90 (R9: 52) / 3000K / 787lm
TM-30 VALUES	rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	787lm // 5,8W // 135lm/W
LED TECHNICS (LUMINAIRE)	431lm // 6,7W // 65lm/W
Requirements	
LED POWER SUPPLY 48V-DC	

For detailed installation instructions, please consult the manual : [23434\\_XXX5\\_HAND.pdf](#)

# DELTALIGHT

## M26L - SPY 39 WALLWASH 930 DIM5

23434 9305 BRG

### FINISH YOUR SPECIFICATION

#### LED power supplies

#### # of Fixtures



# of fixtures indicates how many devices can be connected (min -> max) to the power supply. The values before and after the '|' correspond respectively with the minimum and maximum driving current. Values between brackets are applicable to 110V.

Min current | Max current



**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

10

Dimtype: non-dimmable



**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN

24

Dimtype: non-dimmable




**21012 0230** LED POWER SUPPLY 48V-DC / 100W

10

Dimtype: non-dimmable

Cutout dimension (mm): 40



**21012 0240** LED POWER SUPPLY 48V-DC / 200W

20


Dimtype: non-dimmable

Cutout dimension (mm): 40


### COMPATIBLE COMPOSABLES

#### SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)


#### Available Colours



**23358 0000** SLM26L - PROFILE



**23358 0010** SLM26L - PROFILE 1m



**23358 0020** SLM26L - PROFILE 2m



# DELTALIGHT

## M26L - SPY 39 WALLWASH 930 DIM5

23434 9305 BRG



**23358 0030** SLM26L - PROFILE 3m



Notes: