



## SPY 39 CLIP 92740

24125 9230 BRCU-B

AVAILABLE IN

**BLACK-BLACK** 24125 9230 B-B

**BRUSHED ALU-BLACK** 24125 9230 BRA-B

**BRUSHED ANTHRACITE-BLACK** 24125 9230 BRAT-B

**BRUSHED COPPER-BLACK** 24125 9230 BRCU-B

**BRUSHED GOLD-BLACK** 24125 9230 BRG-B

**BRUSHED OLD BRONZE-BLACK** 24125 9230 BROB-B

**FLEMISH BRONZE-BLACK** 24125 9230 FBR-B

**FLEMISH GOLD-BLACK** 24125 9230 FG-B

**FULL WHITE** 24125 9230 FW

**GOLD COLORED-BLACK** 24125 9230 GC-B

**PIANO BLACK-BLACK** 24125 9230 PB-B

**WHITE-WHITE** 24125 9230 W-W



[View on website](#)



### General info

|                               |                                                         |
|-------------------------------|---------------------------------------------------------|
| <b>LOCATION</b>               | indoor                                                  |
| <b>INSTALLATION</b>           | Ceiling Semi-recessed                                   |
| <b>CUTOUT SHAPE/SIZE (MM)</b> | round - 43                                              |
| <b>RECESSED DEPTH (MM)</b>    | 40                                                      |
| <b>INGRESS PROTECTION</b>     | IP20                                                    |
| <b>WEIGHT (KG)</b>            | 0.3                                                     |
| <b>ADJUSTABILITY</b>          | 0° to 85° swiveling, 355° rotatable                     |
| <b>INFORMATION</b>            | REFLECTOR WFL-40°<br>EXCL.LED POWER SUPPLY 350-500mA-DC |

### Electrical info

|                     |                           |
|---------------------|---------------------------|
| <b>CLASS</b>        | III                       |
| <b>DIM TYPE</b>     | depending on power supply |
| <b>ENERGY CLASS</b> | E                         |
| <b>CERTIFICATES</b> | CB, ENEC, LCA             |

### Lightsource info

|                                    |                                                           |
|------------------------------------|-----------------------------------------------------------|
| <b>LIGHTSOURCE NAME</b>            | LED                                                       |
| <b>LIGHTSOURCE</b>                 | LED array 5,8-8,6W / CRI>90 (R9: 60) / 2700K / 753-1041lm |
| <b>TM-30 VALUES</b>                | rf: 89 / Rg: 100                                          |
| <b>SDCM</b>                        | SDCM1                                                     |
| <b>RISKGROUP</b>                   | RG1                                                       |
| <b>LM80</b>                        | L90B10 > 50000                                            |
| <b>BEAMANGLE</b>                   | 40°                                                       |
| <b>LED TECHNICS (LIGHT SOURCE)</b> | 1041lm // 8,6W // 121lm/W                                 |
| <b>LED TECHNICS (LUMINAIRE)</b>    | 844lm // 9,9W // 85lm/W                                   |

### Requirements

SPY 39 TUBE or VISOR 39

LED POWER SUPPLY 350 / 500mA-DC DIM

For detailed installation instructions, please consult the manual : [24125\\_XXX0\\_HAND.pdf](#)

### FINISH YOUR SPECIFICATION

#### LED power supplies

#### # of Fixtures



# of fixtures indicates how many devices can be connected (min -> max) to the power supply. The values before and after the '|' correspond respectively with the minimum and maximum driving current. Values between brackets are applicable to 110V.

Min current | Max current




**300 48 350 ED1** LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM1

2

Dimtype: 1-10V

Cutout dimension (mm): 30



**300 48 350 ED5** LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

2

Dimtype: DALI

Cutout dimension (mm): 45



**300 48 350 MDL** LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W MDL

2

Dimtype: non-dimmable

Cutout dimension (mm): 30




**300 48 350 WDL** LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W WDL

2

Dimtype: WDL = wireless dimmable

Cutout dimension (mm): 45




**300 48 500 ED1** LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM1

2

Dimtype: 1-10V

Cutout dimension (mm): 30



**300 48 500 ED5** LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

2

Dimtype: DALI

Cutout dimension (mm): 45



**300 48 500 MDL** LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W MDL

2

Dimtype: non-dimmable

Cutout dimension (mm): 30

# DELTALIGHT

## SPY 39 CLIP 92740

24125 9230 BRCU-B

|                                                                                    |                                                                         |                |                          |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------------|--------------------------|
|    | <b>300 48 500 WDL</b> LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W WDL | 2              | <input type="checkbox"/> |
| Dimtype: WDL = wireless dimmable                                                   |                                                                         |                |                          |
| Cutout dimension (mm): 45                                                          |                                                                         |                |                          |
|    | <b>300 90 61</b> LED POWER SUPPLY MULTI-POWER DIM6                      | 2   2          | <input type="checkbox"/> |
| Dimtype: mains (phase cut-off) or push button                                      |                                                                         |                |                          |
| Cutout dimension (mm): 56                                                          |                                                                         |                |                          |
|    | <b>300 90 63</b> LED POWER SUPPLY MULTI-POWER DIM9                      | 4(4)   4(4)    | <input type="checkbox"/> |
| Dimtype: 1-10V or DALI or push button                                              |                                                                         |                |                          |
| Cutout dimension (mm): 82                                                          |                                                                         |                |                          |
|    | <b>300 90 64</b> LED POWER SUPPLY MULTI-POWER DIM7                      | 2(2)   2(1)    | <input type="checkbox"/> |
| Dimtype: 1-10V or push button                                                      |                                                                         |                |                          |
| Cutout dimension (mm): 72                                                          |                                                                         |                |                          |
|  | <b>300 90 67</b> LED POWER CONVERTER 24V-DC TO MULTI CURRENT 48W DIM9   | 2   -          | <input type="checkbox"/> |
| Dimtype: 1-10V or DALI or push button                                              |                                                                         |                |                          |
|  | <b>300 90 68</b> LED POWER SUPPLY MULTI-POWER DIM5                      | 2(2)   2(1)    | <input type="checkbox"/> |
| Dimtype: DALI                                                                      |                                                                         |                |                          |
| Cutout dimension (mm): 72                                                          |                                                                         |                |                          |
|  | <b>300 90 69</b> LED POWER SUPPLY MULTI-POWER HV DIM9                   | 2->6(6)   6(4) | <input type="checkbox"/> |
| Dimtype: 1-10V or DALI or push button                                              |                                                                         |                |                          |
| Cutout dimension (mm): 84                                                          |                                                                         |                |                          |
|  | <b>300 90 124</b> LED POWER SUPPLY MULTI-POWER DIM7                     | 3(2)   2(1)    | <input type="checkbox"/> |
| Dimtype: 1-10V or push button                                                      |                                                                         |                |                          |
| Cutout dimension (mm): 55                                                          |                                                                         |                |                          |
|  | <b>300 90 125</b> LED POWER SUPPLY MULTI-POWER MINI DIM5                | 2(2)   2(1)    | <input type="checkbox"/> |
| Dimtype: DALI                                                                      |                                                                         |                |                          |
| Cutout dimension (mm): 55                                                          |                                                                         |                |                          |
|  | <b>300 90 135</b> LED POWER SUPPLY MULTI-POWER HV                       | 3->4   2->4    | <input type="checkbox"/> |
| Dimtype: non-dimmable                                                              |                                                                         |                |                          |
| Cutout dimension (mm): 90                                                          |                                                                         |                |                          |

# DELTALIGHT

## SPY 39 CLIP 92740

24125 9230 BRCU-B

|                                                                                    |                                                                                                                                         |             |                          |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------------------|
|    | <b>21012 0010</b><br>LED POWER SUPPLY MULTI POWER<br><br>Dimtype: non-dimmable<br>Cutout dimension (mm): 50                             | 2   2       | <input type="checkbox"/> |
|    | <b>21012 0021</b><br>LED POWER SUPPLY MULTI POWER DIM1<br><br>Dimtype: 1-10V<br>Cutout dimension (mm): 54                               | 3   3       | <input type="checkbox"/> |
|    | <b>21012 0035</b><br>LED POWER SUPPLY MULTI POWER DIM5<br><br>Dimtype: DALI<br>Cutout dimension (mm): 54                                | 3   3       | <input type="checkbox"/> |
|    | <b>21012 004W</b><br>LED POWER SUPPLY MULTI-POWER WDL<br><br>Dimtype: WDL = wireless dimmable<br>Cutout dimension (mm): 84              | 4(4)   3(3) | <input type="checkbox"/> |
|  | <b>21012 005W</b><br>LED POWER SUPPLY MULTI-POWER COMPACT WDL<br><br>Dimtype: WDL = wireless dimmable<br>Cutout dimension (mm): 54      | 3   3       | <input type="checkbox"/> |
|  | <b>21012 0268</b><br>LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8<br><br>Dimtype: mains (phase cut-off)<br>Cutout dimension (mm): 50 | 2->2   0    | <input type="checkbox"/> |
|  | <b>21012 0278</b><br>LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8<br><br>Dimtype: mains (phase cut-off)<br>Cutout dimension (mm): 55 | 1           | <input type="checkbox"/> |
|  | <b>21012 0288</b><br>LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8<br><br>Dimtype: mains (phase cut-off)<br>Cutout dimension (mm): 55 | 2->3        | <input type="checkbox"/> |
|  | <b>21012 0298</b><br>LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8<br><br>Dimtype: mains (phase cut-off)<br>Cutout dimension (mm): 48 | 2   2       | <input type="checkbox"/> |
|  | <b>21012 0308</b><br>LED POWER SUPPLY 350mA / 7,35W DIM8<br><br>Dimtype: mains (phase cut-off)<br>Cutout dimension (mm): 40             | 1           | <input type="checkbox"/> |


# DELTALIGHT

## SPY 39 CLIP 92740


24125 9230 BRCU-B

|                                                                                    |                                                                      |      |                          |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------|------|--------------------------|
|    | <b>21012 0318</b> LED POWER SUPPLY 500mA / 10W DIM8                  | 1    | <input type="checkbox"/> |
|                                                                                    | Dimtype: mains (phase cut-off)                                       |      |                          |
|                                                                                    | Cutout dimension (mm): 40                                            |      |                          |
|    | <b>21012 0480</b> LED POWER SUPPLY 350mA-DC / 17W IP68               | 2(2) | <input type="checkbox"/> |
|                                                                                    | Dimtype: non-dimmable                                                |      |                          |
|                                                                                    | Cutout dimension (mm): 60                                            |      |                          |
|    | <b>21012 0500</b> LED POWER SUPPLY 500mA-DC / 24W IP68               | 2(1) | <input type="checkbox"/> |
|                                                                                    | Dimtype: non-dimmable                                                |      |                          |
|                                                                                    | Cutout dimension (mm): 60                                            |      |                          |
|    | <b>21032 0295</b> LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5 | 2    | <input type="checkbox"/> |
|                                                                                    | Dimtype: DALI                                                        |      |                          |
|                                                                                    | Cutout dimension (mm): 30                                            |      |                          |
|  | <b>21032 0305</b> LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5 | 2    | <input type="checkbox"/> |
|                                                                                    | Dimtype: DALI                                                        |      |                          |
|                                                                                    | Cutout dimension (mm): 30                                            |      |                          |

### Light altering devices

|                                                                                    |                                |                          |
|------------------------------------------------------------------------------------|--------------------------------|--------------------------|
|  | <b>24144 0030 B</b> VISOR 39 B | <input type="checkbox"/> |
|------------------------------------------------------------------------------------|--------------------------------|--------------------------|

### Finish your product

|                                                                                    |                                       |                          |
|------------------------------------------------------------------------------------|---------------------------------------|--------------------------|
|  | <b>24144 0010 B</b> SPY 39 TUBE B     | <input type="checkbox"/> |
|                                                                                    | <b>24144 0010 FBR</b> SPY 39 TUBE FBR | <input type="checkbox"/> |
|                                                                                    | <b>24144 0010 FG</b> SPY 39 TUBE FG   | <input type="checkbox"/> |
|                                                                                    | <b>24144 0010 GC</b> SPY 39 TUBE GC   | <input type="checkbox"/> |

# DELTALIGHT

## SPY 39 CLIP 92740

24125 9230 BRCU-B

**24144 0010 W** SPY 39 TUBE W



**24144 0070** SPY 39 TUBE SBL



### COMPATIBLE COMPOSABLES

#### ZOOVER 4CLIP


#### Available Colours




**28215 0005** ZOOVER 4CLIP 120 LIGHT GREY DIM5



**28216 0005** ZOOVER 4CLIP 120 DARK GREY DIM5



**28217 0005** ZOOVER 4CLIP 140 LIGHT GREY DIM5



**28218 0005** ZOOVER 4CLIP 140 DARK GREY DIM5

Notes: