



## COMPO S 92710

9 15711 9210 B


AVAILABLE IN

**BLACK** 9 15711 9210 B

**CHROMED** 9 15711 9210 C

**DARK CHROMED** 9 15711 9210 DC

**WHITE** 9 15711 9210 W



[View on website](#)



| General info                       |                                                                              |
|------------------------------------|------------------------------------------------------------------------------|
| LOCATION                           | indoor                                                                       |
| INSTALLATION                       | Ceiling Recessed                                                             |
| CUTOUT SHAPE/SIZE (MM)             | round - 90                                                                   |
| RECESSED DEPTH (MM)                | 85                                                                           |
| THICKNESS OF MOUNTING SURFACE (MM) | max.25                                                                       |
| INGRESS PROTECTION                 | IP20                                                                         |
| WEIGHT (KG)                        | 0.124                                                                        |
| ADJUSTABILITY                      | 0° to 30° swiveling, 355° rotatable                                          |
| INFORMATION                        | Accessories are not applicable with Super Spot except Honeycomb Single use B |

| Electrical info |                           |
|-----------------|---------------------------|
| CLASS           | III                       |
| DIM TYPE        | depending on power supply |
| ENERGY CLASS    | G                         |

| Lightsource info            |                                         |
|-----------------------------|-----------------------------------------|
| LIGHTSOURCE NAME            | LED                                     |
| LIGHTSOURCE                 | LED array 4,7W / CRI>90 / 2700K / 347lm |
| SDCM                        | SDCM2                                   |
| RISKGROUP                   | RG1                                     |
| BEAMANGLE                   | 10°                                     |
| LED TECHNICS (LIGHT SOURCE) | 347lm // 4,7W // 75lm/W                 |
| LED TECHNICS (LUMINAIRE)    | 224lm // 5,4W // 41lm/W                 |

### Requirements

LED POWER SUPPLY 350 mA - DC

### Accessories

COMPO S HONEYCOMB SINGLE USE B

COMPO S LINEAR SPREAD LENS

COMPO S SPREAD LENS

COMPO S SOFTENING LENS

COMPO S GLASS SBL

For detailed installation instructions, please consult the manual : [9\\_15711\\_XXX0\\_HAND.pdf](#)

COMPO S 92710

9 15711 9210 B

CEILING COMPATIBILITY

| Ceiling Type                                                                     | Mounting Kit   |                                                                                                                                                                      |
|----------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | System ceiling | <div><div></div>15710 0010 - MOUNTING KIT COMPO S TRIM<div>Required</div></div>     |
|                                                                                  |                | <div><div></div>15710 0040 - MOUNTING KIT COMPO S TRIMLESS<div>Required</div></div> |
|  | Plasterboard   | <div><div></div>15710 0010 - MOUNTING KIT COMPO S TRIM<div>Required</div></div>     |
|                                                                                  |                | <div><div></div>15710 0040 - MOUNTING KIT COMPO S TRIMLESS<div>Required</div></div> |
|  | Wood           | <div><div></div>15710 0010 - MOUNTING KIT COMPO S TRIM<div>Required</div></div>     |
|                                                                                  |                | <div><div></div>15710 0040 - MOUNTING KIT COMPO S TRIMLESS<div>Required</div></div> |

FINISH YOUR SPECIFICATION

| LED Power supply                                                                                                                                                                                                                                                                                                                                                  |                                                 | # of Fixtures              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|----------------------------|
| <div><div></div># of fixtures indicates how many devices can be connected (min -&gt; max) to the power supply. The values before and after the ' ' correspond respectively with the minimum and maximum driving current. Values between brackets are applicable to 110V.</div> |                                                 | Min current   Max current  |
| 15710 3100                                                                                                                                                                                                                                                                                                                                                        | LED POWER SUPPLY 18W NO DIM 1400mA              | 1->4 <input type="text"/>  |
| 15710 3300                                                                                                                                                                                                                                                                                                                                                        | LED POWER SUPPLY MULTIPOWER 15W NO DIM 350mA    | 1->2 <input type="text"/>  |
| 15710 3800                                                                                                                                                                                                                                                                                                                                                        | LED POWER SUPPLY MULTIPOWER 10W DIM8 350mA      | 1 <input type="text"/>     |
| 15710 4500                                                                                                                                                                                                                                                                                                                                                        | LED POWER SUPPLY MULTIPOWER 12W DIM1 350mA      | 1 <input type="text"/>     |
| 15710 5000                                                                                                                                                                                                                                                                                                                                                        | LED POWER SUPPLY MULTIPOWER 55W DALI DT6 1400mA | 1->13 <input type="text"/> |
| Dimtype: DALI                                                                                                                                                                                                                                                                                                                                                     |                                                 |                            |
| 15710 5300                                                                                                                                                                                                                                                                                                                                                        | LED POWER SUPPLY MULTIPOWER 12W DALI DT6 350mA  | 1 <input type="text"/>     |
| Dimtype: DALI                                                                                                                                                                                                                                                                                                                                                     |                                                 |                            |

| Mounting kits                                                                       |                                          |                      |
|-------------------------------------------------------------------------------------|------------------------------------------|----------------------|
|  | 15710 0010 B MOUNTING KIT COMPO S TRIM B | <input type="text"/> |
| Cutout dimension (mm): 55                                                           |                                          |                      |
|                                                                                     | 15710 0010 W MOUNTING KIT COMPO S TRIM W | <input type="text"/> |

# DELTALIGHT

## COMPO S 92710

9 15711 9210 B



**15710 0040** MOUNTING KIT COMPO S TRIMLESS

☐

Cutout dimension (mm): 55

### Light altering devices

**15710 0100 B** COMPO S HONEYCOMB SINGLE USE B

☐

**15710 0110** COMPO S LINEAR SPREAD LENS

☐

Cutout dimension (mm): 26,5

**15710 0120** COMPO S SPREAD LENS

☐

Cutout dimension (mm): 26,5

**15710 0130** COMPO S SOFTENING LENS

☐

Cutout dimension (mm): 26,5

**15710 0140** COMPO S GLASS SBL

☐

Cutout dimension (mm): 26,5

Notes: