



## MULTINOVA 355 TW 930 DIM5



28065 9005 GC

AVAILABLE IN

**BLACK** 28065 9005 B

**GOLD COLOURED** 28065 9005 GC

**WHITE** 28065 9005 W



[View on website](#)



### General info

|                           |                                                                                                                                                     |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>LOCATION</b>           | indoor                                                                                                                                              |
| <b>INSTALLATION</b>       | Ceiling Suspended                                                                                                                                   |
| <b>INGRESS PROTECTION</b> | IP20                                                                                                                                                |
| <b>WEIGHT (KG)</b>        | 14                                                                                                                                                  |
| <b>ADJUSTABILITY</b>      | non adjustable                                                                                                                                      |
| <b>INFORMATION</b>        | INCL.PC SBL<br>INCL.DIMMABLE LED POWER SUPPLY - DALI (DT8)<br>INCL.3 x CABLE SUSPENSION SINGLE AUTO. 3.0m<br>INCL.1 x CABLE 5 x 0.75mm <sup>2</sup> |

### Electrical info

|                     |                    |
|---------------------|--------------------|
| <b>ELECTRICAL</b>   | 220-240V / 50-60Hz |
| <b>CLASS</b>        | I                  |
| <b>POWER SUPPLY</b> | YES                |
| <b>DIM TYPE</b>     | DALI               |
| <b>ENERGY CLASS</b> | D                  |
| <b>CERTIFICATES</b> | CB, ENEC, RCM      |

### Lightsource info

|                                    |                                                                                                                                                            |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>LIGHTSOURCE NAME</b>            | LED                                                                                                                                                        |
| <b>LIGHTSOURCE</b>                 | @ 2700K: 3 x (LED cluster 31W / CRI>90 (R9: 63) / 2700K-6500K / 4430lm)<br>Or<br>@ 6500K: 3 x (LED cluster 31,1W / CRI>90 (R9: 81) / 2700K-6500K / 4746lm) |
| <b>SDCM</b>                        | SDCM3                                                                                                                                                      |
| <b>RISKGROUP</b>                   | RG0                                                                                                                                                        |
| <b>LM80</b>                        | L70 > 60000                                                                                                                                                |
| <b>LED TECHNICS (LIGHT SOURCE)</b> | @ 2700K: 13290lm // 93W // 143lm/W<br>Or<br>@ 6500K: 14238lm // 93,3W // 153lm/W                                                                           |
| <b>LED TECHNICS (LUMINAIRE)</b>    | @ 2700K: 10710lm // 107W // 100lm/W<br>Or<br>@ 6500K: 11474lm // 107,3W // 107lm/W                                                                         |

### Options

CABLE BASE R / S

COVERSET R 62-90-100

CONNECTION ST / CONNECTION TRIMLESS

SUSPENSION ST / SUSPENSION TRIMLESS

# DELTALIGHT

## MULTINOVA 355 TW 930 DIM5

28065 9005 CC



For detailed installation instructions, please consult the manual : [28065\\_XXX5\\_HAND.pdf](#)

### FINISH YOUR SPECIFICATION

#### Current supply

|                                                                                    |                                              |                          |
|------------------------------------------------------------------------------------|----------------------------------------------|--------------------------|
|    | <b><u>203 99 55 ANO</u></b> CABLE BASE R ANO | <input type="checkbox"/> |
|                                                                                    | <b><u>203 99 55 B</u></b> CABLE BASE R B     | <input type="checkbox"/> |
|                                                                                    | <b><u>203 99 55 W</u></b> CABLE BASE R W     | <input type="checkbox"/> |
|  | <b><u>203 99 56 ANO</u></b> CABLE BASE S ANO | <input type="checkbox"/> |
|                                                                                    | <b><u>203 99 56 B</u></b> CABLE BASE S B     | <input type="checkbox"/> |
|                                                                                    | <b><u>203 99 56 W</u></b> CABLE BASE S W     | <input type="checkbox"/> |

#### Coversets

|                                                                                    |                                               |                          |
|------------------------------------------------------------------------------------|-----------------------------------------------|--------------------------|
|  | <b><u>204 00 62 ANO</u></b> COVERSET R 62 ANO | <input type="checkbox"/> |
|                                                                                    | <b><u>204 00 62 B</u></b> COVERSET R 62 B     | <input type="checkbox"/> |
|                                                                                    | <b><u>204 00 62 W</u></b> COVERSET R 62 W     | <input type="checkbox"/> |
|  | <b><u>204 00 90 ANO</u></b> COVERSET R 90 ANO | <input type="checkbox"/> |

# DELTALIGHT


## MULTINOVA 355 TW 930 DIM5

28065 9005 GC

**204 00 90 B** COVERSET R 90 B

☐

**204 00 90 W** COVERSET R 90 W

☐

**204 00 100 ANO** COVERSET R 100 ANO

☐


**204 00 100 B** COVERSET R 100 B

☐

**204 00 100 W** COVERSET R 100 W

☐


### Suspension parts



**328 10 01** SUSPENSION TRIMLESS O.F.A.

☐

Cutout dimension (mm): 62 (CONCRETE: 102)



**15225 0340 B** SUSPENSION ST B


☐

Cutout dimension (mm): 27

**15225 0340 W** SUSPENSION ST W

☐

### Electric connection parts



**328 10 03** CONNECTION TRIMLESS O.F.A.

☐

Cutout dimension (mm): 62 (CONCRETE: 102)



**15225 0360 B** CONNECTION ST B

☐

Cutout dimension (mm): 43

**15225 0360 W** CONNECTION ST W

☐

# DELTALIGHT

## MULTINOVA 355 TW 930 DIM5

28065 9005 GC

Notes: