



SLM26L - PROFILE 2m

23358 0020 BRBB

BESCHIKBAAR IN

ZWART 23358 0020 B

ALU GEBORSTELD 23358 0020 BRA

GEBORSTELD ANTRACIET 23358 0020 BRAT

GEBORSTELD BRONS 23358 0020 BRB

GEBORSTELD BRUIN BRONS 23358 0020 BRBB


GEBORSTELD KOPER 23358 0020 BRCU

GEBORSTELD GOUD 23358 0020 BRG

GEBORSTELD OUD BRONS 23358 0020 BROB

GEPOLIJST ALUMINIUM 23358 0020 PA

WIT 23358 0020 W



 [Bekijk op website](#)



Algemene info

LOCATIE	binnen
INSTALLATIE	Plafond Opbouw, Plafond Gependeld, Wand Opbouw
GEWICHT (KG)	1.8
INFO	L : 2m 2 x 48V conductors 2 DIM CONDUCTORS (For individual DALI dimming)


Elektrische info

KLASSE	III
---------------	-----


Voor gedetailleerde montage gegevens, consulteer de handleiding : [23358_00X0_HAND.pdf](#)

COMPATIBELE ONDERDELEN

Bevestigingscomponenten



23358 1410 SLM26L - FIXATION SET




23358 1510 SLM - ROD SUSPENSION 0,8m + CONNECTION




DELTALIGHT

SLM26L - PROFILE 2m

23358 0020 BRBB




23358 1520 SLM - ROD SUSPENSION 0,8m




23359 0510 SLM - CABLE SUSPENSION SINGLE 1,6m

Eindstukken




23358 0300 SLM26L - END CAP SET




23358 0320 SLM26L - END CAP SET




Extra componenten




200 12 01 TRACK 3F DIM CUTTING TOOL




21032 0040 M - WIRELESS PRESENCE AND DAYLIGHT SENSOR



21032 0085 M - WIRELESS CONTROL DIM5



21032 0185 M - DALI PRESENCE AND DAYLIGHT SENSOR (BROADCAST)




21032 0190 M - WIRELESS SENSOR HUB


DELTALIGHT

SLM26L - PROFILE 2m

23358 0020 BRBB




21032 0250 M26L - VOICE COMMAND GOOGLE HOLDER




23377 0030 M26L/M35R MASK




Hoekverbindingen



23358 0620 SLM26L - CORNER 180°




23358 0640 SLM26L - CORNER SET 90°




23358 9640 SLM26L - CORNER SET 90°




LED voedingen




300 89 48 90 LED POWER SUPPLY 48V-DC / 90W



300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN



300 89 48 150 LED POWER SUPPLY 48V-DC / 150W




300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN


DELTALIGHT

SLM26L - PROFILE 2m

23358 0020 BRBB



21012 0230 LED POWER SUPPLY 48V-DC / 100W



21012 0240 LED POWER SUPPLY 48V-DC / 200W


Onderdelen voor elektrische verbinding




15225 0360 CONNECTION ST




Power box




23377 0010 SLM26L - POWERBOX 48V-DC / 96W




23377 0020 SLM26L - MID POWERBOX 48V-DC / 96W




23377 0040 SLM26L - POWERBOX 48V-DC / 100W



23377 0050 SLM26L - MID POWERBOX 48V-DC / 100W



23380 0060 SLM26 - C POWERBOX 48V-DC / 100W



23380 007W SLM26 - C POWERBOX 48V-DC / 100W WD






DELTALIGHT

SLM26L - PROFILE 2m



23358 0020 BRBB

	23380 0080 SLM26 - POWERBOX IN 48V-DC / 100W NO DIM	
	23380 0090 SLM26 - POWERBOX IN 48V-DC / 100W FOR DALI DIM	



Profiel

	23358 0010 SLM26L - PROFILE 1m	
	23358 0020 SLM26L - PROFILE 2m	
	23358 0030 SLM26L - PROFILE 3m	

SHIFTLINE MATRIX Bevestigingscomponenten

	23358 9820 SLM26L - 2P SUPPORT	
	23358 9830 SLM26L - CEILING FIXATION	

SMART 48










	300 90 011 SMART 48 MODULATOR DIM9	
	300 90 012 SMART 48 MODULATOR WD	

DELTALIGHT

SLM26L - PROFILE 2m

23358 0020 BRBB


Stroomtoevoer

	203 99 55	CABLE BASE R	
	203 99 56	CABLE BASE S	
	420 99 01	SPM - CONNECTOR 48V - 180°	
	420 99 03	SPM - SUPPLY 48V	
	21032 0030	SMART 48 MODULATOR PLUG-IN WD	
	23300 9920	SPM - CONNECTOR 48V - 90°	
	23358 1540	SLM26L - SIDE SUPPLY 48V	
	23358 9810	SLM26L - 2P CONNECTOR 48V	
	23359 2120	SLM - CURRENT SUPPLY SET 2 x 0,75mm² 1,6m MDL	
	23359 2140	SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m DIM5	


DELTALIGHT

SLM26L - PROFILE 2m

23358 0020 BRBB




23359 2220 SLM - CURRENT SUPPLY SET 2 x 0,75mm² 1,6m BLACK MDL



23359 2240 SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m BLACK DIM5


COMPATIBELE ARMATUREN

SHIFTLINE M26L - BOXY L




10738 9035 M26L - BOXY L TW 96545 DIM5

SHIFTLINE M26L - BOXY L A




10743 9035 M26L - BOXY L A TW 96545 DIM5

SHIFTLINE M26L - BOXY R




10733 9035 M26L - BOXY R TW 96545 DIM5

SHIFTLINE M26L - JUM-OH! 2R




29412 9225 M26L - JUM-OH! 2R 92730 DIM5



29412 9325 M26L - JUM-OH! 2R 93030 DIM5

SHIFTLINE M26L - JUM-OH! 4R




29414 9225 M26L - JUM-OH! 4R 92730 DIM5

DELTALIGHT


SLM26L - PROFILE 2m

23358 0020 BRBB




29414 9325 M26L - JUM-OH! 4R 93030 DIM5

SHIFTLINE M26L - LED LINE OK




29316 9205 M26L - LED LINE OK 927 DIM5




29316 9305 M26L - LED LINE OK 930 DIM5


SHIFTLINE M26L - TWEETER




23241 9225 M26L - TWEETER 92733 DIM5



23241 9235 M26L - TWEETER 92750 DIM5




23241 9325 M26L - TWEETER 93033 DIM5




23241 9335 M26L - TWEETER 93050 DIM5

SHIFTLINE M26L - TWEETER BL



23243 9205 M26L - TWEETER BL 927 DIM5




23243 9305 M26L - TWEETER BL 930 DIM5

DELTALIGHT





SLM26L - PROFILE 2m

23358 0020 BRBB

SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)




SHIFTLINE M26L/M35R - BOWIE



SHIFTLINE M26L/M35R - HALOSCAN HP




SHIFTLINE M26L/M35R - HALOSCAN MP





DELTALIGHT

SLM26L - PROFILE 2m



23358 0020 BRBB





SHIFTLINE M26L/M35R - HEDRA



SHIFTLINE M26L/M35R - HEDRA L



SHIFTLINE M26L/M35R - JAZZY



SHIFTLINE M26L/M35R - MICROSPY





DELTALIGHT

SLM26L - PROFILE 2m

23358 0020 BRBB



SHIFTLINE M26L/M35R - MIDISPY



SHIFTLINE M26L/M35R - MULTINOVA 30



SHIFTLINE M26L/M35R - OCTAV 27




SHIFTLINE M26L/M35R - OCTAV 39




SLM26L - PROFILE 2m

0-85°/355°




Technical drawing of a roller assembly. The drawing shows two rollers mounted on a frame. The overall width is 170. The roller diameter is Ø38. The distance between the roller centers is 72.

0-90
355




0.90
355


0-45°
355°



Ø64
0-45°
288°



0-45°



Ø64
0.45°

DELTALIGHT

SLM26L - PROFILE 2m

23358 0020 BRBB

SHIFTLINE M26L/M35R - PUNK




23245 9215 M26L - PUNK 39 92745 DIM5




23245 9315 M26L - PUNK 39 93045 DIM5

SHIFTLINE M26L/M35R - SPY




23239 9025 M26L/M35R - SPY 9-SOFT DIM5

SHIFTLINE M26L/M35R - SPY 27




23211 9225 M26L - SPY 271 92730 DIM5




23211 9325 M26L - SPY 271 93030 DIM5

SHIFTLINE M26L/M35R - SPY 27 2




23213 9225 M26L - SPY 272 92730 DIM5




23213 9325 M26L - SPY 272 93030 DIM5

SHIFTLINE M26L/M35R - SPY 27 2 L



23283 9225 M26L - SPY 272 L 92730 DIM5





23283 9325 M26L - SPY 272 L 93030 DIM5

DELTALIGHT



SLM26L - PROFILE 2m

23358 0020 BRBB



SHIFTLINE M26L/M35R - SPY 27 L





SHIFTLINE M26L/M35R - SPY 39



SHIFTLINE M26L/M35R - SPY 39 2



SHIFTLINE M26L/M35R - SPY 39 FOCUS




SHIFTLINE M26L/M35R - SPY 39 FRAMER



DELTALIGHT


SLM26L - PROFILE 2m

23358 0020 BRBB




23432 9305 M26L - SPY 39 FRAMER 930 DIM5

SHIFTLINE M26L/M35R - SPY 39 L




23440 9025 M26L - SPY 391 L SOFT 93020 DIM5




23440 9035 M26L - SPY 391 L SOFT 93040 DIM5

SHIFTLINE M26L/M35R - SPY 39 WALLWASH




23436 9005 M26L - SPY 39 WALLWASH SOFT 930 DIM5


SHIFTLINE M26L/M35R - SPY 52



23298 9025 M26L - SPY 52 SOFT 93020 DIM5




23298 9035 M26L - SPY 52 SOFT 93045 DIM5




23298 9045 M26L - SPY 52 SOFT 93030 DIM5

SHIFTLINE M26L/M35R - SPY 52 FOCUS



23296 9005 M26L - SPY 52 FOCUS SOFT 930 DIM5

SHIFTLINE M26L/M35R - SPY 52 WALLWASH




19893 9005 M26L - SPY 52 WALLWASH SOFT 930 DIM5

DELTALIGHT


SLM26L - PROFILE 2m

23358 0020 BRBB

SHIFTLINE M26L/M35R - SPY 66




24620 9235 M26L/M35R - SPY 66 MP 92739 DIM5




24620 9335 M26L/M35R - SPY 66 MP 93039 DIM5

SHIFTLINE M26L/M35R - SPY 66 WALLWASH




24634 9205 M26L - SPY 66 WALLWASH 927 DIM5




24634 9305 M26L - SPY 66 WALLWASH 930 DIM5

SHIFTLINE M26L/M35R - SPY FOCUS




23233 9205 M26L - SPY FOCUS MP 927 DIM5




23233 9305 M26L - SPY FOCUS MP 930 DIM5

SHIFTLINE M26L/M35R - VIZIR




23249 9225 M26L - VIZIR L 92733 DIM5



23249 9325 M26L - VIZIR L 93033 DIM5

SPLITLINE M/SHIFTLINE M - CUPPA




28814 9035 M - CUPPA C SOFT 93040 DIM5

DELTALIGHT


SLM26L - PROFILE 2m

23358 0020 BRBB


SPLITLINE M/SHIFTLINE M - DOT.COM M4




424 612 04 921 MDL M - DOT.COM M4 92714 MDL




424 612 04 922 MDL M - DOT.COM M4 92732 MDL




424 612 04 923 MDL M - DOT.COM M4 92751 MDL



424 612 04 931 MDL M - DOT.COM M4 93014 MDL




424 612 04 932 MDL M - DOT.COM M4 93032 MDL




424 612 04 933 MDL M - DOT.COM M4 93051 MDL

SPLITLINE M/SHIFTLINE M - GIBBO




421 622 811 920 MDL M - GIBBO 927 MDL



421 622 811 930 MDL M - GIBBO 930 MDL

SPLITLINE M/SHIFTLINE M - HEDRA 39 C




22539 9235 M - HEDRA 39 C 92745 DIM5

DELTALIGHT

SLM26L - PROFILE 2m

23358 0020 BRBB



22539 9335 M - HEDRA 39 C 93045 DIM5

SPLITLINE M/SHIFTLINE M - INFORM




23384 9225 M - INFORM L11 92767 DIM5




23384 9325 M - INFORM L11 93067 DIM5

SPLITLINE M/SHIFTLINE M - LED LINE




421 313 12 93 MDL M - LED LINE HE 1 x 25,2W MDL

SPLITLINE M/SHIFTLINE M - MICROSPY 39 C




421 612 811 921 MDL M - MICROSPY 39 C 92745 MDL




421 612 811 931 MDL M - MICROSPY 39 C 93045 MDL


SPY II 39 M CABLE



12306622MD00-90D2M4 SPY II 39 M CABLE SOFT CRI90 3000-1800K 26° MDL



12306622MD00-90D2S7 SPY II 39 M CABLE SOFT CRI90 3000-1800K 19° MDL




12306622MD00-90D2V1 SPY II 39 M CABLE SOFT CRI90 3000-1800K 55° MDL

DELTALIGHT


SLM26L - PROFILE 2m

23358 0020 BRBB




12306622MD00-90D2W1 SPY II 39 M CABLE SOFT CRI90 3000-1800K 35° MDL


SPY II 39 M26L




123053230500-90TIM4 SPY II 39 M26L TW CRI90 1800-4000K 26° DALI DIM



123053230500-90TIS7 SPY II 39 M26L TW CRI90 1800-4000K 19° DALI DIM




123053230500-90TIV1 SPY II 39 M26L TW CRI90 1800-4000K 55° DALI DIM




123053230500-90TIW1 SPY II 39 M26L TW CRI90 1800-4000K 35° DALI DIM


SPY II 39 M26L FOCUS




12305431MD00-9027AB SPY II 39 M26L FOCUS CRI90 2700K MDL



12305431MD00-9030AB SPY II 39 M26L FOCUS CRI90 3000K MDL



12305431MD00-9035AB SPY II 39 M26L FOCUS CRI90 3500K MDL




12305431MD00-9040AB SPY II 39 M26L FOCUS CRI90 4000K MDL


DELTALIGHT

SLM26L - PROFILE 2m


23358 0020 BRBB




12305431MD00-9727AB SPY II 39 M26L FOCUS CRI97 2700K MDL



12305431MD00-9730AB SPY II 39 M26L FOCUS CRI97 3000K MDL




12305431MD00-9735AB SPY II 39 M26L FOCUS CRI97 3500K MDL




12305431MD00-9740AB SPY II 39 M26L FOCUS CRI97 4000K MDL


SPY II 39 M26L FRAMER




12305541MD00-902700 SPY II 39 M26L FRAMER CRI90 2700K MDL




12305541MD00-903000 SPY II 39 M26L FRAMER CRI90 3000K MDL




12305541MD00-903500 SPY II 39 M26L FRAMER CRI90 3500K MDL



12305541MD00-904000 SPY II 39 M26L FRAMER CRI90 4000K MDL



12305541MD00-972700 SPY II 39 M26L FRAMER CRI97 2700K MDL




12305541MD00-973000 SPY II 39 M26L FRAMER CRI97 3000K MDL


DELTALIGHT

SLM26L - PROFILE 2m

23358 0020 BRBB




12305541MD00-973500 SPY II 39 M26L FRAMER CRI97 3500K MDL



12305541MD00-974000 SPY II 39 M26L FRAMER CRI97 4000K MDL

SPY II 39 M26L WALLWASH



12305652MD00-90D200 SPY II 39 M26L WALLWASH SOFT CRI90 3000K-1800K MDL

Notes: