

## FRAX SB 93026 HONEYCOMB


26000 9370 FBRX

AVAILABLE IN

**FLEMISH BRONZE OUTDOOR** 26000 9370 FBRX

**ANTHRACITE** 26000 9370 N

**PINE GREEN** 26000 9370 PGR



 [View on website](#)



### General info

|   |  |
|---|--|
| <b>LOCATION</b>                             | outdoor  |
| <b>INSTALLATION</b>                         | Floor Surface mounted, Wall Surface mounted  |
| <b>INGRESS PROTECTION</b>                   | IP65   |
| <b>PROTECTION AGAINST MECHANICAL IMPACT</b> | IK06   |
| <b>WEIGHT (KG)</b>                          | 1.3  |
| <b>ADJUSTABILITY</b>                        | 0° to 120° swiveling, 360° rotatable   |
| <b>INFORMATION</b>                          | 4 x LENS SP-14°<br>INCL.LED POWER SUPPLY 700mA-DC<br>INCL.BEAM LENS 26°<br>INCL.HONEYCOMB<br>INCL.1 x CABLE H05 RN-F 3 x 1mm <sup>2</sup> 2m |

### Electrical info

|                     |                    |
|---------------------|--------------------|
| <b>ELECTRICAL</b>   | 220-240V / 50-60Hz |
| <b>CLASS</b>        | I                  |
| <b>POWER SUPPLY</b> | YES                |
| <b>DIM TYPE</b>     | non-dimmable       |
| <b>ENERGY CLASS</b> | D                  |
| <b>CERTIFICATES</b> | CB, ENEC, EPD, RCM |

### Lightsource info

|                                    |   |
|------------------------------------|---|
| <b>LIGHTSOURCE NAME</b>            | LED   |
| <b>LIGHTSOURCE</b>                 | LED cluster 8W / CRI>90 (R9: 60) / 3000K / 96lm |
| <b>TM-30 VALUES</b>                | Rf: 92 / Rg: 99                                 |
| <b>SDCM</b>                        | SDCM3   |
| <b>RISKGROUP</b>                   | RG2   |
| <b>LM80</b>                        | L80 > 150000                                    |
| <b>BEAMANGLE</b>                   | 26°   |
| <b>LED TECHNICS (LIGHT SOURCE)</b> | 96lm // 8W // 120lm/W                           |
| <b>LED TECHNICS (LUMINAIRE)</b>    | 538lm // 9,2W // 58lm/W                         |

### Requirements

FRAX BRACKET  
FRAX PIN  
FRAX STRAP

### Options

FRAX ANTI VANDAL SCREWS

### Accessories

FRAX S KAP

# DELTALIGHT

## FRAX SB 93026 HONEYCOMB

26000 9370 FBRX

For detailed installation instructions, please consult the manual : [26000\\_XX70\\_HAND.pdf](#)

### FINISH YOUR SPECIFICATION

#### Pins and plates for bollards

---



**26070 0040 FBRX** FRAX PIN FBRX

**26070 0040 N** FRAX PIN N

**26070 0040 PGR** FRAX PIN PGR

#### Fixation components

---



**26070 0060 FBRX** FRAX BRACKET FBRX

**26070 0060 N** FRAX BRACKET N

**26070 0060 PGR** FRAX BRACKET PGR

#### Light altering devices

---



**26070 0010 N** FRAX S KAP N

# DELTALIGHT

## FRAX SB 93026 HONEYCOMB

26000 9370 FBRX

### Other

---



**26070 0030** FRAX ANTI VANDAL SCREWS 5 PCS



**26070 0050 N** FRAX STRAP N



Notes: