





MOUNTING KIT FLUSH SPY

DEEL
PARTIE
TEIL
PART
PARTE
PARTE

A



IP20




IP20

Beschermd tegen vaste voorwerpen die groter zijn dan 12 mm
Protégé contre les objets solides de plus de 12 mm
Geschützt gegen Festkörper größer als 12 mm
Protected against solid objects greater than 12 mm
Protegido contra objetos sólidos superiores a 12 mm
Protetto contro oggetti solidi più grandi di 12 mm




Toestel niet geschikt om te worden afgedekt met thermische isolatie.
Luminaires non appropriées pour recouvrement d'un matériau isolant thermique.
Das Gerät/Die Leuchte darf nicht abgedeckt werden mit thermischer Isolierung.
Luminaire not suitable for covering with insulating material.
Luminaria no apta para cubrir con material aislante.
Apparecchio non adatto per essere coperto da materiale isolante.

1 STANDARD INSTALLATION



12mm thickness drywall
1/2" thickness drywall

2a




CHANGE TO


9mm thickness drywall
3/8" thickness drywall

16mm thickness drywall NOT SUITABLE
5/8" thickness drywall NOT SUITABLE


2b




2c




3a




3b





3c




4



5




6




FOR STUCCO CONCRETE

1

INSTALLATION FOR STUCCO CONCRETE



2



PLACE REFERENCE POINT AT:

01/12 (standard position) => 14,5mm / 9/16" PLASTER

01/09 - 02/12 => 11,5mm / 7/16" PLASTER

02/09 => 7,5mm / 5/16" PLASTER

