


MOUNTING KIT R31 JACK
TRIMLESS EXPOSED CONCRETE
32210 0030



 [View on website](#)



General info	
LOCATION	indoor
CUTOUT SHAPE/SIZE (MM)	round - 30
WEIGHT (KG)	0

For detailed installation instructions, please consult the manual : [32210_0030_HAND.pdf](#)

WHERE USED

12301311EP00-9027S5	SPY II 39 JACK TRIMLESS CRI90 2700K 15° EX PS
12301311EP00-9030S5	SPY II 39 JACK TRIMLESS CRI90 3000K 15° EX PS
12301311EP00-9035S5	SPY II 39 JACK TRIMLESS CRI90 3500K 15° EX PS
12301311EP00-9040S5	SPY II 39 JACK TRIMLESS CRI90 4000K 15° EX PS
12301311EP00-9727S5	SPY II 39 JACK TRIMLESS CRI97 2700K 15° EX PS
12301311EP00-9730S5	SPY II 39 JACK TRIMLESS CRI97 3000K 15° EX PS
12301311EP00-9735S5	SPY II 39 JACK TRIMLESS CRI97 3500K 15° EX PS
12301311EP00-9740S5	SPY II 39 JACK TRIMLESS CRI97 4000K 15° EX PS
12301321EP00-9027M4	SPY II 39 JACK TRIMLESS CRI90 2700K 26° EX PS
12301321EP00-9027S7	SPY II 39 JACK TRIMLESS CRI90 2700K 19° EX PS
12301321EP00-9027V1	SPY II 39 JACK TRIMLESS CRI90 2700K 55° EX PS
12301321EP00-9027W1	SPY II 39 JACK TRIMLESS CRI90 2700K 35° EX PS
12301321EP00-9030M4	SPY II 39 JACK TRIMLESS CRI90 3000K 26° EX PS
12301321EP00-9030S7	SPY II 39 JACK TRIMLESS CRI90 3000K 19° EX PS
12301321EP00-9030V1	SPY II 39 JACK TRIMLESS CRI90 3000K 55° EX PS
12301321EP00-9030W1	SPY II 39 JACK TRIMLESS CRI90 3000K 35° EX PS
12301321EP00-9035M4	SPY II 39 JACK TRIMLESS CRI90 3500K 26° EX PS
12301321EP00-9035S7	SPY II 39 JACK TRIMLESS CRI90 3500K 19° EX PS
12301321EP00-9035V1	SPY II 39 JACK TRIMLESS CRI90 3500K 55° EX PS
12301321EP00-9035W1	SPY II 39 JACK TRIMLESS CRI90 3500K 35° EX PS
12301321EP00-9040M4	SPY II 39 JACK TRIMLESS CRI90 4000K 26° EX PS
12301321EP00-9040S7	SPY II 39 JACK TRIMLESS CRI90 4000K 19° EX PS
12301321EP00-9040V1	SPY II 39 JACK TRIMLESS CRI90 4000K 55° EX PS
12301321EP00-9040W1	SPY II 39 JACK TRIMLESS CRI90 4000K 35° EX PS
12301321EP00-9727M4	SPY II 39 JACK TRIMLESS CRI97 2700K 26° EX PS
12301321EP00-9727S7	SPY II 39 JACK TRIMLESS CRI97 2700K 19° EX PS
12301321EP00-9727V1	SPY II 39 JACK TRIMLESS CRI97 2700K 55° EX PS
12301321EP00-9727W1	SPY II 39 JACK TRIMLESS CRI97 2700K 35° EX PS
12301321EP00-9730M4	SPY II 39 JACK TRIMLESS CRI97 3000K 26° EX PS
12301321EP00-9730S7	SPY II 39 JACK TRIMLESS CRI97 3000K 19° EX PS
12301321EP00-9730V1	SPY II 39 JACK TRIMLESS CRI97 3000K 55° EX PS
12301321EP00-9730W1	SPY II 39 JACK TRIMLESS CRI97 3000K 35° EX PS
12301321EP00-9735M4	SPY II 39 JACK TRIMLESS CRI97 3500K 26° EX PS
12301321EP00-9735S7	SPY II 39 JACK TRIMLESS CRI97 3500K 19° EX PS
12301321EP00-9735V1	SPY II 39 JACK TRIMLESS CRI97 3500K 55° EX PS

MOUNTING KIT R31 JACK TRIMLESS EXPOSED CONCRETE

32210 0030

<u>12301321EP00-9735W1</u>	SPY II 39 JACK TRIMLESS CRI97 3500K 35° EX PS
<u>12301321EP00-9740M4</u>	SPY II 39 JACK TRIMLESS CRI97 4000K 26° EX PS
<u>12301321EP00-9740S7</u>	SPY II 39 JACK TRIMLESS CRI97 4000K 19° EX PS
<u>12301321EP00-9740V1</u>	SPY II 39 JACK TRIMLESS CRI97 4000K 55° EX PS
<u>12301321EP00-9740W1</u>	SPY II 39 JACK TRIMLESS CRI97 4000K 35° EX PS
<u>12301322EP00-90D2M4</u>	SPY II 39 JACK TRIMLESS SOFT CRI90 3000K-1800K 26° EX PS
<u>12301322EP00-90D2S7</u>	SPY II 39 JACK TRIMLESS SOFT CRI90 3000K-1800K 19° EX PS
<u>12301322EP00-90D2V1</u>	SPY II 39 JACK TRIMLESS SOFT CRI90 3000K-1800K 55° EX PS
<u>12301322EP00-90D2W1</u>	SPY II 39 JACK TRIMLESS SOFT CRI90 3000K-1800K 35° EX PS
<u>12301541EP00-902700</u>	SPY II 39 JACK TRIMLESS FRAMER CRI90 2700K EX PS
<u>12301541EP00-903000</u>	SPY II 39 JACK TRIMLESS FRAMER CRI90 3000K EX PS
<u>12301541EP00-903500</u>	SPY II 39 JACK TRIMLESS FRAMER CRI90 3500K EX PS
<u>12301541EP00-904000</u>	SPY II 39 JACK TRIMLESS FRAMER CRI90 4000K EX PS
<u>12301541EP00-972700</u>	SPY II 39 JACK TRIMLESS FRAMER CRI97 2700K EX PS
<u>12301541EP00-973000</u>	SPY II 39 JACK TRIMLESS FRAMER CRI97 3000K EX PS
<u>12301541EP00-973500</u>	SPY II 39 JACK TRIMLESS FRAMER CRI97 3500K EX PS
<u>12301541EP00-974000</u>	SPY II 39 JACK TRIMLESS FRAMER CRI97 4000K EX PS
<u>12301651EP00-902700</u>	SPY II 39 JACK TRIMLESS WALLWASH CRI90 2700K EX PS
<u>12301651EP00-903000</u>	SPY II 39 JACK TRIMLESS WALLWASH CRI90 3000K EX PS
<u>12301651EP00-903500</u>	SPY II 39 JACK TRIMLESS WALLWASH CRI90 3500K EX PS
<u>12301651EP00-904000</u>	SPY II 39 JACK TRIMLESS WALLWASH CRI90 4000K EX PS
<u>12301651EP00-972700</u>	SPY II 39 JACK TRIMLESS WALLWASH CRI97 2700K EX PS
<u>12301651EP00-973000</u>	SPY II 39 JACK TRIMLESS WALLWASH CRI97 3000K EX PS
<u>12301651EP00-973500</u>	SPY II 39 JACK TRIMLESS WALLWASH CRI97 3500K EX PS
<u>12301651EP00-974000</u>	SPY II 39 JACK TRIMLESS WALLWASH CRI97 4000K EX PS
<u>12301652EP00-90D200</u>	SPY II 39 JACK TRIMLESS WALLWASH SOFT CRI90 3000K-1800K EX PS
<u>12304811EP01-9027S5</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 2700K 15° EX PS
<u>12304811EP01-9030S5</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 3000K 15° EX PS
<u>12304811EP01-9035S5</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 3500K 15° EX PS
<u>12304811EP01-9040S5</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 4000K 15° EX PS
<u>12304811EP01-9727S5</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI97 2700K 15° EX PS
<u>12304811EP01-9730S5</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI97 3000K 15° EX PS
<u>12304811EP01-9735S5</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI97 3500K 15° EX PS
<u>12304811EP01-9740S5</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI97 4000K 15° EX PS
<u>12304811EP02-9027S5</u>	SPY II 39 JACK ROD TRIMLESS 120 MM CRI90 2700K 15° EX PS
<u>12304811EP02-9030S5</u>	SPY II 39 JACK ROD TRIMLESS 120 MM CRI90 3000K 15° EX PS
<u>12304811EP02-9035S5</u>	SPY II 39 JACK ROD TRIMLESS 120 MM CRI90 3500K 15° EX PS
<u>12304811EP02-9040S5</u>	SPY II 39 JACK ROD TRIMLESS 120 MM CRI90 4000K 15° EX PS
<u>12304811EP02-9727S5</u>	SPY II 39 JACK ROD TRIMLESS 120 MM CRI97 2700K 15° EX PS
<u>12304811EP02-9730S5</u>	SPY II 39 JACK ROD TRIMLESS 120 MM CRI97 3000K 15° EX PS
<u>12304811EP02-9735S5</u>	SPY II 39 JACK ROD TRIMLESS 120 MM CRI97 3500K 15° EX PS
<u>12304811EP02-9740S5</u>	SPY II 39 JACK ROD TRIMLESS 120 MM CRI97 4000K 15° EX PS
<u>12304811EP03-9027S5</u>	SPY II 39 JACK ROD TRIMLESS 200 MM CRI90 2700K 15° EX PS
<u>12304811EP03-9030S5</u>	SPY II 39 JACK ROD TRIMLESS 200 MM CRI90 3000K 15° EX PS
<u>12304811EP03-9035S5</u>	SPY II 39 JACK ROD TRIMLESS 200 MM CRI90 3500K 15° EX PS
<u>12304811EP03-9040S5</u>	SPY II 39 JACK ROD TRIMLESS 200 MM CRI90 4000K 15° EX PS
<u>12304811EP03-9727S5</u>	SPY II 39 JACK ROD TRIMLESS 200 MM CRI97 2700K 15° EX PS
<u>12304811EP03-9730S5</u>	SPY II 39 JACK ROD TRIMLESS 200 MM CRI97 3000K 15° EX PS
<u>12304811EP03-9735S5</u>	SPY II 39 JACK ROD TRIMLESS 200 MM CRI97 3500K 15° EX PS
<u>12304811EP03-9740S5</u>	SPY II 39 JACK ROD TRIMLESS 200 MM CRI97 4000K 15° EX PS
<u>12304821EP01-9027M4</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 2700K 26° EX PS
<u>12304821EP01-9027S7</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 2700K 19° EX PS
<u>12304821EP01-9027V1</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 2700K 55° EX PS
<u>12304821EP01-9027W1</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 2700K 35° EX PS
<u>12304821EP01-9030M4</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 3000K 26° EX PS
<u>12304821EP01-9030S7</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 3000K 19° EX PS
<u>12304821EP01-9030V1</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 3000K 55° EX PS
<u>12304821EP01-9030W1</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 3000K 35° EX PS
<u>12304821EP01-9035M4</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 3500K 26° EX PS
<u>12304821EP01-9035S7</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 3500K 19° EX PS
<u>12304821EP01-9035V1</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 3500K 55° EX PS
<u>12304821EP01-9035W1</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 3500K 35° EX PS
<u>12304821EP01-9040M4</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 4000K 26° EX PS
<u>12304821EP01-9040S7</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 4000K 19° EX PS
<u>12304821EP01-9040V1</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 4000K 55° EX PS
<u>12304821EP01-9040W1</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI90 4000K 35° EX PS
<u>12304821EP01-9727M4</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI97 2700K 26° EX PS
<u>12304821EP01-9727S7</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI97 2700K 19° EX PS
<u>12304821EP01-9727V1</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI97 2700K 55° EX PS
<u>12304821EP01-9727W1</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI97 2700K 35° EX PS
<u>12304821EP01-9730M4</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI97 3000K 26° EX PS
<u>12304821EP01-9730S7</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI97 3000K 19° EX PS
<u>12304821EP01-9730V1</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI97 3000K 55° EX PS
<u>12304821EP01-9730W1</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI97 3000K 35° EX PS
<u>12304821EP01-9735M4</u>	SPY II 39 JACK ROD TRIMLESS 027 MM CRI97 3500K 26° EX PS

DELTA LIGHT

MOUNTING KIT R31 JACK TRIMLESS EXPOSED CONCRETE

32210 0030

[illegible]

DELTALIGHT

MOUNTING KIT R31 JACK TRIMLESS EXPOSED CONCRETE

32210 0030

<u>12304822EP02-90D2M4</u>	SPY II 39 JACK ROD TRIMLESS 120 MM SOFT CRI90 3000K-1800K 26° EX PS
<u>12304822EP02-90D2S7</u>	SPY II 39 JACK ROD TRIMLESS 120 MM SOFT CRI90 3000K-1800K 19° EX PS
<u>12304822EP02-90D2V1</u>	SPY II 39 JACK ROD TRIMLESS 120 MM SOFT CRI90 3000K-1800K 55° EX PS
<u>12304822EP02-90D2W1</u>	SPY II 39 JACK ROD TRIMLESS 120 MM SOFT CRI90 3000K-1800K 35° EX PS
<u>12304822EP03-90D2M4</u>	SPY II 39 JACK ROD TRIMLESS 200 MM SOFT CRI90 3000K-1800K 26° EX PS
<u>12304822EP03-90D2S7</u>	SPY II 39 JACK ROD TRIMLESS 200 MM SOFT CRI90 3000K-1800K 19° EX PS
<u>12304822EP03-90D2V1</u>	SPY II 39 JACK ROD TRIMLESS 200 MM SOFT CRI90 3000K-1800K 55° EX PS
<u>12304822EP03-90D2W1</u>	SPY II 39 JACK ROD TRIMLESS 200 MM SOFT CRI90 3000K-1800K 35° EX PS

Notes: