




SHIFTLINE M26H + SBL 2m 927 DIM5

30411 9205 B

DISPONIBILE IN
NERO 30411 9205 B
BIANCO 30411 9205 W



[Visualizza sul sito web](#)



Informazioni generali

AMBIENTE	indoor
IP	Soffitto A superficie, Soffitto Sospeso
PROTEZIONE DELL'INGRESSO	IP20
PESO (KG)	3.9
ORIENTABILITÀ	non regolabile
INFORMAZIONI	LED line controllable via own DALI address

Informazioni elettriche

ELETTRICO	48V-DC
CLASSE DI ISOLAMENTO	III
TIPO DI DIMMERAZIONE	DALI
CLASSE ENERGETICA	F

Informazioni sulla Sorgente luminosa

LIGHTSOURCE NAME	LED
SORGENTE LUMINOSA	LED FLEX 19W / CRI>90 / 2700K / 1847lm
SPECIFICHE TECNICHE (SORGENTE LUMINOSA)	1847lm // 19W // 97lm/W

Requisiti

LED POWER SUPPLY 48V-DC
SLM26 - C POWERBOX 48V-DC / 100W

Opzioni

SLM - CABLE SUSPENSION SINGLE 1,6m
SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m BLACK DIM5
SLM - ROD SUSPENSION 0,8m + CONNECTION
SLM - ROD SUSPENSION 0,8m

Per istruzioni di installazione dettagliate, consultare il manuale : [30411_XXX5_HAND.pdf](#)


DELTALIGHT

SHIFTLINE M26H + SBL 2m 927 DIM5


30411 9205 B

PARTI COMPATIBILI


Alimentatore per led




300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN




21012 0230 LED POWER SUPPLY 48V-DC / 100W




21012 0240 LED POWER SUPPLY 48V-DC / 200W

Cavi di alimentazione




23359 2240 SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m BLACK DIM5

Componenti per il fissaggio



23358 1510 SLM - ROD SUSPENSION 0,8m + CONNECTION



23358 1520 SLM - ROD SUSPENSION 0,8m




23359 0510 SLM - CABLE SUSPENSION SINGLE 1,6m

DELTALIGHT

SHIFTLINE M26H + SBL 2m 927 DIM5

30411 9205 B

Power box




23380 0060 SLM26 - C POWERBOX 48V-DC / 100W




APPARECCHI COMPATIBILI

SHIFTLINE M26H - LED LINE OK




29320 9205 M26H - LED LINE OK 927 DIM5




29320 9305 M26H - LED LINE OK 930 DIM5

SPLITLINE M/SHIFTLINE M - CUPPA




28814 9035 M - CUPPA C SOFT 93040 DIM5


SPLITLINE M/SHIFTLINE M - DOT.COM M4




23355 9215 M - DOT.COM M4 92714 DIM5



23355 9225 M - DOT.COM M4 92732 DIM5



23355 9235 M - DOT.COM M4 92751 DIM5




23355 9315 M - DOT.COM M4 93014 DIM5


DELTALIGHT

SHIFTLINE M26H + SBL 2m 927 DIM5

30411 9205 B




23355 9325 M - DOT.COM M4 93032 DIM5




23355 9335 M - DOT.COM M4 93051 DIM5

SPLITLINE M/SHIFTLINE M - DOT.COM WALLWASH




23370 9205 M - DOT.COM WALLWASH 12 927 DIM5




23370 9305 M - DOT.COM WALLWASH 12 930 DIM5

SPLITLINE M/SHIFTLINE M - GIBBO




23354 9205 M - GIBBO 927 DIM5




23354 9305 M - GIBBO 930 DIM5

SPLITLINE M/SHIFTLINE M - HEDRA 39 C




22539 9235 M - HEDRA 39 C 92745 DIM5



22539 9335 M - HEDRA 39 C 93045 DIM5


SPLITLINE M/SHIFTLINE M - LED LINE




23350 0005 M - LED LINE HE 1 x 25,2W DIM5

SHIFTLINE M26H + SBL 2m 927 DIM5

SPLITLINE M/SHIFTLINE M - MICROSPY 39 C




SPLITLINE M20/SHIFTLINE M26H - BOWIE



Technical drawing of a lighting fixture assembly. The drawing shows a side view of a track-mounted fixture. Dimensions include a track length of 170, a mounting bracket height of 45, a main body diameter of Ø51, and a base diameter of Ø65. A rotation symbol indicates a range from 0-90° to 355°.

SPLITLINE M20/SHIFTLINE M26H - HALOSCAN HP





23144 9035 M20/M26H - HALOSCAN HP SOFT 93035 DIM5

DELTALIGHT



SHIFTLINE M26H + SBL 2m 927 DIM5

30411 9205 B



SPLITLINE M20/SHIFTLINE M26H - HALOSCAN MP




SPLITLINE M20/SHIFTLINE M26H - HEDRA



SPLITLINE M20/SHIFTLINE M26H - HEDRA L



SPLITLINE M20/SHIFTLINE M26H - JUM-OH! 2R



DELTALIGHT

SHIFTLINE M26H + SBL 2m 927 DIM5

30411 9205 B

SPLITLINE M20/SHIFTLINE M26H - JUM-OH! 4R




29418 9225 M20/M26H - JUM-OH! 4R 92730 DIM5




29418 9325 M20/M26H - JUM-OH! 4R 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - MULTINOVA 30




27955 9005 M20/M26H - MULTINOVA 30 SOFT 930 DIM5


SPLITLINE M20/SHIFTLINE M26H - NEEDLE




25017 9215 M20/M26H - NEEDLE 92713 DIM5



25017 9225 M20/M26H - NEEDLE 92733 DIM5




25017 9315 M20/M26H - NEEDLE 93013 DIM5




25017 9325 M20/M26H - NEEDLE 93033 DIM5

SPLITLINE M20/SHIFTLINE M26H - NEEDLE OK



25019 9215 M20/M26H - NEEDLE OK 92713 DIM5




25019 9225 M20/M26H - NEEDLE OK 92733 DIM5


DELTALIGHT

SHIFTLINE M26H + SBL 2m 927 DIM5

30411 9205 B




25019 9315 M20/M26H - NEEDLE OK 93013 DIM5




25019 9325 M20/M26H - NEEDLE OK 93033 DIM5


SPLITLINE M20/SHIFTLINE M26H - OBIN




30514 9225 M20/M26H - OBIN 92724 DIM5



30514 9235 M20/M26H - OBIN 92736 DIM5




30514 9325 M20/M26H - OBIN 93024 DIM5




30514 9335 M20/M26H - OBIN 93036 DIM5

SPLITLINE M20/SHIFTLINE M26H - OCTAV 27




29014 9225 M20/M26H - OCTAV 27 92730 DIM5



29014 9325 M20/M26H - OCTAV 27 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - OCTAV 39




29022 9225 M20/M26H - OCTAV 39 92720 DIM5


DELTALIGHT

SHIFTLINE M26H + SBL 2m 927 DIM5


30411 9205 B



29022 9235 M20/M26H - OCTAV 39 92740 DIM5




29022 9325 M20/M26H - OCTAV 39 93020 DIM5




29022 9335 M20/M26H - OCTAV 39 93040 DIM5

SPLITLINE M20/SHIFTLINE M26H - ODRON




26217 9205 M20/M26H - ODRON 1 92728/41 DIM5




26217 9305 M20/M26H - ODRON 1 93028/41 DIM5

SPLITLINE M20/SHIFTLINE M26H - ODRON 2




26219 9205 M20/M26H - ODRON 2 92728/41 DIM5




26219 9305 M20/M26H - ODRON 2 93028/41 DIM5

SPLITLINE M20/SHIFTLINE M26H - PION



26618 9225 M20/M26H - PION 92725 DIM5




26618 9235 M20/M26H - PION 92737 DIM5


DELTALIGHT

SHIFTLINE M26H + SBL 2m 927 DIM5

30411 9205 B



26618 9325 M20/M26H - PION 93025 DIM5



26618 9335 M20/M26H - PION 93037 DIM5

SPLITLINE M20/SHIFTLINE M26H - PUNK




23372 9215 M20/M26H - PUNK 39 92745 DIM5




23372 9315 M20/M26H - PUNK 39 93045 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 27




23312 9225 M20/M26H - SPY 271 92730 DIM5




23312 9325 M20/M26H - SPY 271 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 27 2




23314 9225 M20/M26H - SPY 272 92730 DIM5



23314 9325 M20/M26H - SPY 272 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 27 2 L




23388 9225 M20/M26H - SPY 272 L 92730 DIM5

DELTALIGHT


SHIFTLINE M26H + SBL 2m 927 DIM5

30411 9205 B




23388 9325 M20/M26H - SPY 272 L 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 27 L




23386 9225 M20/M26H - SPY 271 L 92730 DIM5




23386 9325 M20/M26H - SPY 271 L 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 39




23424 9025 M20/M26H - SPY 391 SOFT 93020 DIM5




23424 9035 M20/M26H - SPY 391 SOFT 93040 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 39 2




23428 9025 M20/M26H - SPY 392 SOFT 93020 DIM5




23428 9035 M20/M26H - SPY 392 SOFT 93040 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 39 FOCUS



23416 9205 M20/M26H - SPY 39 FOCUS 927 DIM5




23416 9305 M20/M26H - SPY 39 FOCUS 930 DIM5

DELTALIGHT


SHIFTLINE M26H + SBL 2m 927 DIM5

30411 9205 B

SPLITLINE M20/SHIFTLINE M26H - SPY 39 FRAMER




23418 9205 M20/M26H - SPY 39 FRAMER 927 DIM5




23418 9305 M20/M26H - SPY 39 FRAMER 930 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 39 L




23426 9025 M20/M26H - SPY 391 L SOFT 93020 DIM5




23426 9035 M20/M26H - SPY 391 L SOFT 93040 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 39 WALLWASH




23422 9005 M20/M26H - SPY 39 WALLWASH SOFT 930 DIM5


SPLITLINE M20/SHIFTLINE M26H - SPY 52



23399 9025 M20/M26H - SPY 52 SOFT 93020 DIM5




23399 9035 M20/M26H - SPY 52 SOFT 93045 DIM5



23399 9045 M20/M26H - SPY 52 SOFT 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 52 FOCUS




23414 9005 M20/M26H - SPY 52 FOCUS SOFT 930 DIM5

DELTALIGHT

SHIFTLINE M26H + SBL 2m 927 DIM5


30411 9205 B

SPLITLINE M20/SHIFTLINE M26H - SPY 52 WALLWASH




19895 9005 M20/M26H - SPY 52 WALLWASH SOFT 930 DIM5


SPLITLINE M20/SHIFTLINE M26H - SPY 66



23360 9015 M20/M26H - SPY 66 TW 96518 DIM5




23360 9025 M20/M26H - SPY 66 TW 96530 DIM5




23360 9035 M20/M26H - SPY 66 TW 96545 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 66 WALLWASH




24636 9205 M20/M26H - SPY 66 WALLWASH 927 DIM5




24636 9305 M20/M26H - SPY 66 WALLWASH 930 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY FOCUS




23379 9205 M20/M26H - SPY FOCUS LP 927 DIM5



23379 9305 M20/M26H - SPY FOCUS LP 930 DIM5

SPLITLINE M20/SHIFTLINE M26H - TWEETER




23351 9225 M20/M26H - TWEETER 92733 DIM5


DELTALIGHT

SHIFTLINE M26H + SBL 2m 927 DIM5


30411 9205 B



23351 9235 M20/M26H - TWEETER 92750 DIM5




23351 9325 M20/M26H - TWEETER 93033 DIM5




23351 9335 M20/M26H - TWEETER 93050 DIM5

SPLITLINE M20/SHIFTLINE M26H - TWEETER BL




23352 9205 M20/M26H - TWEETER BL 927 DIM5




23352 9305 M20/M26H - TWEETER BL 930 DIM5

SPLITLINE M20/SHIFTLINE M26H - VIZIR




23371 9215 M20/M26H - VIZIR 92708 DIM5




23371 9315 M20/M26H - VIZIR 93008 DIM5

SPY II 39 M CABLE



12306622MD00-90D2M4 SPY II 39 M CABLE SOFT CRI90 3000-1800K 26° MDL




12306622MD00-90D2S7 SPY II 39 M CABLE SOFT CRI90 3000-1800K 19° MDL


DELTALIGHT

SHIFTLINE M26H + SBL 2m 927 DIM5

30411 9205 B



12306622MD00-90D2V1 SPY II 39 M CABLE SOFT CRI90 3000-1800K 55° MDL



12306622MD00-90D2W1 SPY II 39 M CABLE SOFT CRI90 3000-1800K 35° MDL

Notes: