




SLM26L - PROFILE 3m

23358 0030 BRBB

- AVAILABLE IN
- BLACK 23358 0030 B
 - BRUSHED ALU 23358 0030 BRA
 - BRUSHED ANTHRACITE 23358 0030 BRAT
 - BRONZE BRUSHED 23358 0030 BRB
 - BRUSHED BROWN BRONZE 23358 0030 BRBB
 - BRUSHED COPPER 23358 0030 BRCU
 - BRUSHED GOLD 23358 0030 BRG
 - BRUSHED OLD BRONZE 23358 0030 BROB
 - POLISHED ALUMINIUM 23358 0030 PA
 - WHITE 23358 0030 W



 [View on website](#)




General info	
LOCATION	indoor
INSTALLATION	Ceiling Surface mounted,Ceiling Suspended,Wall Surface mounted
WEIGHT (KG)	2.8
INFORMATION	L : 3m 2 x 48V conductors 2 DIM CONDUCTORS (For individual DALI dimming)
Electrical info	
CLASS	III


For detailed installation instructions, please consult the manual : [23358_00X0_HAND.pdf](#)

COMPATIBLE PARTS

Corners



23358 0620 SLM26L - CORNER 180°




23358 0640 SLM26L - CORNER SET 90°

DELTALIGHT

SLM26L - PROFILE 3m


23358 0030 BRBB



23358 9640 SLM26L - CORNER SET 90°




Current supply




203 99 55 CABLE BASE R




203 99 56 CABLE BASE S




420 99 01 SPM - CONNECTOR 48V - 180°




420 99 03 SPM - SUPPLY 48V




21032 0030 SMART 48 MODULATOR PLUG-IN WD




23300 9920 SPM - CONNECTOR 48V - 90°



23358 1540 SLM26L - SIDE SUPPLY 48V



23358 9810 SLM26L - 2P CONNECTOR 48V




23359 2120 SLM - CURRENT SUPPLY SET 2 x 0,75mm² 1,6m MDL


DELTALIGHT

SLM26L - PROFILE 3m


23358 0030 BRBB



23359 2140 SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m DIM5



23359 2220 SLM - CURRENT SUPPLY SET 2 x 0,75mm² 1,6m BLACK MDL



23359 2240 SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m BLACK DIM5


Electric connection parts




15225 0360 CONNECTION ST



End caps




23358 0300 SLM26L - END CAP SET




23358 0320 SLM26L - END CAP SET




Fixation components



23358 1410 SLM26L - FIXATION SET



23358 1510 SLM - ROD SUSPENSION 0,8m + CONNECTION



23358 1520 SLM - ROD SUSPENSION 0,8m



DELTALIGHT


SLM26L - PROFILE 3m

23358 0030 BRBB




23359 0510 SLM - CABLE SUSPENSION SINGLE 1,6m


LED power supplies




300 89 48 90 LED POWER SUPPLY 48V-DC / 90W




300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN




300 89 48 150 LED POWER SUPPLY 48V-DC / 150W



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN




21012 0230 LED POWER SUPPLY 48V-DC / 100W




21012 0240 LED POWER SUPPLY 48V-DC / 200W

Power box



23377 0010 SLM26L - POWERBOX 48V-DC / 96W







23377 0020 SLM26L - MID POWERBOX 48V-DC / 96W




DELTALIGHT

SLM26L - PROFILE 3m

23358 0030 BRBB

	23377 0040 SLM26L - POWERBOX 48V-DC / 100W	
	23377 0050 SLM26L - MID POWERBOX 48V-DC / 100W	
	23380 0060 SLM26 - C POWERBOX 48V-DC / 100W	
	23380 007W SLM26 - C POWERBOX 48V-DC / 100W WD	
	23380 0080 SLM26 - POWERBOX IN 48V-DC / 100W NO DIM	
	23380 0090 SLM26 - POWERBOX IN 48V-DC / 100W FOR DALI DIM	

Profile


	23358 0010 SLM26L - PROFILE 1m	
	23358 0020 SLM26L - PROFILE 2m	
	23358 0030 SLM26L - PROFILE 3m	

DELTALIGHT


SLM26L - PROFILE 3m

23358 0030 BRBB

SHIFTLINE MATRIX fixation components




23358 9820 SLM26L - 2P SUPPORT




23358 9830 SLM26L - CEILING FIXATION



SMART 48




300 90 011 SMART 48 MODULATOR DIM9




300 90 012 SMART 48 MODULATOR WD


Special components




200 12 01 TRACK 3F DIM CUTTING TOOL




21032 0040 M - WIRELESS PRESENCE AND DAYLIGHT SENSOR



21032 0085 M - WIRELESS CONTROL DIM5



21032 0185 M - DALI PRESENCE AND DAYLIGHT SENSOR (BROADCAST)




21032 0190 M - WIRELESS SENSOR HUB


DELTALIGHT

SLM26L - PROFILE 3m

23358 0030 BRBB



21032 0250 M26L - VOICE COMMAND GOOGLE HOLDER




23377 0030 M26L/M35R MASK




COMPATIBLE LUMINAIRES

SHIFTLINE M26L - BOXY L




10738 9035 M26L - BOXY L TW 96545 DIM5

SHIFTLINE M26L - BOXY L A




10743 9035 M26L - BOXY L A TW 96545 DIM5

SHIFTLINE M26L - BOXY R




10733 9035 M26L - BOXY R TW 96545 DIM5

SHIFTLINE M26L - JUM-OH! 2R




29412 9225 M26L - JUM-OH! 2R 92730 DIM5



29412 9325 M26L - JUM-OH! 2R 93030 DIM5

SHIFTLINE M26L - JUM-OH! 4R




29414 9225 M26L - JUM-OH! 4R 92730 DIM5

DELTALIGHT


SLM26L - PROFILE 3m

23358 0030 BRBB




29414 9325 M26L - JUM-OH! 4R 93030 DIM5

SHIFTLINE M26L - LED LINE OK




29316 9205 M26L - LED LINE OK 927 DIM5




29316 9305 M26L - LED LINE OK 930 DIM5


SHIFTLINE M26L - TWEETER




23241 9225 M26L - TWEETER 92733 DIM5



23241 9235 M26L - TWEETER 92750 DIM5




23241 9325 M26L - TWEETER 93033 DIM5




23241 9335 M26L - TWEETER 93050 DIM5

SHIFTLINE M26L - TWEETER BL



23243 9205 M26L - TWEETER BL 927 DIM5



23243 9305 M26L - TWEETER BL 930 DIM5

DELTALIGHT





SLM26L - PROFILE 3m

23358 0030 BRBB


SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)



SHIFTLINE M26L/M35R - BOWIE



SHIFTLINE M26L/M35R - HALOSCAN HP




SHIFTLINE M26L/M35R - HALOSCAN MP




DELTALIGHT

SLM26L - PROFILE 3m



23358 0030 BRBB





SHIFTLINE M26L/M35R - HEDRA



SHIFTLINE M26L/M35R - HEDRA L



SHIFTLINE M26L/M35R - JAZZY




SHIFTLINE M26L/M35R - MICROSPY




DELTALIGHT

SLM26L - PROFILE 3m

23358 0030 BRBB



SHIFTLINE M26L/M35R - MIDISPY




SHIFTLINE M26L/M35R - MULTINOVA 30



SHIFTLINE M26L/M35R - OCTAV 27




SHIFTLINE M26L/M35R - OCTAV 39




SLM26L - PROFILE 3m

0-85°/355°




Technical drawing of a roller assembly. The drawing shows two rollers mounted on a frame. The overall width is 170. The roller diameter is Ø38. The distance between the roller centers is 72.

0-90
355




0.90
355


0-45°
355°



Ø64
0-45°
288°



0-45°



Ø64
0.45°

DELTALIGHT

SLM26L - PROFILE 3m

23358 0030 BRBB

SHIFTLINE M26L/M35R - PUNK




23245 9215 M26L - PUNK 39 92745 DIM5




23245 9315 M26L - PUNK 39 93045 DIM5

SHIFTLINE M26L/M35R - SPY




23239 9025 M26L/M35R - SPY 9-SOFT DIM5

SHIFTLINE M26L/M35R - SPY 27




23211 9225 M26L - SPY 271 92730 DIM5




23211 9325 M26L - SPY 271 93030 DIM5

SHIFTLINE M26L/M35R - SPY 27 2




23213 9225 M26L - SPY 272 92730 DIM5




23213 9325 M26L - SPY 272 93030 DIM5

SHIFTLINE M26L/M35R - SPY 27 2 L



23283 9225 M26L - SPY 272 L 92730 DIM5





23283 9325 M26L - SPY 272 L 93030 DIM5

DELTALIGHT



SLM26L - PROFILE 3m

23358 0030 BRBB



SHIFTLINE M26L/M35R - SPY 27 L





SHIFTLINE M26L/M35R - SPY 39



SHIFTLINE M26L/M35R - SPY 39 2



SHIFTLINE M26L/M35R - SPY 39 FOCUS




SHIFTLINE M26L/M35R - SPY 39 FRAMER



DELTALIGHT


SLM26L - PROFILE 3m

23358 0030 BRBB




23432 9305 M26L - SPY 39 FRAMER 930 DIM5

SHIFTLINE M26L/M35R - SPY 39 L




23440 9025 M26L - SPY 391 L SOFT 93020 DIM5




23440 9035 M26L - SPY 391 L SOFT 93040 DIM5

SHIFTLINE M26L/M35R - SPY 39 WALLWASH




23436 9005 M26L - SPY 39 WALLWASH SOFT 930 DIM5


SHIFTLINE M26L/M35R - SPY 52



23298 9025 M26L - SPY 52 SOFT 93020 DIM5




23298 9035 M26L - SPY 52 SOFT 93045 DIM5




23298 9045 M26L - SPY 52 SOFT 93030 DIM5

SHIFTLINE M26L/M35R - SPY 52 FOCUS



23296 9005 M26L - SPY 52 FOCUS SOFT 930 DIM5

SHIFTLINE M26L/M35R - SPY 52 WALLWASH




19893 9005 M26L - SPY 52 WALLWASH SOFT 930 DIM5

DELTALIGHT


SLM26L - PROFILE 3m

23358 0030 BRBB

SHIFTLINE M26L/M35R - SPY 66




24620 9235 M26L/M35R - SPY 66 MP 92739 DIM5




24620 9335 M26L/M35R - SPY 66 MP 93039 DIM5

SHIFTLINE M26L/M35R - SPY 66 WALLWASH




24634 9205 M26L - SPY 66 WALLWASH 927 DIM5




24634 9305 M26L - SPY 66 WALLWASH 930 DIM5

SHIFTLINE M26L/M35R - SPY FOCUS




23233 9205 M26L - SPY FOCUS MP 927 DIM5




23233 9305 M26L - SPY FOCUS MP 930 DIM5

SHIFTLINE M26L/M35R - VIZIR




23249 9225 M26L - VIZIR L 92733 DIM5



23249 9325 M26L - VIZIR L 93033 DIM5

SPLITLINE M/SHIFTLINE M - CUPPA




28814 9035 M - CUPPA C SOFT 93040 DIM5

DELTALIGHT


SLM26L - PROFILE 3m

23358 0030 BRBB


SPLITLINE M/SHIFTLINE M - DOT.COM M4




424 612 04 921 MDL M - DOT.COM M4 92714 MDL




424 612 04 922 MDL M - DOT.COM M4 92732 MDL




424 612 04 923 MDL M - DOT.COM M4 92751 MDL



424 612 04 931 MDL M - DOT.COM M4 93014 MDL




424 612 04 932 MDL M - DOT.COM M4 93032 MDL




424 612 04 933 MDL M - DOT.COM M4 93051 MDL

SPLITLINE M/SHIFTLINE M - GIBBO




421 622 811 920 MDL M - GIBBO 927 MDL



421 622 811 930 MDL M - GIBBO 930 MDL

SPLITLINE M/SHIFTLINE M - HEDRA 39 C




22539 9235 M - HEDRA 39 C 92745 DIM5

DELTALIGHT

SLM26L - PROFILE 3m

23358 0030 BRBB



22539 9335 M - HEDRA 39 C 93045 DIM5

SPLITLINE M/SHIFTLINE M - INFORM




23384 9225 M - INFORM L11 92767 DIM5




23384 9325 M - INFORM L11 93067 DIM5

SPLITLINE M/SHIFTLINE M - LED LINE




421 313 12 93 MDL M - LED LINE HE 1 x 25,2W MDL

SPLITLINE M/SHIFTLINE M - MICROSPY 39 C




421 612 811 921 MDL M - MICROSPY 39 C 92745 MDL




421 612 811 931 MDL M - MICROSPY 39 C 93045 MDL


SPY II 39 M CABLE



12306622MD00-90D2M4 SPY II 39 M CABLE SOFT CRI90 3000-1800K 26° MDL



12306622MD00-90D2S7 SPY II 39 M CABLE SOFT CRI90 3000-1800K 19° MDL




12306622MD00-90D2V1 SPY II 39 M CABLE SOFT CRI90 3000-1800K 55° MDL

DELTALIGHT


SLM26L - PROFILE 3m

23358 0030 BRBB




12306622MD00-90D2W1 SPY II 39 M CABLE SOFT CRI90 3000-1800K 35° MDL


SPY II 39 M26L




123053230500-90TIM4 SPY II 39 M26L TW CRI90 1800-4000K 26° DALI DIM



123053230500-90TIS7 SPY II 39 M26L TW CRI90 1800-4000K 19° DALI DIM




123053230500-90TIV1 SPY II 39 M26L TW CRI90 1800-4000K 55° DALI DIM




123053230500-90TIW1 SPY II 39 M26L TW CRI90 1800-4000K 35° DALI DIM


SPY II 39 M26L FOCUS




12305431MD00-9027AB SPY II 39 M26L FOCUS CRI90 2700K MDL



12305431MD00-9030AB SPY II 39 M26L FOCUS CRI90 3000K MDL



12305431MD00-9035AB SPY II 39 M26L FOCUS CRI90 3500K MDL




12305431MD00-9040AB SPY II 39 M26L FOCUS CRI90 4000K MDL


DELTALIGHT

SLM26L - PROFILE 3m


23358 0030 BRBB




12305431MD00-9727AB SPY II 39 M26L FOCUS CRI97 2700K MDL



12305431MD00-9730AB SPY II 39 M26L FOCUS CRI97 3000K MDL




12305431MD00-9735AB SPY II 39 M26L FOCUS CRI97 3500K MDL




12305431MD00-9740AB SPY II 39 M26L FOCUS CRI97 4000K MDL


SPY II 39 M26L FRAMER




12305541MD00-902700 SPY II 39 M26L FRAMER CRI90 2700K MDL




12305541MD00-903000 SPY II 39 M26L FRAMER CRI90 3000K MDL




12305541MD00-903500 SPY II 39 M26L FRAMER CRI90 3500K MDL



12305541MD00-904000 SPY II 39 M26L FRAMER CRI90 4000K MDL



12305541MD00-972700 SPY II 39 M26L FRAMER CRI97 2700K MDL




12305541MD00-973000 SPY II 39 M26L FRAMER CRI97 3000K MDL


DELTALIGHT

SLM26L - PROFILE 3m

23358 0030 BRBB




12305541MD00-973500 SPY II 39 M26L FRAMER CRI97 3500K MDL



12305541MD00-974000 SPY II 39 M26L FRAMER CRI97 4000K MDL

SPY II 39 M26L WALLWASH



12305652MD00-90D200 SPY II 39 M26L WALLWASH SOFT CRI90 3000K-1800K MDL

Notes: