




SOLI - 52 SHHH 92745

27181 9230 GC

AVAILABLE IN  
**BLACK** 27181 9230 B  
**GOLD COLOURED** 27181 9230 GC  
**WHITE** 27181 9230 W



 [View on website](#)



| General info                |                                                                                                |
|-----------------------------|------------------------------------------------------------------------------------------------|
| LOCATION                    | indoor                                                                                         |
| INSTALLATION                | Low voltage systems Low voltage system mounted                                                 |
| INGRESS PROTECTION          | IP20                                                                                           |
| WEIGHT (KG)                 | 0.4                                                                                            |
| ADJUSTABILITY               | 0° to 90° swiveling, 360° rotatable                                                            |
| INFORMATION                 | REFLECTOR WFL-45°<br>EXCL.LED POWER SUPPLY 600mA-DC<br>Optional REFLECTORS 20° & 30° available |
| Electrical info             |                                                                                                |
| CLASS                       | III                                                                                            |
| DIM TYPE                    | depending on power supply                                                                      |
| ENERGY CLASS                | E                                                                                              |
| CERTIFICATES                | CB, ENEC, LCA                                                                                  |
| Lightsource info            |                                                                                                |
| LIGHTSOURCE NAME            | LED                                                                                            |
| LIGHTSOURCE                 | LED array 10,3W / CRI>90 (R9: 60) / 2700K / 1224lm                                             |
| TM-30 VALUES                | rf: 89 / Rg: 100                                                                               |
| SDCM                        | SDCM1                                                                                          |
| RISKGROUP                   | RG1                                                                                            |
| LM80                        | L90B10 > 50000                                                                                 |
| BEAMANGLE                   | 45°                                                                                            |
| LED TECHNICS (LIGHT SOURCE) | 1224lm // 10,3W // 119lm/W                                                                     |
| LED TECHNICS (LUMINAIRE)    | 783lm // 11,8W // 66lm/W                                                                       |


| Requirements |
|--------------|
| SPY 52 TUBE  |

| Accessories           |
|-----------------------|
| HONEYCOMB 42          |
| SPREAD LENS 42        |
| LINEAR SPREAD LENS 42 |
| SOFTENING LENS 42     |
| GLASS SBL 42          |


For detailed installation instructions, please consult the manual : [27181\\_XXX0\\_HAND.pdf](#)

FINISH YOUR SPECIFICATION


Light altering devices



**19810 0010 B** HONEYCOMB 42 SINGLE USE B

☐


**19810 0020** LINEAR SPREAD LENS 42

☐


**19810 0030** SPREAD LENS 42

☐

**19810 0040** SOFTENING LENS 42

☐


**19810 0050** GLASS SBL 42

☐

**19810 0060 B** HONEYCOMB 42 DOUBLE USE B

☐

Finish your product



**19810 0100 B** SPY 52 TUBE B

☐

**19810 0100 FBR** SPY 52 TUBE FBR

☐


**19810 0100 FG** SPY 52 TUBE FG

☐

# DELTALIGHT

## SOLI - 52 SHHH 92745

27181 9230 GC

|                                                                                   |                                     |                          |
|-----------------------------------------------------------------------------------|-------------------------------------|--------------------------|
|  | <b>19810 0100 GC</b> SPY 52 TUBE GC | <input type="checkbox"/> |
|  | <b>19810 0100 W</b> SPY 52 TUBE W   | <input type="checkbox"/> |





### Replaceable reflector / lens

|                                                                                    |                                        |                          |
|------------------------------------------------------------------------------------|----------------------------------------|--------------------------|
|    | <b>19810 0180</b> SPY 52 REFLECTOR 20° | <input type="checkbox"/> |
|    | <b>19810 0190</b> SPY 52 REFLECTOR 45° | <input type="checkbox"/> |
|  | <b>19810 0240</b> SPY 52 REFLECTOR 30° | <input type="checkbox"/> |

## COMPATIBLE COMPOSABLES

### SOLISCAPE - SHHH PLUS











### Available Colours

|                                                                                    |                                                      |                                                                                                                                                                             |
|------------------------------------------------------------------------------------|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <b>21413 0005</b> SOLI - SHHH PLUS 60/4 SCARLET DIM5 |   |
|  | <b>21414 0005</b> SOLI - SHHH PLUS 60/4 SAND DIM5    |   |
|  | <b>21415 0005</b> SOLI - SHHH PLUS 60/4 LILAC DIM5   |   |
|  | <b>21416 0005</b> SOLI - SHHH PLUS 60/4 ARCTIC DIM5  |   |

# DELTALIGHT

## SOLI - 52 SHHH 92745










27181 9230 GC

|                                                                                    |                                                       |                                                                                       |
|------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------------|
|    | <b>21417 0005</b> SOLI - SHHH PLUS 90/4 SCARLET DIM5  |    |
|    | <b>21418 0005</b> SOLI - SHHH PLUS 90/4 SAND DIM5     |    |
|    | <b>21419 0005</b> SOLI - SHHH PLUS 90/4 LILAC DIM5    |    |
|    | <b>21420 0005</b> SOLI - SHHH PLUS 90/4 ARCTIC DIM5   |    |
|  | <b>21421 0005</b> SOLI - SHHH PLUS 120/4 SCARLET DIM5 |  |
|  | <b>21422 0005</b> SOLI - SHHH PLUS 120/4 SAND DIM5    |  |
|  | <b>21423 0005</b> SOLI - SHHH PLUS 120/4 LILAC DIM5   |  |
|  | <b>21424 0005</b> SOLI - SHHH PLUS 120/4 ARCTIC DIM5  |  |
|  | <b>21425 0005</b> SOLI - SHHH PLUS 120/8 SCARLET DIM5 |  |
|  | <b>21426 0005</b> SOLI - SHHH PLUS 120/8 SAND DIM5    |  |

# DELTALIGHT

## SOLI - 52 SHHH 92745

27181 9230 GC

|                                                                                    |                                                          |                                                                                       |
|------------------------------------------------------------------------------------|----------------------------------------------------------|---------------------------------------------------------------------------------------|
|    | <b>21427 0005</b> SOLI - SHHH PLUS 120/8 LILAC DIM5      |    |
|    | <b>21428 0005</b> SOLI - SHHH PLUS 120/8 ARCTIC DIM5     |    |
|    | <b>27173 0005</b> SOLI - SHHH PLUS 60/4 LIGHT GREY DIM5  |    |
|    | <b>27174 0005</b> SOLI - SHHH PLUS 60/4 DARK GREY DIM5   |    |
|  | <b>27175 0005</b> SOLI - SHHH PLUS 90/4 LIGHT GREY DIM5  |  |
|  | <b>27176 0005</b> SOLI - SHHH PLUS 90/4 DARK GREY DIM5   |  |
|  | <b>27177 0005</b> SOLI - SHHH PLUS 120/4 LIGHT GREY DIM5 |  |
|  | <b>27178 0005</b> SOLI - SHHH PLUS 120/4 DARK GREY DIM5  |  |
|  | <b>27179 0005</b> SOLI - SHHH PLUS 120/8 LIGHT GREY DIM5 |  |
|  | <b>27180 0005</b> SOLI - SHHH PLUS 120/8 DARK GREY DIM5  |  |

# DELTALIGHT

**SOLI - 52 SHHH 92745**

27181 9230 GC

Notes: