
DELTALIGHT



HIGH PROFILE C E27

REFERENCE 29914 0000 P

AVAILABLE IN
PINK 29914 0000 P
RANDOM 29914 0000 RND
RAW WHITE 29914 0000 RW
TURQUOISE 29914 0000 T



View on website

General info	
LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	16.6
ADJUSTABILITY	non adjustable
INFORMATION	EXCL.8 X FILAMENT LED BULB E27 T45 INCL.2 x CABLE SUSPENSION TWIN AUTO. 1,6m INCL.1 x CABLE 3 x 0.75mm²

Electrical info	
	8 x T45-LED Filament max.8W
CLASS	I
DIM TYPE	non-dimmable

Lightsource info	
LIGHTSOURCE NAME	E27

Remarks

lamps not included

Options

CABLE BASE R / S
CONNECTION ST / CONNECTION TRIMLESS

For detailed installation instructions, please consult the manual : **29914_0000_HAND.pdf**


DELTALIGHT

HIGH PROFILE C E27

29914 0000 P

FINISH YOUR SPECIFICATION

Current supply



203 99 55 ANO CABLE BASE R ANO ☐

203 99 55 B CABLE BASE R B ☐

203 99 55 W CABLE BASE R W ☐




203 99 56 ANO CABLE BASE S ANO ☐

203 99 56 B CABLE BASE S B ☐

203 99 56 W CABLE BASE S W ☐

LED retrofit lamps



21024 0280 LED FILAMENT T45 E27 8W 2700K - MIST ☐


Dimtype: mains (phase cut-off)

DELTALIGHT

HIGH PROFILE C E27

29914 0000 P

Electric connection parts



328 10 03 CONNECTION TRIMLESS O.F.A.

Cutout dimension (mm): 62 (CONCRETE: 102)



15225 0360 B CONNECTION ST B

Cutout dimension (mm): 43

15225 0360 W CONNECTION ST W

Notes: