DELTALIGHT



# HIGH PROFILE C E27

**REFERENCE** 29914 0000 T

AVAILABLE IN
**PINK** 29914 0000 P
**RANDOM** 29914 0000 RND
**RAW WHITE** 29914 0000 RW
**TURQUOISE** 29914 0000 T




View on website

| General info | |
|---|---|
| **LOCATION** | indoor |
| **INSTALLATION** | Ceiling Suspended |
| **INGRESS PROTECTION** | IP20 |
| **WEIGHT (KG)** | 16.6 |
| **ADJUSTABILITY** | non adjustable |
| **INFORMATION** | EXCL.8 X FILAMENT LED BULB E27 T45<br>INCL.2 x CABLE SUSPENSION TWIN AUTO. 1,6m<br>INCL.1 x CABLE 3 x 0.75mm² |

| Electrical info | |
|---|---|
| | 8 x T45-LED Filament max.8W |
| **CLASS** | I |
| **DIM TYPE** | non-dimmable |

| Lightsource info | |
|---|---|
| **LIGHTSOURCE NAME** | E27 |

**Remarks**

lamps not included

**Options**

CABLE BASE R / S
CONNECTION ST / CONNECTION TRIMLESS

For detailed installation instructions, please consult the manual : **29914_0000_HAND.pdf**

DELTALIGHT

# HIGH PROFILE C E27

29914 0000 T

## FINISH YOUR SPECIFICATION

### Current supply




**203 99 55 ANO** CABLE BASE R ANO ☐

**203 99 55 B** CABLE BASE R B ☐

**203 99 55 W** CABLE BASE R W ☐




**203 99 56 ANO** CABLE BASE S ANO ☐

**203 99 56 B** CABLE BASE S B ☐

**203 99 56 W** CABLE BASE S W ☐

### LED retrofit lamps




**21024 0280** LED FILAMENT T45 E27 8W 2700K - MIST ☐

**Dimtype: mains (phase cut-off)**

DELTALIGHT

# HIGH PROFILE C E27

29914 0000 T

## Electric connection parts




**328 10 03** CONNECTION TRIMLESS O.F.A.

**Cutout dimension (mm): 62 (CONCRETE: 102)**




**15225 0360 B** CONNECTION ST B

**Cutout dimension (mm): 43**

**15225 0360 W** CONNECTION ST W

Notes: