




HIGH PROFILE C E27

29914 0000 T

AVAILABLE IN
PINK 29914 0000 P
RANDOM 29914 0000 RND
RAW WHITE 29914 0000 RW
TURQUOISE 29914 0000 T



 [View on website](#)




General info	
LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	16.6
ADJUSTABILITY	non adjustable
INFORMATION	EXCL.8 X FILAMENT LED BULB E27 T45 INCL.2 x CABLE SUSPENSION TWIN AUTO. 1,6m INCL.1 x CABLE 3 x 0.75mm ²
Electrical info	
	8 x T45-LED Filament max.8W
CLASS	I
DIM TYPE	non-dimmable
Lightsource info	
LIGHTSOURCE NAME	E27
Remarks	
lamps not included	
Options	
CABLE BASE R / S	
CONNECTION ST / CONNECTION TRIMLESS	

For detailed installation instructions, please consult the manual : [29914_0000_HAND.pdf](#)

FINISH YOUR SPECIFICATION

Current supply

	<u>203 99 55 ANO</u> CABLE BASE R ANO	☐
	<u>203 99 55 B</u> CABLE BASE R B	☐
	<u>203 99 55 W</u> CABLE BASE R W	☐
	<u>203 99 56 ANO</u> CABLE BASE S ANO	☐
	<u>203 99 56 B</u> CABLE BASE S B	☐
	<u>203 99 56 W</u> CABLE BASE S W	☐

LED retrofit lamps


	<u>21024 0280</u> LED FILAMENT T45 E27 8W 2700K - MIST	☐
	Dimtype: mains (phase cut-off)	

DELTALIGHT

HIGH PROFILE C E27

29914 0000 T

Electric connection parts

	328 10 03 CONNECTION TRIMLESS O.F.A.	☐
Cutout dimension (mm): 62 (CONCRETE: 102)		
	15225 0360 B CONNECTION ST B	☐
Cutout dimension (mm): 43		
	15225 0360 W CONNECTION ST W	☐

Notes: