




SLM26H - PROFILE 2m

23359 0020 BRBB

AVAILABLE IN
BLACK 23359 0020 B
BRUSHED ALU 23359 0020 BRA
BRUSHED ANTHRACITE 23359 0020 BRAT
BRONZE BRUSHED 23359 0020 BRB
BRUSHED BROWN BRONZE 23359 0020 BRBB
BRUSHED COPPER 23359 0020 BRCU
BRUSHED GOLD 23359 0020 BRG
BRUSHED OLD BRONZE 23359 0020 BROB
POLISHED ALUMINIUM 23359 0020 PA
WHITE 23359 0020 W



 [View on website](#)




General info	
LOCATION	indoor
INSTALLATION	Ceiling Surface mounted,Ceiling Suspended,Wall Surface mounted
WEIGHT (KG)	2.7
INFORMATION	L : 2m 2 x 48V conductors 2 DIM CONDUCTORS (For individual DALI dimming)
Electrical info	
CLASS	III


For detailed installation instructions, please consult the manual : [23359_00X0_HAND.pdf](#)

COMPATIBLE PARTS

Corners



23359 0620 SLM26H - CORNER 180°




23359 0640 SLM26H - CORNER SET 90°

DELTALIGHT


SLM26H - PROFILE 2m

23359 0020 BRBB




R 200

23359 0690 SLM26H - CORNER SET R 90°



R 200


23359 0700 SLM26H - CORNER SET R 135°



23359 9640 SLM26H - CORNER SET 90°



Current supply




41

203 99 55 CABLE BASE R




41

203 99 56 CABLE BASE S




143

420 99 01 SPM - CONNECTOR 48V - 180°




143

420 99 03 SPM - SUPPLY 48V




39

21032 0030 SMART 48 MODULATOR PLUG-IN WD



18

23300 9920 SPM - CONNECTOR 48V - 90°




143

23359 2120 SLM - CURRENT SUPPLY SET 2 x 0,75mm² 1,6m MDL


DELTALIGHT

SLM26H - PROFILE 2m


23359 0020 BRBB




23359 2140 SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m DIM5




23359 2160 SLM - CURRENT SUPPLY SET 6 x 0,75mm² 1,6m DIM5 UP




23359 2220 SLM - CURRENT SUPPLY SET 2 x 0,75mm² 1,6m BLACK MDL




23359 2240 SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m BLACK DIM5



23359 2260 SLM - CURRENT SUPPLY SET 6 x 0,75mm² 1,6m BLACK DIM5 UP



23359 2340 SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m MDL UP



23359 2440 SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m BLACK MDL UP


Electric connection parts



15225 0360 CONNECTION ST



End caps




23359 0300 SLM26H - END CAP SET



DELTALIGHT

SLM26H - PROFILE 2m


23359 0020 BRBB




23359 0320 SLM26H - END CAP SET



Fixation components




23358 1510 SLM - ROD SUSPENSION 0,8m + CONNECTION



23358 1520 SLM - ROD SUSPENSION 0,8m




23359 0510 SLM - CABLE SUSPENSION SINGLE 1,6m




23359 1410 SLM26H - FIXATION SET


LED power supplies




300 89 48 90 LED POWER SUPPLY 48V-DC / 90W



300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN



300 89 48 150 LED POWER SUPPLY 48V-DC / 150W




300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN

DELTALIGHT


SLM26H - PROFILE 2m

23359 0020 BRBB



Technical drawing of a linear LED power supply profile. Dimensions shown: 17mm height, 298mm length, 30mm mounting hole spacing.


21012 0230 LED POWER SUPPLY 48V-DC / 100W



Technical drawing of a linear LED power supply profile. Dimensions shown: 22mm height, 392mm length, 30mm mounting hole spacing.

21012 0240 LED POWER SUPPLY 48V-DC / 200W


Power box



Technical drawing of a linear power box profile. Dimensions shown: 65mm height, 400mm length, 175mm mounting hole spacing, 30mm mounting hole.

23380 001W SLM26H - POWERBOX 48V-DC / 96W WD






Technical drawing of a linear power box profile. Dimensions shown: 65mm height, 400mm length, 125mm mounting hole spacing, 30mm mounting hole.

23380 0010 SLM26H - POWERBOX 48V-DC / 96W






Technical drawing of a linear power box profile. Dimensions shown: 65mm height, 400mm length, 127mm mounting hole spacing, 30mm mounting hole.

23380 0020 SLM26H - MID POWERBOX 48V-DC / 96W






Technical drawing of a linear power box profile. Dimensions shown: 65mm height, 490mm length, 125mm mounting hole spacing, 30mm mounting hole.

23380 0030 SLM26H - POWERBOX 48V-DC / 100W






Technical drawing of a linear power box profile. Dimensions shown: 65mm height, 490mm length, 175mm mounting hole spacing, 30mm mounting hole.

23380 004W SLM26H - POWERBOX 48V-DC / 100W WD






Technical drawing of a linear power box profile. Dimensions shown: 65mm height, 490mm length, 125mm mounting hole spacing, 30mm mounting hole.

23380 0050 SLM26H - MID POWERBOX 48V-DC / 100W






Technical drawing of a linear power box profile. Dimensions shown: 33mm height, 490mm length, 143mm mounting hole spacing, 30mm mounting hole.

23380 0060 SLM26 - C POWERBOX 48V-DC / 100W





Technical drawing of a linear power box profile. Dimensions shown: 33mm height, 490mm length, 188mm mounting hole spacing, 30mm mounting hole.

23380 007W SLM26 - C POWERBOX 48V-DC / 100W WD






DELTALIGHT

SLM26H - PROFILE 2m



23359 0020 BRBB

	23380 0080 SLM26 - POWERBOX IN 48V-DC / 100W NO DIM	
	23380 0090 SLM26 - POWERBOX IN 48V-DC / 100W FOR DALI DIM	



Profile

	23359 0010 SLM26H - PROFILE 1m	
	23359 0020 SLM26H - PROFILE 2m	
	23359 0030 SLM26H - PROFILE 3m	

SMART 48

	300 90 011 SMART 48 MODULATOR DIM9	
	300 90 012 SMART 48 MODULATOR WD	


Special components

	200 12 01 TRACK 3F DIM CUTTING TOOL	
	21032 0040 M - WIRELESS PRESENCE AND DAYLIGHT SENSOR	


DELTALIGHT

SLM26H - PROFILE 2m


23359 0020 BRBB




21032 0085 M - WIRELESS CONTROL DIM5



21032 0185 M - DALI PRESENCE AND DAYLIGHT SENSOR (BROADCAST)



21032 0190 M - WIRELESS SENSOR HUB




21032 0260 M26H - VOICE COMMAND GOOGLE HOLDER




COMPATIBLE LUMINAIRES

SHIFTLINE M26H - LED LINE OK




29320 9205 M26H - LED LINE OK 927 DIM5



29320 9305 M26H - LED LINE OK 930 DIM5




SHIFTLINE M26H profile



23359 0030 SLM26H - PROFILE 3m

SHIFTLINE M26H/M44 - LED LINE UP




23376 9200 M - LED LINE UP 80 FP 920

DELTALIGHT


SLM26H - PROFILE 2m

23359 0020 BRBB




23376 9300 M - LED LINE UP 80 FP 930

SPLITLINE M/SHIFTLINE M - CUPPA




28814 9035 M - CUPPA C SOFT 93040 DIM5


SPLITLINE M/SHIFTLINE M - DOT.COM M4




424 612 04 921 MDL M - DOT.COM M4 92714 MDL




424 612 04 922 MDL M - DOT.COM M4 92732 MDL




424 612 04 923 MDL M - DOT.COM M4 92751 MDL



424 612 04 931 MDL M - DOT.COM M4 93014 MDL




424 612 04 932 MDL M - DOT.COM M4 93032 MDL



424 612 04 933 MDL M - DOT.COM M4 93051 MDL

SPLITLINE M/SHIFTLINE M - DOT.COM WALLWASH




424 642 12 92 MDL M - DOT.COM WALLWASH 12 927 MDL

DELTALIGHT


SLM26H - PROFILE 2m

23359 0020 BRBB




424 642 12 93 MDL M - DOT.COM WALLWASH 12 930 MDL

SPLITLINE M/SHIFTLINE M - GIBBO




421 622 811 920 MDL M - GIBBO 927 MDL




421 622 811 930 MDL M - GIBBO 930 MDL

SPLITLINE M/SHIFTLINE M - HEDRA 39 C




22539 9235 M - HEDRA 39 C 92745 DIM5




22539 9335 M - HEDRA 39 C 93045 DIM5

SPLITLINE M/SHIFTLINE M - INFORM




23384 9225 M - INFORM L11 92767 DIM5




23384 9325 M - INFORM L11 93067 DIM5

SPLITLINE M/SHIFTLINE M - LED LINE



421 313 12 93 MDL M - LED LINE HE 1 x 25,2W MDL

SPLITLINE M/SHIFTLINE M - MICROSPY 39 C




421 612 811 921 MDL M - MICROSPY 39 C 92745 MDL

DELTALIGHT


SLM26H - PROFILE 2m

23359 0020 BRBB




421 612 811 931 MDL M - MICROSPY 39 C 93045 MDL


SPLITLINE M20/SHIFTLINE M26H - BOWIE




26719 9225 M20/M26H - BOWIE 2 92725 DIM5



26719 9235 M20/M26H - BOWIE 2 92737 DIM5




26719 9325 M20/M26H - BOWIE 2 93025 DIM5




26719 9335 M20/M26H - BOWIE 2 93037 DIM5


SPLITLINE M20/SHIFTLINE M26H - HALOSCAN HP



23144 9015 M20/M26H - HALOSCAN HP SOFT 93014 DIM5




23144 9025 M20/M26H - HALOSCAN HP SOFT 93021 DIM5



23144 9035 M20/M26H - HALOSCAN HP SOFT 93035 DIM5

SPLITLINE M20/SHIFTLINE M26H - HALOSCAN MP




23138 9015 M20/M26H - HALOSCAN MP SOFT 93014 DIM5


DELTALIGHT

SLM26H - PROFILE 2m

23359 0020 BRBB




23138 9025 M20/M26H - HALOSCAN MP SOFT 93021 DIM5




23138 9035 M20/M26H - HALOSCAN MP SOFT 93035 DIM5

SPLITLINE M20/SHIFTLINE M26H - HEDRA




473 251 821 MDL M20/M26H - HEDRA 82715 MDL




473 251 831 MDL M20/M26H - HEDRA 83015 MDL

SPLITLINE M20/SHIFTLINE M26H - HEDRA L




473 252 811 922 MDL M20/M26H - HEDRA L 92733 MDL




473 252 811 932 MDL M20/M26H - HEDRA L 93033 MDL

SPLITLINE M20/SHIFTLINE M26H - JAZZY



24717 9235 M20/M26H - JAZZY LP 92740 DIM5



24717 9335 M20/M26H - JAZZY LP 93040 DIM5

SPLITLINE M20/SHIFTLINE M26H - JUM-OH! 2R



29416 9225 M20/M26H - JUM-OH! 2R 92730 DIM5

DELTALIGHT

SLM26H - PROFILE 2m

23359 0020 BRBB



29416 9325 M20/M26H - JUM-OH! 2R 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - JUM-OH! 4R




29418 9225 M20/M26H - JUM-OH! 4R 92730 DIM5




29418 9325 M20/M26H - JUM-OH! 4R 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - MICROSPY




421 122 812 921 MDL M20/M26H - MICROSPY 392 92724 MDL




421 122 812 931 MDL M20/M26H - MICROSPY 392 93024 MDL

SPLITLINE M20/SHIFTLINE M26H - MIDISPY




421 132 272 822 MDL M20/M26H - MIDISPY 82720 MDL




421 132 272 832 MDL M20/M26H - MIDISPY 83020 MDL

SPLITLINE M20/SHIFTLINE M26H - MULTINOVA 30



27955 9005 M20/M26H - MULTINOVA 30 SOFT 930 DIM5

SPLITLINE M20/SHIFTLINE M26H - NEEDLE




25017 9215 M20/M26H - NEEDLE 92713 DIM5


DELTALIGHT

SLM26H - PROFILE 2m


23359 0020 BRBB



25017 9225 M20/M26H - NEEDLE 92733 DIM5




25017 9315 M20/M26H - NEEDLE 93013 DIM5




25017 9325 M20/M26H - NEEDLE 93033 DIM5


SPLITLINE M20/SHIFTLINE M26H - NEEDLE OK




25019 9215 M20/M26H - NEEDLE OK 92713 DIM5



25019 9225 M20/M26H - NEEDLE OK 92733 DIM5




25019 9315 M20/M26H - NEEDLE OK 93013 DIM5




25019 9325 M20/M26H - NEEDLE OK 93033 DIM5

SPLITLINE M20/SHIFTLINE M26H - OBIN



30514 9225 M20/M26H - OBIN 92724 DIM5




30514 9235 M20/M26H - OBIN 92736 DIM5


DELTALIGHT

SLM26H - PROFILE 2m

23359 0020 BRBB




30514 9325 M20/M26H - OBIN 93024 DIM5




30514 9335 M20/M26H - OBIN 93036 DIM5

SPLITLINE M20/SHIFTLINE M26H - OCTAV 27




29014 9225 M20/M26H - OCTAV 27 92730 DIM5




29014 9325 M20/M26H - OCTAV 27 93030 DIM5


SPLITLINE M20/SHIFTLINE M26H - OCTAV 39




29022 9225 M20/M26H - OCTAV 39 92720 DIM5



29022 9235 M20/M26H - OCTAV 39 92740 DIM5




29022 9325 M20/M26H - OCTAV 39 93020 DIM5



29022 9335 M20/M26H - OCTAV 39 93040 DIM5

SPLITLINE M20/SHIFTLINE M26H - ODRON




26217 9205 M20/M26H - ODRON 1 92728/41 DIM5

DELTALIGHT


SLM26H - PROFILE 2m

23359 0020 BRBB




26217 9305 M20/M26H - ODRON 1 93028/41 DIM5

SPLITLINE M20/SHIFTLINE M26H - ODRON 2




26219 9205 M20/M26H - ODRON 2 92728/41 DIM5




26219 9305 M20/M26H - ODRON 2 93028/41 DIM5


SPLITLINE M20/SHIFTLINE M26H - PION




26618 9225 M20/M26H - PION 92725 DIM5



26618 9235 M20/M26H - PION 92737 DIM5



26618 9325 M20/M26H - PION 93025 DIM5



26618 9335 M20/M26H - PION 93037 DIM5

SPLITLINE M20/SHIFTLINE M26H - PUNK



471 151 811 921 MDL M20/M26H - PUNK 39 92745 MDL




471 151 811 931 MDL M20/M26H - PUNK 39 93045 MDL

DELTALIGHT


SLM26H - PROFILE 2m

23359 0020 BRBB


SPLITLINE M20/SHIFTLINE M26H - SPY




421 142 811 921 MDL M20/M26H - SPY 92718 MDL



421 142 811 922 MDL M20/M26H - SPY 92733 MDL




421 142 811 931 MDL M20/M26H - SPY 93018 MDL




421 142 811 932 MDL M20/M26H - SPY 93033 MDL

SPLITLINE M20/SHIFTLINE M26H - SPY 27




23312 9225 M20/M26H - SPY 271 92730 DIM5




23312 9325 M20/M26H - SPY 271 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 27 2




23314 9225 M20/M26H - SPY 272 92730 DIM5



23314 9325 M20/M26H - SPY 272 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 27 2 L




23388 9225 M20/M26H - SPY 272 L 92730 DIM5



DELTALIGHT

SLM26H - PROFILE 2m



23359 0020 BRBB




SPLITLINE M20/SHIFTLINE M26H - SPY 27 L





SPLITLINE M20/SHIFTLINE M26H - SPY 39



SPLITLINE M20/SHIFTLINE M26H - SPY 39 2



SPLITLINE M20/SHIFTLINE M26H - SPY 39 FOCUS




DELTALIGHT


SLM26H - PROFILE 2m

23359 0020 BRBB

SPLITLINE M20/SHIFTLINE M26H - SPY 39 FRAMER




23418 9205 M20/M26H - SPY 39 FRAMER 927 DIM5




23418 9305 M20/M26H - SPY 39 FRAMER 930 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 39 L




23426 9025 M20/M26H - SPY 391 L SOFT 93020 DIM5




23426 9035 M20/M26H - SPY 391 L SOFT 93040 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 39 WALLWASH




23422 9005 M20/M26H - SPY 39 WALLWASH SOFT 930 DIM5


SPLITLINE M20/SHIFTLINE M26H - SPY 52



23399 9025 M20/M26H - SPY 52 SOFT 93020 DIM5




23399 9035 M20/M26H - SPY 52 SOFT 93045 DIM5



23399 9045 M20/M26H - SPY 52 SOFT 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 52 FOCUS




23414 9005 M20/M26H - SPY 52 FOCUS SOFT 930 DIM5

DELTALIGHT

SLM26H - PROFILE 2m


23359 0020 BRBB

SPLITLINE M20/SHIFTLINE M26H - SPY 52 WALLWASH




19895 9005 M20/M26H - SPY 52 WALLWASH SOFT 930 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 66




24618 9235 M20/M26H - SPY 66 MP 92739 DIM5




24618 9335 M20/M26H - SPY 66 MP 93039 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 66 WALLWASH




24636 9205 M20/M26H - SPY 66 WALLWASH 927 DIM5




24636 9305 M20/M26H - SPY 66 WALLWASH 930 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY FOCUS




23379 9205 M20/M26H - SPY FOCUS LP 927 DIM5




23379 9305 M20/M26H - SPY FOCUS LP 930 DIM5

SPLITLINE M20/SHIFTLINE M26H - TWEETER



421 512 811 922 MDL M20/M26H - TWEETER 92733 MDL




421 512 811 923 MDL M20/M26H - TWEETER 92750 MDL


DELTALIGHT

SLM26H - PROFILE 2m

23359 0020 BRBB




421 512 811 932 MDL M20/M26H - TWEETER 93033 MDL




421 512 811 933 MDL M20/M26H - TWEETER 93050 MDL

SPLITLINE M20/SHIFTLINE M26H - TWEETER BL




421 522 811 920 MDL M20/M26H - TWEETER BL 927 MDL




421 522 811 930 MDL M20/M26H - TWEETER BL 930 MDL

SPLITLINE M20/SHIFTLINE M26H - VIZIR




473 152 811 922 MDL M20/M26H - VIZIR L 92733 MDL




473 152 811 932 MDL M20/M26H - VIZIR L 93033 MDL


SPY II 39 M CABLE



12306622MD00-90D2M4 SPY II 39 M CABLE SOFT CRI90 3000-1800K 26° MDL



12306622MD00-90D2S7 SPY II 39 M CABLE SOFT CRI90 3000-1800K 19° MDL




12306622MD00-90D2V1 SPY II 39 M CABLE SOFT CRI90 3000-1800K 55° MDL

DELTALIGHT


SLM26H - PROFILE 2m

23359 0020 BRBB




12306622MD00-90D2W1 SPY II 39 M CABLE SOFT CRI90 3000-1800K 35° MDL


SPY II 39 M26H




123057230500-90TIM4 SPY II 39 M26H TW CRI90 1800-4000K 26° DALI DIM



123057230500-90TIS7 SPY II 39 M26H TW CRI90 1800-4000K 19° DALI DIM




123057230500-90TIV1 SPY II 39 M26H TW CRI90 1800-4000K 55° DALI DIM




123057230500-90TIW1 SPY II 39 M26H TW CRI90 1800-4000K 35° DALI DIM


SPY II 39 M26H FOCUS




12305831MD00-9027AB SPY II 39 M26H FOCUS CRI90 2700K MDL



12305831MD00-9030AB SPY II 39 M26H FOCUS CRI90 3000K MDL



12305831MD00-9035AB SPY II 39 M26H FOCUS CRI90 3500K MDL




12305831MD00-9040AB SPY II 39 M26H FOCUS CRI90 4000K MDL


DELTALIGHT

SLM26H - PROFILE 2m


23359 0020 BRBB




12305831MD00-9727AB SPY II 39 M26H FOCUS CRI97 2700K MDL



12305831MD00-9730AB SPY II 39 M26H FOCUS CRI97 3000K MDL




12305831MD00-9735AB SPY II 39 M26H FOCUS CRI97 3500K MDL




12305831MD00-9740AB SPY II 39 M26H FOCUS CRI97 4000K MDL


SPY II 39 M26H FRAMER




12305941MD00-902700 SPY II 39 M26H FRAMER CRI90 2700K MDL




12305941MD00-903000 SPY II 39 M26H FRAMER CRI90 3000K MDL




12305941MD00-903500 SPY II 39 M26H FRAMER CRI90 3500K MDL



12305941MD00-904000 SPY II 39 M26H FRAMER CRI90 4000K MDL



12305941MD00-972700 SPY II 39 M26H FRAMER CRI97 2700K MDL



12305941MD00-973000 SPY II 39 M26H FRAMER CRI97 3000K MDL

DELTALIGHT

SLM26H - PROFILE 2m

23359 0020 BRBB



12305941MD00-973500 SPY II 39 M26H FRAMER CRI97 3500K MDL



12305941MD00-974000 SPY II 39 M26H FRAMER CRI97 4000K MDL

SPY II 39 M26H WALLWASH



12306052MD00-90D200 SPY II 39 M26H WALLWASH SOFT CRI90 3000K-1800K MDL

Notes: