




## SPY 39 CLIP WALLWASH SOFT 930

24153 9000 BROB-B

AVAILABLE IN

**BLACK-BLACK** 24153 9000 B-B  
**BRUSHED ALU-BLACK** 24153 9000 BRA-B  
**BRUSHED ANTHRACITE-BLACK** 24153 9000 BRAT-B  
**BRUSHED COPPER-BLACK** 24153 9000 BRCU-B  
**BRUSHED GOLD-BLACK** 24153 9000 BRG-B  
**BRUSHED OLD BRONZE-BLACK** 24153 9000 BROB-B  
**FLEMISH BRONZE-BLACK** 24153 9000 FBR-B  
**FLEMISH GOLD-BLACK** 24153 9000 FG-B  
**FULL WHITE** 24153 9000 FW  
**GOLD COLORED-BLACK** 24153 9000 GC-B  
**WHITE-WHITE** 24153 9000 W-W



[View on website](#)



### General info

|                               |  |
|-------------------------------|--|
| <b>LOCATION</b>               | indoor   |
| <b>INSTALLATION</b>           | Ceiling Semi-recessed                                    |
| <b>CUTOUT SHAPE/SIZE (MM)</b> | round - 43   |
| <b>RECESSED DEPTH (MM)</b>    | 40   |
| <b>INGRESS PROTECTION</b>     | IP20   |
| <b>WEIGHT (KG)</b>            | 0.3  |
| <b>ADJUSTABILITY</b>          | 0° to 85° swiveling, 355° rotatable                      |
| <b>INFORMATION</b>            | WALLWASH LENS<br>EXCL.DIMMABLE LED POWER SUPPLY 350mA-DC |

### Electrical info

|                     |                           |
|---------------------|---------------------------|
| <b>CLASS</b>        | III                       |
| <b>DIM TYPE</b>     | depending on power supply |
| <b>ENERGY CLASS</b> | F                         |
| <b>CERTIFICATES</b> | LCA                       |

### Lightsource info

|                                    |  |
|------------------------------------|--|
| <b>LIGHTSOURCE NAME</b>            | LED  |
| <b>LIGHTSOURCE</b>                 | LED array 6W / CRI>90 (R9: 50) / 3000K-1800K / 623lm |
| <b>TM-30 VALUES</b>                | rf: 90 / Rg: 99                                      |
| <b>SDCM</b>                        | SDCM2  |
| <b>RISKGROUP</b>                   | RG1  |
| <b>LM80</b>                        | L90B10 > 50000                                       |
| <b>LED TECHNICS (LIGHT SOURCE)</b> | 623lm // 6W // 105lm/W                               |
| <b>LED TECHNICS (LUMINAIRE)</b>    | 341lm // 6,9W // 49lm/W                              |

### Requirements

LED POWER SUPPLY 350mA-DC DIM



# DELTALIGHT

## SPY 39 CLIP WALLWASH SOFT 930

24153 9000 BROB-B



**300 48 350 ED1** LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM1

2

Dimtype: 1-10V

Cutout dimension (mm): 30



**300 48 350 ED5** LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

2

Dimtype: DALI

Cutout dimension (mm): 45



**300 48 350 MDL** LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W MDL

2

Dimtype: non-dimmable

Cutout dimension (mm): 30



**300 48 350 WDL** LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W WDL

2

Dimtype: WDL = wireless dimmable

Cutout dimension (mm): 45



**300 90 61** LED POWER SUPPLY MULTI-POWER DIM6

2

Dimtype: mains (phase cut-off) or push button

Cutout dimension (mm): 56



**300 90 63** LED POWER SUPPLY MULTI-POWER DIM9

4(4)

Dimtype: 1-10V or DALI or push button

Cutout dimension (mm): 82



**300 90 64** LED POWER SUPPLY MULTI-POWER DIM7

3(2)

Dimtype: 1-10V or push button

Cutout dimension (mm): 72



**300 90 67** LED POWER CONVERTER 24V-DC TO MULTI CURRENT 48W DIM9

2

Dimtype: 1-10V or DALI or push button



**300 90 68** LED POWER SUPPLY MULTI-POWER DIM5

2(2)

Dimtype: DALI

Cutout dimension (mm): 72



**300 90 69** LED POWER SUPPLY MULTI-POWER HV DIM9

2->6(6)


Dimtype: 1-10V or DALI or push button

Cutout dimension (mm): 84

# DELTALIGHT

## SPY 39 CLIP WALLWASH SOFT 930

24153 9000 BROB-B



**300 90 124** LED POWER SUPPLY MULTI-POWER DIM7

2(2)

**Dimtype: 1-10V or push button**

**Cutout dimension (mm): 55**




**300 90 125** LED POWER SUPPLY MULTI-POWER MINI DIM5

2(2)

**Dimtype: DALI**

**Cutout dimension (mm): 55**



**21012 0021** LED POWER SUPPLY MULTI POWER DIM1

3

**Dimtype: 1-10V**

**Cutout dimension (mm): 54**




**21012 0035** LED POWER SUPPLY MULTI POWER DIM5

3

**Dimtype: DALI**

**Cutout dimension (mm): 54**




**21012 004W** LED POWER SUPPLY MULTI-POWER WDL

4(4)

**Dimtype: WDL = wireless dimmable**

**Cutout dimension (mm): 84**




**21012 005W** LED POWER SUPPLY MULTI-POWER COMPACT WDL

3

**Dimtype: WDL = wireless dimmable**

**Cutout dimension (mm): 54**




**21012 0268** LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8

2->2

**Dimtype: mains (phase cut-off)**

**Cutout dimension (mm): 50**




**21012 0298** LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

2

**Dimtype: mains (phase cut-off)**

**Cutout dimension (mm): 48**




**21012 0308** LED POWER SUPPLY 350mA / 7,35W DIM8

1

**Dimtype: mains (phase cut-off)**

**Cutout dimension (mm): 40**



**21032 0295** LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

2

**Dimtype: DALI**

**Cutout dimension (mm): 30**

# DELTALIGHT

## **SPY 39 CLIP WALLWASH SOFT 930**

24153 9000 BROB-B

Notes: