

LED POWER SUPPLY 24V-DC /
90W DIM1
21012 0181




Image may differ from the actual product

 [View on website](#)



General info	
LOCATION	indoor
CUTOUT SHAPE/SIZE (MM)	round - 70
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.3
INFORMATION	OUTPUT: 24V-DC / 90W Dimming method: PWM $\lambda > 0,95$ Inrush current : 50A - 280 μ s @ 230V-AC Max. 10 units on circuit breaker B 16A
Electrical info	
CLASS	II
DIM TYPE	1-10V

For detailed installation instructions, please consult the manual: [21012_0181_HAND.pdf](#)

LED POWER SUPPLY 24V-DC / 90W DIM1

21012 0181

WHERE USED

398 01 00	SHL 20 ST - PROFILE 3m
398 02 00	SHL 18 - PROFILE 3m
398 03 00	SHL 19 - PROFILE 3m
13213 9200	INLET TRIMLESS H7 927
13213 9300	INLET TRIMLESS H7 930
13214 9200	INLET TRIMLESS L20 927
13214 9300	INLET TRIMLESS L20 930
13215 9200	INLET TRIMLESS H20 927
13215 9300	INLET TRIMLESS H20 930
13216 9200	INLET TRIMLESS L38 927
13216 9300	INLET TRIMLESS L38 930
13217 9200	INLET TRIMLESS L113 927
13217 9300	INLET TRIMLESS L113 930
13528 9210	KIX S 24V 92710
13528 9310	KIX S 24V 93010
13529 9210	KIX S PIN 24V 92710
13529 9310	KIX S PIN 24V 93010
13530 9230	KIX M PIN 24V 92733
13530 9330	KIX M PIN 24V 93033
13531 9210	KIX II PIN 24V 92711
13531 9220	KIX II PIN 24V 92730
13531 9230	KIX II PIN 24V 92755
13531 9310	KIX II PIN 24V 93011
13531 9320	KIX II PIN 24V 93030
13531 9330	KIX II PIN 24V 93055
13538 9200	KIX II PIN 24V 927
13538 9300	KIX II PIN 24V 930
13959 9310	LOGIC 60 R SP 24V 93006
13960 9320	LOGIC 60 R 24V 93020
13961 9310	LOGIC 60 R A SP 24V 93006
13962 9320	LOGIC 60 R A 24V 93020
13963 9320	LOGIC 60 R MOON 24V 93020
13964 9320	LOGIC 60 R A MOON 24V 93020
13965 9310	LOGIC 90 R 24V 93011
13965 9320	LOGIC 90 R 24V 93030
13965 9330	LOGIC 90 R 24V 93055
13966 9310	LOGIC 90 R A 24V 93011
13966 9320	LOGIC 90 R A 24V 93030
13966 9330	LOGIC 90 R A 24V 93055
13967 9310	LOGIC 90 S 24V 93011
13967 9320	LOGIC 90 S 24V 93030
13967 9330	LOGIC 90 S 24V 93055
13968 9300	LOGIC 90 R WALLWASH 24V 930
13969 9300	LOGIC 90 R WALLWASH 24V 930 SBL
13970 9300	LOGIC 90 R A WALLWASH 24V 930
13971 9300	LOGIC 90 R A WALLWASH 24V 930 SBL
20111 9300	STIEVIE 75 930
20112 9300	STIEVIE 130 930
20549 9300	SUPERLOOP HC 200 SBL 930
20550 9300	SUPERLOOP HC 250 SBL 930
20551 9300	SUPERLOOP HC 300 SBL 930
20552 9300	SUPERLOOP HC 350 SBL 930
20553 9300	SUPERLOOP HC 400 SBL 930
20554 9300	SUPERLOOP HC 500 SBL 930
21030 0420	LEDFLEX IN RGB/TW 5m
21031 0420	LEDFLEX IN RGB/TW
21035 0010	LEDFLEX IN HE SMALL 927 5m
21035 0020	LEDFLEX IN HE SMALL 930 5m
21035 0030	LEDFLEX IN HE SMALL 940 5m
21035 0040	LEDFLEX IN HE 927 5m
21035 0050	LEDFLEX IN HE 930 5m
21035 0060	LEDFLEX IN HE 940 5m
21035 0070	LEDFLEX IN HE MP 927 5m
21035 0080	LEDFLEX IN HE MP 930 5m
21035 0090	LEDFLEX IN HE MP 940 5m
21035 0100	LEDFLEX IN HE MP 927 3m
21035 0110	LEDFLEX IN HE MP 930 3m
21035 0120	LEDFLEX IN HE MP 940 3m
21035 0130	LEDFLEX IN HE FP 927 5m
21035 0140	LEDFLEX IN HE FP 930 5m
21035 0150	LEDFLEX IN HE FP 940 5m
21035 0160	LEDFLEX IN HE FP 927 3m
21035 0170	LEDFLEX IN HE FP 930 3m

LED POWER SUPPLY 24V-DC / 90W DIM1

21012 0181

21035 0180	LEDFLEX IN HE FP 940 3m
21035 0190	LEDFLEX IN HE FP 927 20m
21035 0200	LEDFLEX IN HE FP 930 20m
21035 0210	LEDFLEX IN HE FP 940 20m
21035 0220	LEDFLEX IN HE HP 927 5m
21035 0230	LEDFLEX IN HE HP 930 5m
21035 0240	LEDFLEX IN HE HP 940 5m
21036 0010	LEDFLEX IN HE SMALL 927
21036 0020	LEDFLEX IN HE SMALL 930
21036 0030	LEDFLEX IN HE SMALL 940
21036 0040	LEDFLEX IN HE 927
21036 0050	LEDFLEX IN HE 930
21036 0060	LEDFLEX IN HE 940
21036 0070	LEDFLEX IN HE MP 927
21036 0080	LEDFLEX IN HE MP 930
21036 0090	LEDFLEX IN HE MP 940
21036 0130	LEDFLEX IN HE FP 927
21036 0140	LEDFLEX IN HE FP 930
21036 0150	LEDFLEX IN HE FP 940
21036 0220	LEDFLEX IN HE HP 927
21036 0230	LEDFLEX IN HE HP 930
21036 0240	LEDFLEX IN HE HP 940
21037 0010	LEDFLEX IN HR MP 927 5m
21037 0020	LEDFLEX IN HR MP 930 5m
21037 0030	LEDFLEX IN HR MP 940 5m
21037 0040	LEDFLEX IN HR FP 927 5m
21037 0050	LEDFLEX IN HR FP 930 5m
21037 0060	LEDFLEX IN HR FP 940 5m
21038 0010	LEDFLEX IN HR MP 927
21038 0020	LEDFLEX IN HR MP 930
21038 0030	LEDFLEX IN HR MP 940
21038 0040	LEDFLEX IN HR FP 927
21038 0050	LEDFLEX IN HR FP 930
21038 0060	LEDFLEX IN HR FP 940
21039 0040	LEDFLEX IN RGB 5m
21039 0060	LEDFLEX IN TW 5m
21040 0040	LEDFLEX IN RGB
21040 0060	LEDFLEX IN TW
21041 0010	LEDFLEX OUT HE 927 5m
21041 0020	LEDFLEX OUT HE 930 5m
21041 0030	LEDFLEX OUT HE 940 5m
21041 0040	LEDFLEX OUT HE MP 927 5m
21041 0050	LEDFLEX OUT HE MP 930 5m
21041 0060	LEDFLEX OUT HE MP 940 5m
21041 0070	LEDFLEX OUT HE MP 927 3m
21041 0080	LEDFLEX OUT HE MP 930 3m
21041 0090	LEDFLEX OUT HE MP 940 3m
21041 0100	LEDFLEX OUT HE FP 927 5m
21041 0110	LEDFLEX OUT HE FP 930 5m
21041 0120	LEDFLEX OUT HE FP 940 5m
21041 0130	LEDFLEX OUT HE FP 927 3m
21041 0140	LEDFLEX OUT HE FP 930 3m
21041 0150	LEDFLEX OUT HE FP 940 3m
21042 0010	LEDFLEX OUT HE 927
21042 0020	LEDFLEX OUT HE 930
21042 0030	LEDFLEX OUT HE 940
21042 0040	LEDFLEX OUT HE MP 927
21042 0050	LEDFLEX OUT HE MP 930
21042 0060	LEDFLEX OUT HE MP 940
21042 0100	LEDFLEX OUT HE FP 927
21042 0110	LEDFLEX OUT HE FP 930
21042 0120	LEDFLEX OUT HE FP 940
21043 0040	LEDFLEX OUT RGB 5m
21044 0040	LEDFLEX OUT RGB
23376 9200	M - LED LINE UP 80 FP 920
23376 9300	M - LED LINE UP 80 FP 930
27810 9200	OUTLINER 100 927
27810 9300	OUTLINER 100 930
29714 9210	SPIX S 24V 92710
29714 9310	SPIX S 24V 93010
29716 9230	SPIX M 24V 92730
29716 9330	SPIX M 24V 93030

LED POWER SUPPLY 24V-DC / 90W DIM1

21012 0181

Notes: