



MULTINOVA 55 TW 930 DIM5



28014 9005 GC

AVAILABLE IN

BLACK 28014 9005 B

GOLD COLOURED 28014 9005 GC

WHITE 28014 9005 W



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Recessed,Ceiling Surface mounted,Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	4.5
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL INCL.DIMMABLE LED POWER SUPPLY - DALI (DT8)

Electrical info

ELECTRICAL	220-240V / 50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	DALI
ENERGY CLASS	D
CERTIFICATES	CB, ENEC, EPD, RCM

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	@ 2700K: LED cluster 31W / CRI>90 (R9: 63) / 2700K-6500K / 4430lm Or @ 6500K: LED cluster 31,1W / CRI>90 (R9: 81) / 2700K-6500K / 4746lm
SDCM	SDCM3
RISKGROUP	RG0
LM80	L70 > 60000
LED TECHNICS (LIGHT SOURCE)	@ 2700K: 4430lm // 31W // 143lm/W Or @ 6500K: 4746lm // 31,1W // 153lm/W
LED TECHNICS (LUMINAIRE)	@ 2700K: 3570lm // 35,6W // 100lm/W Or @ 6500K: 3825lm // 35,8W // 107lm/W

Options

MULTINOVA 55 SUSPENSION SET
MULTINOVA ROD SUSPENSION
MULTINOVA 55 RECESSED KIT

For detailed installation instructions, please consult the manual : [28014_XXX5_HAND.pdf](#)

DELTALIGHT

MULTINOVA 55 TW 930 DIM5


28014 9005 GC

CEILING COMPATIBILITY



Ceiling Type	Mounting Kit
 System ceiling	 28010 0050 - MULTINOVA 55 RECESSED KIT Required
 Plasterboard	 28010 0050 - MULTINOVA 55 RECESSED KIT Required
 Stucanet	 28010 0050 - MULTINOVA 55 RECESSED KIT Required
 Concrete + plaster	 28010 0050 - MULTINOVA 55 RECESSED KIT Required
 Lintel + plaster	 28010 0050 - MULTINOVA 55 RECESSED KIT Required
 Hollow-core slab + plaster	 28010 0050 - MULTINOVA 55 RECESSED KIT Required

FINISH YOUR SPECIFICATION

Recessed kits

	28010 0050 MULTINOVA 55 RECESSED KIT ☐
	Cutout dimension (mm): 610

Suspension parts

	27910 0010 B MULTINOVA 55 SUSPENSION SET 5x0,75 3m B ☐
	27910 0010 W MULTINOVA 55 SUSPENSION SET 5x0,75 3m W ☐
	27910 0030 B MULTINOVA 55 ROD SUSPENSION 0,4m B ☐
	27910 0030 W MULTINOVA 55 ROD SUSPENSION 0,4m W ☐

DELTALIGHT

MULTINOVA 55 TW 930 DIM5

28014 9005 GC



27910 0040 B MULTINOVA 55 ROD SUSPENSION 0,8m B

☐

27910 0040 W MULTINOVA 55 ROD SUSPENSION 0,8m W

☐

Notes: