
DELTALIGHT




SUPERNOVA LINE 125 TW WD

REFERENCE 274 95 12 26 WD B

AVAILABLE IN
NOIR 274 95 12 26 WD B
BLANC 274 95 12 26 WD W





View on website

General info	
LOCATION	interieur
INSTALLATION	Plafond Applique,Plafond Suspendu
INGRESS PROTECTION	IP20
WEIGHT (KG)	16.6
ADJUSTABILITY	non réglable
INFORMATION	INCL.PC SBL INCL.DIMMABLE LED POWER SUPPLY HUMAN CENTRIC LIGHT CONTROL

Electrical info	
ELECTRICAL	120-240V / 0|50-60Hz
CLASS	I
POWER SUPPLY INCLUDED	YES
DIM TYPE	WDL = dimmable sans fil
ENERGY CLASS	F
CERTIFICATION	CB, EAC, ENEC, EPD, RCM

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	@ 2700K: LED cluster 179W / CRI>80 / 2700K - 5700K / 16942lm Or @ 5700K:LED cluster 179W / CRI>80 / 2700K - 5700K / 19338lm
LED TECHNICS (LIGHT SOURCE)	@ 2700K: 16942 lm // 179 W // 95 lm/W Or @ 5700K: 19338 lm // 179 W // 108 lm/W
LED TECHNICS (LUMINAIRE)	13469lm // 205,8W // 65lm/W Or 15316lm // 205,8W // 74lm/W

Options

SUSPENSION SET 18 3m
CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90
SUPERNOVA 125 RECESSED KIT

For detailed installation instructions, please consult the manual : **274_95_12_26_WD_HAND.pdf**


DELTALIGHT

SUPERNOVA LINE 125 TW WD

274 95 12 26 WD B

FINISH YOUR SPECIFICATION


le cable d'alimentation



203 99 55 ANO CABLE BASE R ANO ☐

203 99 55 B CABLE BASE R B ☐

203 99 55 W CABLE BASE R W ☐



203 99 56 ANO CABLE BASE S ANO ☐

203 99 56 B CABLE BASE S B ☐

203 99 56 W CABLE BASE S W ☐

le kit d'encastrement




274 94 1310 SUPERNOVA 125 RECESSED KIT ☐



Cutout dimension (mm): 1335

les sets pour recouvrement plafond



204 00 62 ANO COVERSET R 62 ANO ☐






204 00 62 B COVERSET R 62 B ☐

204 00 62 W COVERSET R 62 W ☐

DELTALIGHT

SUPERNOVA LINE 125 TW WD

274 95 12 26 WD B

	**204 00 90 ANO**	COVERSET R 90 ANO	☐
	204 00 90 B	COVERSET R 90 B	☐
	204 00 90 W	COVERSET R 90 W	☐
	**204 00 100 ANO**	COVERSET R 100 ANO	☐
	204 00 100 B	COVERSET R 100 B	☐
	204 00 100 W	COVERSET R 100 W	☐
	**204 62 62 ANO**	COVERSET S 62 ANO	☐
	204 62 62 B	COVERSET S 62 B	☐
	204 62 62 W	COVERSET S 62 W	☐
	**204 80 80 ANO**	COVERSET S 80 ANO	☐
	204 80 80 B	COVERSET S 80 B	☐
	204 80 80 W	COVERSET S 80 W	☐
	**204 90 90 ANO**	COVERSET S 90 ANO	☐
	204 90 90 B	COVERSET S 90 B	☐
	204 90 90 W	COVERSET S 90 W	☐

DELTALIGHT

SUPERNOVA LINE 125 TW WD

274 95 12 26 WD B

les accessoires de suspension

328 18 43 SUSPENSION SET 18 3m

les accessoires pour connexions électriques



15225 0360 B CONNECTION ST B

Cutout dimension (mm): 43

15225 0360 W CONNECTION ST W

Notes: