
DELTALIGHT




SOLI - 52 SHHH NLT 982720

REFERENCE 27182 7220 W

AVAILABLE IN
BLACK 27182 7220 B
GOLD COLOURED 27182 7220 GC
WHITE 27182 7220 W





View on website

General info	
LOCATION	indoor
INSTALLATION	Low voltage systems Low voltage system mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.4
ADJUSTABILITY	0° to 90° swiveling, 360° rotatable
INFORMATION	REFLECTOR FL-20° EXCL.LED POWER SUPPLY 600mA-DC NLT = Natural Light Technology Optional REFLECTORS 30° & 45° available

Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F
CERTIFICATES	CB, ENEC, LCA

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 10,7W / CRI>98 (R9: 96) / 2700K / 967lm
TM-30 VALUES	Rf: 97 / Rg: 102
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
BEAMANGLE	20°
LED TECHNICS (LIGHT SOURCE)	967lm // 10,7W // 91lm/W
LED TECHNICS (LUMINAIRE)	606lm // 12,3W // 49lm/W

Requirements

SPY 52 TUBE

Accessories

HONEYCOMB 42
SPREAD LENS 42
LINEAR SPREAD LENS 42
SOFTENING LENS 42
GLASS SBL 42

DELTALIGHT


SOLI - 52 SHHH NLT 982720

27182 7220 W


For detailed installation instructions, please consult the manual : **27182_XXX0_HAND.pdf**

FINISH YOUR SPECIFICATION


Light altering devices



19810 0010 B HONEYCOMB 42 SINGLE USE B ☐




19810 0020 LINEAR SPREAD LENS 42 ☐




19810 0030 SPREAD LENS 42 ☐



19810 0040 SOFTENING LENS 42 ☐




19810 0050 GLASS SBL 42 ☐



19810 0060 B HONEYCOMB 42 DOUBLE USE B ☐

Finish your product



19810 0100 B SPY 52 TUBE B ☐

SOLI - 52 SHHH NLT 982720


27182 7220 W

19810 0100 FBR	SPY 52 TUBE FBR	☐
19810 0100 FG	SPY 52 TUBE FG	☐
19810 0100 GC	SPY 52 TUBE GC	☐
19810 0100 W	SPY 52 TUBE W	☐


Replaceable reflector / lens



19810 0180 SPY 52 REFLECTOR 20° ☐



19810 0190 SPY 52 REFLECTOR 45° ☐




19810 0240 SPY 52 REFLECTOR 30° ☐


COMPATIBLE COMPOSABLES

SOLISCAPE - SHHH PLUS


Available Colours



21413 0005 SOLI - SHHH PLUS 60/4 SCARLET DIM5




21414 0005 SOLI - SHHH PLUS 60/4 SAND DIM5




21415 0005 SOLI - SHHH PLUS 60/4 LILAC DIM5

SOLI - 52 SHHH NLT 982720


27182 7220 W




21416 0005 SOLI - SHHH PLUS 60/4 ARCTIC DIM5




21417 0005 SOLI - SHHH PLUS 90/4 SCARLET DIM5




21418 0005 SOLI - SHHH PLUS 90/4 SAND DIM5




21419 0005 SOLI - SHHH PLUS 90/4 LILAC DIM5




21420 0005 SOLI - SHHH PLUS 90/4 ARCTIC DIM5




21421 0005 SOLI - SHHH PLUS 120/4 SCARLET DIM5




21422 0005 SOLI - SHHH PLUS 120/4 SAND DIM5



21423 0005 SOLI - SHHH PLUS 120/4 LILAC DIM5



21424 0005 SOLI - SHHH PLUS 120/4 ARCTIC DIM5




21425 0005 SOLI - SHHH PLUS 120/8 SCARLET DIM5


DELTALIGHT

SOLI - 52 SHHH NLT 982720


27182 7220 W




21426 0005 SOLI - SHHH PLUS 120/8 SAND DIM5




21427 0005 SOLI - SHHH PLUS 120/8 LILAC DIM5




21428 0005 SOLI - SHHH PLUS 120/8 ARCTIC DIM5




27173 0005 SOLI - SHHH PLUS 60/4 LIGHT GREY DIM5




27174 0005 SOLI - SHHH PLUS 60/4 DARK GREY DIM5




27175 0005 SOLI - SHHH PLUS 90/4 LIGHT GREY DIM5




27176 0005 SOLI - SHHH PLUS 90/4 DARK GREY DIM5



27177 0005 SOLI - SHHH PLUS 120/4 LIGHT GREY DIM5



27178 0005 SOLI - SHHH PLUS 120/4 DARK GREY DIM5




27179 0005 SOLI - SHHH PLUS 120/8 LIGHT GREY DIM5

DELTALIGHT

SOLI - 52 SHHH NLT 982720

27182 7220 W



27180 0005 SOLI - SHHH PLUS 120/8 DARK GREY DIM5

Notes: