
LOGIC W



The Logic stands for a new generation of wall recessed luminaires. A complete range of 100% waterproof and shock-resistant LED luminaires ensuring an intense light effect. The light effect of the Logic serves to enhance the architectural character of your project and landscape and this Logic W can be used perfectly as guidance light built in in the wall.

Specification	
Adjustability:	Fixed
Rating:	Wet

Performance	Logic W S	Logic W L / LF
CRI / TM-30 (3000K):	90 / Rf: 90 / Rg: 99	90 / Rf: 92 / Rg: 100
SDCM:	1	3
LED Maintenance:	L90B10>50,000h	L80>60,000h
*Standard Power:	6.7W	10.8W

Delivered Lumens	3000K
Logic W S:	172
Logic W L:	127
Logic W LF:	103

Listing
ETL certified to US and Canadian safety standards.

Warranty
5-year limited warranty.

Ordering
ALL BOXES MUST BE FILLED IN TO CORRECTLY ORDER

Example: LGCWL-N-30ND-120SPWX-CLINC

Luminaire	Size	Shape	Finish	CCT	Controls***	Power*	Function	Installation	Application
LGC LOGIC	**W** Standard Wall	**S** Square **L** Linear **LF** Linear with flat lens	**A** Alu Grey **B** Black **FBRX** Flemish Bronze **N** Anthracite **W** White	**30** 3000K	**ND-120** Non-Dim 120V	**SP** Standard Power	**WX** Wall, Exterior use	**CF** Concrete Flange **CL** Concrete Trimless	**INC** Integral Power Supply


*** Contact factory for Dali, DMX, or other dimming options.

Related Products

Logic Mini, Heli X, Logic F


Finish Options

LOGIC W S






LOGIC W L






LOGIC W LF






Photometric Data


LOGIC W S



LOGIC W L




LOGIC W LF




Installation Options

CF - CONCRETE FLANGE




Used with LOGIC W S




Used with LOGIC W L & LOGIC W LF

CL - CONCRETE TRIMLESS



Used with LOGIC W S



Used with LOGIC W L & LOGIC W LF

Driver Options

ND (With Shape S)

- Dimming Control NON DIMMABLE
- Power Factor @ Full Load >0.6
- Efficiency @ Full Load ≥77
- THD @ Full Load <10%

ND (With Shape L and LF)

- Dimming Control NON DIMMABLE
- Power Factor @ Full Load >0.52
- Efficiency @ Full Load ≥73

As technology changes, please use information above as guidance. For most recent updated information please contact factory. Specifications subject to change without notice.