
DELTALIGHT




SUPERNOVA LINE 95 TW DIM5

REFERENCE 274 95 09 26 ED5 B

AVAILABLE IN
BLACK 274 95 09 26 ED5 B
WHITE 274 95 09 26 ED5 W





View on website

General info	
LOCATION	indoor
INSTALLATION	Ceiling Surface mounted,Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	11.8
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL INCL.DIMMABLE LED POWER SUPPLY - DALI (DT6) 2 DALI CONTROL CHANNELS

Electrical info	
ELECTRICAL	120-240V / 0|50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	DALI
ENERGY CLASS	F
CERTIFICATES	CB, ENEC, EPD, RCM

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	@ 2700K: LED cluster 112W / CRI>80 / 2700K - 5700K / 10520lm Or @ 5700K:LED cluster 112W / CRI>80 / 2700K - 5700K / 12103lm
LED TECHNICS (LIGHT SOURCE)	@ 2700K: 10520 lm // 112 W // 94 lm/W Or @ 5700K: 12103 lm // 112 W // 108 lm/W
LED TECHNICS (LUMINAIRE)	8016lm // 129W // 62lm/W Or 9198lm // 129W // 71lm/W

Options

SUSPENSION SET 18 3m TW ED5
CABLE BASE R / S + COVERSET R / S
CENTRAL ROD SUSPENSION
SUPERNOVA 95 RECESSED KIT

For detailed installation instructions, please consult the manual : **274_95_09_26_ED5_HAND.pdf**


DELTALIGHT

SUPERNOVA LINE 95 TW DIM5

274 95 09 26 ED5 B

FINISH YOUR SPECIFICATION


Current supply



203 99 55 ANO CABLE BASE R ANO ☐

203 99 55 B CABLE BASE R B ☐

203 99 55 W CABLE BASE R W ☐




203 99 56 ANO CABLE BASE S ANO ☐

203 99 56 B CABLE BASE S B ☐

203 99 56 W CABLE BASE S W ☐

Recessed kits




274 94 1010 SUPERNOVA 95 RECESSED KIT ☐



Cutout dimension (mm): 1035

Coversets



204 00 62 ANO COVERSET R 62 ANO ☐






204 00 62 B COVERSET R 62 B ☐

204 00 62 W COVERSET R 62 W ☐

DELTALIGHT

SUPERNOVA LINE 95 TW DIM5

274 95 09 26 ED5 B

	**204 00 90 ANO**	COVERSET R 90 ANO	☐
	204 00 90 B	COVERSET R 90 B	☐
	204 00 90 W	COVERSET R 90 W	☐
	**204 00 100 ANO**	COVERSET R 100 ANO	☐
	204 00 100 B	COVERSET R 100 B	☐
	204 00 100 W	COVERSET R 100 W	☐
	**204 62 62 ANO**	COVERSET S 62 ANO	☐
	204 62 62 B	COVERSET S 62 B	☐
	204 62 62 W	COVERSET S 62 W	☐
	**204 80 80 ANO**	COVERSET S 80 ANO	☐
	204 80 80 B	COVERSET S 80 B	☐
	204 80 80 W	COVERSET S 80 W	☐
	**204 90 90 ANO**	COVERSET S 90 ANO	☐
	204 90 90 B	COVERSET S 90 B	☐
	204 90 90 W	COVERSET S 90 W	☐

DELTALIGHT


SUPERNOVA LINE 95 TW DIM5

274 95 09 26 ED5 B

Suspension parts

328 18 43 TW ED5 SUSPENSION SET 18 TW DIM5 3m

Dimtype: DALI



328 24 91 B CENTRAL ROD SUSPENSION 95 1m B

328 24 91 W CENTRAL ROD SUSPENSION 95 1m W

Electric connection parts



15225 0360 B CONNECTION ST B

Cutout dimension (mm): 43

15225 0360 W CONNECTION ST W

Notes: