MONTUR S PEDESTAL



With Montur, Delta Light offers a highly original interpretation of an archetypical concept: a light source that is contained within the framing of a 3D rectangular or circular shape. The Montur is available in indoor and outdoor versions, as a ground, wall or ceiling fixture, with LED clusters or filament-LED lamps with a rustic look. The series integrates beautifully in both country-classic and contemporary homes, and is suitable for hotels and public buildings as well.

Specification	
Adjustability:	Fixed
Rating:	Wet

Performance	
CRI / TM-30 (3000K):	90 / Rf: 92 / Rg: 100
SDCM:	3
LED Maintenance:	L80>60,000h
*Standard Power:	7W

Delivered Lumens	2700K	3000K
Montur Style PG:	526	555

Listing
ETL certified to US and Canadian safety standards.

Warranty
5-year limited warranty.

Ordering
ALL BOXES MUST BE FILLED IN TO CORRECTLY ORDER

Example: MTR9-SP30PGFX-B-PLINCND-120

Luminaire	Height	Power*	CCT	Style	Function	Finish	Installation	Application	Controls***
MTR MONTUR	**3** 320mm 12⅝" **6** 670mm 26⅜" **9** 920mm 36¼"	**SP** Standard Power	**27** 2700K **30** 3000K	**PG** Pressed Glass with frosted interior, enclosed	**F** Fixed bollard, Exterior use	**B** Black **N** Anthracite	**DM** Direct Mount **PL** Plate Mount	**INC** Integral Power Supply	**ND- 120** Non-dim 120V


***Contact factory for additional dimming options

Related Products

Montur (wall), Montur L P, Walker II

Finish Options


MONTUR 3 PG




BLACK


ANTHRACITE


MONTUR 6 PG




BLACK


ANTHRACITE


MONTUR 9 PG





BLACK


ANTHRACITE

Accessories




JUNCTION BOX
6 216 12 00



IP68 CONNECTOR 3P
6 216 12 03

Photometric Data

MONTUR



Installation Options

PL - PLATE 3



Driver Options

ND

- Dimming Control NON DIMMABLE
- Power Factor @ Full Load >0.9
- Efficiency @ Full Load ≥87
- THD @ Full Load <20%

As technology changes, please use information above as guidance. For most recent updated information please contact factory. Specifications subject to change without notice.