
DELTALIGHT




# MULTINOVA 55 TW PRISM 930 DIM5

**REFERENCE** 28015 9005 B

AVAILABLE IN
**BLACK** 28015 9005 B
**WHITE** 28015 9005 W




View on website

| General info | |
|---|---|
| **LOCATION** | indoor |
| **INSTALLATION** | Ceiling Recessed,Ceiling Surface mounted,Ceiling Suspended |
| **INGRESS PROTECTION** | IP20 |
| **WEIGHT (KG)** | 4.5 |
| **ADJUSTABILITY** | non adjustable |
| **INFORMATION** | INCL.PC PRISMATIC<br>INCL.DIMMABLE LED POWER SUPPLY - DALI (DT8) |

| Electrical info | |
|---|---|
| **ELECTRICAL** | 220-240V / 50-60Hz |
| **CLASS** | I |
| **POWER SUPPLY** | YES |
| **DIM TYPE** | DALI |
| **ENERGY CLASS** | D |
| **CERTIFICATES** | CB, ENEC, EPD, RCM |

| Lightsource info | |
|---|---|
| **LIGHTSOURCE NAME** | LED |
| **LIGHTSOURCE** | @ 2700K: LED cluster 31W / CRI>90 (R9: 63) / 2700K-6500K / 4430lm<br>Or<br>@ 6500K: LED cluster 31,1W / CRI>90 (R9: 81) / 2700K-6500K / 4746lm |
| **SDCM** | SDCM3 |
| **RISKGROUP** | RG0 |
| **LM80** | L70 > 60000 |
| **LED TECHNICS (LIGHT SOURCE)** | @ 2700K: 4430lm // 31W // 143lm/W<br>Or<br>@ 6500K: 4746lm // 31,1W // 153lm/W |
| **LED TECHNICS (LUMINAIRE)** | @ 2700K: 3221lm // 36W // 90lm/W<br>Or<br>@ 6500K: 3451lm // 36W // 96lm/W |

**Options**

MULTINOVA 55 SUSPENSION SET
MULTINOVA ROD SUSPENSION
MULTINOVA 55 RECESSED KIT

For detailed installation instructions, please consult the manual : **28015_XXX5_HAND.pdf**

DELTALIGHT

# MULTINOVA 55 TW PRISM 930 DIM5


28015 9005 B

## CEILING COMPATIBILITY

| Ceiling Type | Mounting Kit | |
|---|---|---|
|  **System ceiling** | 28010 0050 - MULTINOVA 55 RECESSED KIT | Required |
|  **Plasterboard** | 28010 0050 - MULTINOVA 55 RECESSED KIT | Required |
|  **Stucanet** | 28010 0050 - MULTINOVA 55 RECESSED KIT | Required |
|  **Concrete + plaster** | 28010 0050 - MULTINOVA 55 RECESSED KIT | Required |
|  **Lintel + plaster** | 28010 0050 - MULTINOVA 55 RECESSED KIT | Required |
|  **Hollow-core slab + plaster** | 28010 0050 - MULTINOVA 55 RECESSED KIT | Required |

## FINISH YOUR SPECIFICATION

### Recessed kits





**28010 0050** MULTINOVA 55 RECESSED KIT ☐




**Cutout dimension (mm): 610**

### Suspension parts



**27910 0010 B** MULTINOVA 55 SUSPENSION SET 5x0,75 3m B ☐

**27910 0010 W** MULTINOVA 55 SUSPENSION SET 5x0,75 3m W ☐





**27910 0030 B** MULTINOVA 55 ROD SUSPENSION 0,4m B ☐

**27910 0030 W** MULTINOVA 55 ROD SUSPENSION 0,4m W ☐

DELTALIGHT

# MULTINOVA 55 TW PRISM 930 DIM5

28015 9005 B




**27910 0040 B** MULTINOVA 55 ROD SUSPENSION 0,8m B ☐

**27910 0040 W** MULTINOVA 55 ROD SUSPENSION 0,8m W ☐

Notes: