


LED POWER SUPPLY 24V-DC /  
100W DIM5

21012 0225



 [View on website](#)



Image may differ from the actual product

| General info           |                                                                                |
|------------------------|--------------------------------------------------------------------------------|
| LOCATION               | indoor                                                                         |
| CUTOUT SHAPE/SIZE (MM) | round - 70                                                                     |
| INGRESS PROTECTION     | IP20                                                                           |
| WEIGHT (KG)            | 0.3                                                                            |
| INFORMATION            | OUTPUT: 24V-DC / 100W<br>Dimming method: current reduction<br>$\lambda > 0,95$ |
| Electrical info        |                                                                                |
| CLASS                  | II                                                                             |
| DIM TYPE               | DALI                                                                           |

For detailed installation instructions, please consult the manual : [21012\\_0225\\_HAND.pdf](#)

WHERE USED

|                      |                           |
|----------------------|---------------------------|
| <b>270 73 075</b>    | STIEVIE 75                |
| <b>270 73 130</b>    | STIEVIE 130               |
| <b>300 91 51 92</b>  | LED FLEX IN SMALL 927     |
| <b>300 91 51 93</b>  | LED FLEX IN SMALL 930     |
| <b>300 91 51 94</b>  | LED FLEX IN SMALL 940     |
| <b>300 94 017 83</b> | SPT PRO - LED LINE 1 830  |
| <b>300 94 050 83</b> | SPT PRO - LED LINE 5 830  |
| <b>300 94 100 83</b> | SPT PRO - LED LINE 10 830 |
| <b>304 04 15 92</b>  | TAGLINE 155 TRIMLESS 927  |
| <b>304 04 15 93</b>  | TAGLINE 155 TRIMLESS 930  |
| <b>398 01 00</b>     | SHL 20 ST - PROFILE 3m    |
| <b>398 02 00</b>     | SHL 18 - PROFILE 3m       |
| <b>398 03 00</b>     | SHL 19 - PROFILE 3m       |
| <b>13213 9200</b>    | INLET TRIMLESS H7 927     |
| <b>13213 9300</b>    | INLET TRIMLESS H7 930     |
| <b>13214 9200</b>    | INLET TRIMLESS L20 927    |
| <b>13214 9300</b>    | INLET TRIMLESS L20 930    |
| <b>13215 9200</b>    | INLET TRIMLESS H20 927    |
| <b>13215 9300</b>    | INLET TRIMLESS H20 930    |
| <b>13216 9200</b>    | INLET TRIMLESS L38 927    |
| <b>13216 9300</b>    | INLET TRIMLESS L38 930    |
| <b>13217 9200</b>    | INLET TRIMLESS L113 927   |
| <b>13217 9300</b>    | INLET TRIMLESS L113 930   |

## LED POWER SUPPLY 24V-DC / 100W DIM5

21012 0225

|                   |                             |
|-------------------|-----------------------------|
| <b>20111 9300</b> | STIEVIE 75 930              |
| <b>20112 9300</b> | STIEVIE 130 930             |
| <b>20549 9300</b> | SUPERLOOP HC 200 SBL 930    |
| <b>20550 9300</b> | SUPERLOOP HC 250 SBL 930    |
| <b>20551 9300</b> | SUPERLOOP HC 300 SBL 930    |
| <b>20552 9300</b> | SUPERLOOP HC 350 SBL 930    |
| <b>20553 9300</b> | SUPERLOOP HC 400 SBL 930    |
| <b>20554 9300</b> | SUPERLOOP HC 500 SBL 930    |
| <b>21030 0030</b> | LED FLEX IN 927 5m          |
| <b>21030 0040</b> | LED FLEX IN 930 5m          |
| <b>21030 0060</b> | LED FLEX IN 940 5m          |
| <b>21030 0070</b> | LED FLEX OUT 927 5m         |
| <b>21030 0080</b> | LED FLEX OUT 930 5m         |
| <b>21030 0100</b> | LED FLEX OUT 940 5m         |
| <b>21030 0110</b> | LED FLEX IN MP 927 5m       |
| <b>21030 0120</b> | LED FLEX IN MP 930 5m       |
| <b>21030 0140</b> | LED FLEX IN MP 940 5m       |
| <b>21030 0150</b> | LED FLEX OUT MP 927 5m      |
| <b>21030 0160</b> | LED FLEX OUT MP 930 5m      |
| <b>21030 0180</b> | LED FLEX OUT MP 940 5m      |
| <b>21030 0190</b> | LED FLEX IN FP 927 5m       |
| <b>21030 0200</b> | LED FLEX IN FP 930 5m       |
| <b>21030 0220</b> | LED FLEX IN FP 940 5m       |
| <b>21030 0230</b> | LED FLEX OUT FP 927 5m      |
| <b>21030 0240</b> | LED FLEX OUT FP 930 5m      |
| <b>21030 0260</b> | LED FLEX OUT FP 940 5m      |
| <b>21030 0270</b> | LED FLEX IN HP 927 5m       |
| <b>21030 0280</b> | LED FLEX IN HP 930 5m       |
| <b>21030 0300</b> | LED FLEX IN HP 940 5m       |
| <b>21030 0310</b> | LED FLEX IN CL 927 5m       |
| <b>21030 0320</b> | LED FLEX IN CL 930 5m       |
| <b>21030 0340</b> | LED FLEX IN CL 940 5m       |
| <b>21030 0350</b> | LED FLEX OUT CL 927 5m      |
| <b>21030 0360</b> | LED FLEX OUT CL 930 5m      |
| <b>21030 0380</b> | LED FLEX OUT CL 940 5m      |
| <b>21030 0390</b> | LED FLEX IN TW 2760 5m      |
| <b>21030 0400</b> | LED FLEX IN RGB 5m          |
| <b>21030 0410</b> | LED FLEX OUT RGB 5m         |
| <b>21030 0420</b> | LED FLEX IN RGB/TW 5m       |
| <b>21031 0030</b> | LED FLEX IN 927             |
| <b>21031 0040</b> | LED FLEX IN 930             |
| <b>21031 0060</b> | LED FLEX IN 940             |
| <b>21031 0070</b> | LED FLEX OUT 927            |
| <b>21031 0080</b> | LED FLEX OUT 930            |
| <b>21031 0100</b> | LED FLEX OUT 940            |
| <b>21031 0110</b> | LED FLEX IN MP 927          |
| <b>21031 0120</b> | LED FLEX IN MP 930          |
| <b>21031 0140</b> | LED FLEX IN MP 940          |
| <b>21031 0150</b> | LED FLEX OUT MP 927         |
| <b>21031 0160</b> | LED FLEX OUT MP 930         |
| <b>21031 0180</b> | LED FLEX OUT MP 940         |
| <b>21031 0190</b> | LED FLEX IN FP 927          |
| <b>21031 0200</b> | LED FLEX IN FP 930          |
| <b>21031 0220</b> | LED FLEX IN FP 940          |
| <b>21031 0230</b> | LED FLEX OUT FP 927         |
| <b>21031 0240</b> | LED FLEX OUT FP 930         |
| <b>21031 0260</b> | LED FLEX OUT FP 940         |
| <b>21031 0270</b> | LED FLEX IN HP 927          |
| <b>21031 0280</b> | LED FLEX IN HP 930          |
| <b>21031 0300</b> | LED FLEX IN HP 940          |
| <b>21031 0390</b> | LED FLEX IN TW 2760         |
| <b>21031 0400</b> | LED FLEX IN RGB             |
| <b>21031 0410</b> | LED FLEX OUT RGB            |
| <b>21031 0420</b> | LED FLEX IN RGB/TW          |
| <b>21035 0010</b> | LED FLEX IN HE SMALL 927 5m |
| <b>21035 0020</b> | LED FLEX IN HE SMALL 930 5m |
| <b>21035 0030</b> | LED FLEX IN HE SMALL 940 5m |
| <b>21035 0040</b> | LED FLEX IN HE 927 5m       |
| <b>21035 0050</b> | LED FLEX IN HE 930 5m       |
| <b>21035 0060</b> | LED FLEX IN HE 940 5m       |
| <b>21035 0070</b> | LED FLEX IN HE MP 927 5m    |
| <b>21035 0080</b> | LED FLEX IN HE MP 930 5m    |
| <b>21035 0090</b> | LED FLEX IN HE MP 940 5m    |
| <b>21035 0100</b> | LED FLEX IN HE MP 927 3m    |
| <b>21035 0110</b> | LED FLEX IN HE MP 930 3m    |

## LED POWER SUPPLY 24V-DC / 100W DIM5

21012 0225

|                   |                           |
|-------------------|---------------------------|
| <b>21035 0120</b> | LEDFLEX IN HE MP 940 3m   |
| <b>21035 0130</b> | LEDFLEX IN HE FP 927 5m   |
| <b>21035 0140</b> | LEDFLEX IN HE FP 930 5m   |
| <b>21035 0150</b> | LEDFLEX IN HE FP 940 5m   |
| <b>21035 0160</b> | LEDFLEX IN HE FP 927 3m   |
| <b>21035 0170</b> | LEDFLEX IN HE FP 930 3m   |
| <b>21035 0180</b> | LEDFLEX IN HE FP 940 3m   |
| <b>21035 0190</b> | LEDFLEX IN HE FP 927 20m  |
| <b>21035 0200</b> | LEDFLEX IN HE FP 930 20m  |
| <b>21035 0210</b> | LEDFLEX IN HE FP 940 20m  |
| <b>21035 0220</b> | LEDFLEX IN HE HP 927 5m   |
| <b>21035 0230</b> | LEDFLEX IN HE HP 930 5m   |
| <b>21035 0240</b> | LEDFLEX IN HE HP 940 5m   |
| <b>21036 0010</b> | LEDFLEX IN HE SMALL 927   |
| <b>21036 0020</b> | LEDFLEX IN HE SMALL 930   |
| <b>21036 0030</b> | LEDFLEX IN HE SMALL 940   |
| <b>21036 0040</b> | LEDFLEX IN HE 927         |
| <b>21036 0050</b> | LEDFLEX IN HE 930         |
| <b>21036 0060</b> | LEDFLEX IN HE 940         |
| <b>21036 0070</b> | LEDFLEX IN HE MP 927      |
| <b>21036 0080</b> | LEDFLEX IN HE MP 930      |
| <b>21036 0090</b> | LEDFLEX IN HE MP 940      |
| <b>21036 0130</b> | LEDFLEX IN HE FP 927      |
| <b>21036 0140</b> | LEDFLEX IN HE FP 930      |
| <b>21036 0150</b> | LEDFLEX IN HE FP 940      |
| <b>21036 0220</b> | LEDFLEX IN HE HP 927      |
| <b>21036 0230</b> | LEDFLEX IN HE HP 930      |
| <b>21036 0240</b> | LEDFLEX IN HE HP 940      |
| <b>21037 0010</b> | LEDFLEX IN HR MP 927 5m   |
| <b>21037 0020</b> | LEDFLEX IN HR MP 930 5m   |
| <b>21037 0030</b> | LEDFLEX IN HR MP 940 5m   |
| <b>21037 0040</b> | LEDFLEX IN HR FP 927 5m   |
| <b>21037 0050</b> | LEDFLEX IN HR FP 930 5m   |
| <b>21037 0060</b> | LEDFLEX IN HR FP 940 5m   |
| <b>21038 0010</b> | LEDFLEX IN HR MP 927      |
| <b>21038 0020</b> | LEDFLEX IN HR MP 930      |
| <b>21038 0030</b> | LEDFLEX IN HR MP 940      |
| <b>21038 0040</b> | LEDFLEX IN HR FP 927      |
| <b>21038 0050</b> | LEDFLEX IN HR FP 930      |
| <b>21038 0060</b> | LEDFLEX IN HR FP 940      |
| <b>21039 0040</b> | LEDFLEX IN RGB 5m         |
| <b>21039 0060</b> | LEDFLEX IN TW 5m          |
| <b>21040 0040</b> | LEDFLEX IN RGB            |
| <b>21040 0060</b> | LEDFLEX IN TW             |
| <b>21041 0010</b> | LEDFLEX OUT HE 927 5m     |
| <b>21041 0020</b> | LEDFLEX OUT HE 930 5m     |
| <b>21041 0030</b> | LEDFLEX OUT HE 940 5m     |
| <b>21041 0040</b> | LEDFLEX OUT HE MP 927 5m  |
| <b>21041 0050</b> | LEDFLEX OUT HE MP 930 5m  |
| <b>21041 0060</b> | LEDFLEX OUT HE MP 940 5m  |
| <b>21041 0070</b> | LEDFLEX OUT HE MP 927 3m  |
| <b>21041 0080</b> | LEDFLEX OUT HE MP 930 3m  |
| <b>21041 0090</b> | LEDFLEX OUT HE MP 940 3m  |
| <b>21041 0100</b> | LEDFLEX OUT HE FP 927 5m  |
| <b>21041 0110</b> | LEDFLEX OUT HE FP 930 5m  |
| <b>21041 0120</b> | LEDFLEX OUT HE FP 940 5m  |
| <b>21041 0130</b> | LEDFLEX OUT HE FP 927 3m  |
| <b>21041 0140</b> | LEDFLEX OUT HE FP 930 3m  |
| <b>21041 0150</b> | LEDFLEX OUT HE FP 940 3m  |
| <b>21042 0010</b> | LEDFLEX OUT HE 927        |
| <b>21042 0020</b> | LEDFLEX OUT HE 930        |
| <b>21042 0030</b> | LEDFLEX OUT HE 940        |
| <b>21042 0040</b> | LEDFLEX OUT HE MP 927     |
| <b>21042 0050</b> | LEDFLEX OUT HE MP 930     |
| <b>21042 0060</b> | LEDFLEX OUT HE MP 940     |
| <b>21042 0100</b> | LEDFLEX OUT HE FP 927     |
| <b>21042 0110</b> | LEDFLEX OUT HE FP 930     |
| <b>21042 0120</b> | LEDFLEX OUT HE FP 940     |
| <b>21043 0040</b> | LEDFLEX OUT RGB 5m        |
| <b>21044 0040</b> | LEDFLEX OUT RGB           |
| <b>23376 9200</b> | M - LED LINE UP 80 FP 920 |
| <b>23376 9300</b> | M - LED LINE UP 80 FP 930 |
| <b>27810 9200</b> | OUTLINER 100 927          |
| <b>27810 9300</b> | OUTLINER 100 930          |

# DELTALIGHT

## LED POWER SUPPLY 24V-DC / 100W DIM5

21012 0225

Notes: