



LED POWER SUPPLY MULTI-
POWER HC DIM9

300 90 136



 [Bekijk op website](#)



Image may differ from the actual product

Algemene info	
LOCATIE	binnen
ZAAGMAAT/OPENING (MM)	rond - 90
STOF EN WATERDICHTHEID	IP20
GEWICHT (KG)	0.2
INFO	OUTPUT: 1050mA / 45W (110V:40W) / 2-44V-DC 1200mA / 52W (110V:40W) / 2-44V-DC 1400mA / 55W (110V:40W) / 2-43V-DC $\lambda > 0,9$ Inrush current : 10A - 200µs @ 230V-AC Max. 30 units on circuit breaker B 16A @ 230V-AC
Elektrische info	
KLASSE	II
DIM TYPE	1-10V of DALI of drukknop

Voor gedetailleerde montage gegevens, consulteer de handleiding : [123314.pdf](#)

WAAR GEBRUIKT

202 396 301 93	GRAND REO XL OK 930 S1
202 801 01 + 202 801 211 920	GRID IN 1 HP FRAME + GRID IN SNAP-IN HP 927
202 801 01 + 202 801 211 930	GRID IN 1 HP FRAME + GRID IN SNAP-IN HP 930
202 801 02 + 2 X 202 801 211 920	GRID IN 2 HP FRAME + 2 x GRID IN SNAP-IN HP 927
202 801 02 + 2 X 202 801 211 930	GRID IN 2 HP FRAME + 2 x GRID IN SNAP-IN HP 930
202 802 01 + 202 801 211 920	GRID IN TRIMLESS 1 HP FRAME + GRID IN SNAP-IN HP 927
202 802 01 + 202 801 211 930	GRID IN TRIMLESS 1 HP FRAME + GRID IN SNAP-IN HP 930
202 802 02 + 2 X 202 801 211 920	GRID IN TRIMLESS 2 HP FRAME + 2 x GRID IN SNAP-IN HP 927
202 802 02 + 2 X 202 801 211 930	GRID IN TRIMLESS 2 HP FRAME + 2 x GRID IN SNAP-IN HP 930
202 913 929	PUT LED MAGNETIC 92706
202 913 939	PUT LED MAGNETIC 93006
202 914 929	PUT LED CENTER 92706
202 914 939	PUT LED CENTER 93006
213 45 15	LOGIC 60 R SP 3006
213 46 15	LOGIC 60 R A SP 3006
213 502 931	LOGIC R OK 93006
232 10 939	KIX 93006
232 11 939	KIX PIN 93006
232 13 831	KIX M PIN SP10
401 22 02 829	iMAX CL 82706

LED POWER SUPPLY MULTI-POWER HC DIM9

300 90 136

<u>401 22 02 839</u>	iMAX CL 83006
<u>401 22 02 929</u>	iMAX CL 92706
<u>401 22 02 939</u>	iMAX CL 93006
<u>402 22 02 829</u>	iMAX ADJUSTABLE CL 82706
<u>402 22 02 839</u>	iMAX ADJUSTABLE CL 83006
<u>402 22 02 929</u>	iMAX ADJUSTABLE CL 92706
<u>402 22 02 939</u>	iMAX ADJUSTABLE CL 93006
<u>403 22 02 829</u>	iMAX ADJUSTABLE TRIMLESS CL 82706
<u>403 22 02 839</u>	iMAX ADJUSTABLE TRIMLESS CL 83006
<u>403 22 02 929</u>	iMAX ADJUSTABLE TRIMLESS CL 92706
<u>403 22 02 939</u>	iMAX ADJUSTABLE TRIMLESS CL 93006
<u>415 112 821</u>	MINI REO 82710
<u>415 112 831</u>	MINI REO 83010
<u>415 122 821</u>	MINI DEEP RINGO 82710
<u>415 122 831</u>	MINI DEEP RINGO 83010
<u>415 212 821</u>	MINI REO OK1 82710
<u>415 212 831</u>	MINI REO OK1 83010
<u>415 222 821</u>	MINI REO OK 82710
<u>415 222 831</u>	MINI REO OK 83010
<u>415 312 821</u>	MINI DEEP RINGO TRIMLESS 82710
<u>415 312 831</u>	MINI DEEP RINGO TRIMLESS 83010
<u>424 213 02 921</u>	DOT.COM L2 ST 92716
<u>424 213 02 922</u>	DOT.COM L2 ST 92732
<u>424 213 02 923</u>	DOT.COM L2 ST 92746
<u>424 213 02 931</u>	DOT.COM L2 ST 93016
<u>424 213 02 932</u>	DOT.COM L2 ST 93032
<u>424 213 02 933</u>	DOT.COM L2 ST 93046
<u>424 213 04 921</u>	DOT.COM L4 ST 92716
<u>424 213 04 922</u>	DOT.COM L4 ST 92732
<u>424 213 04 923</u>	DOT.COM L4 ST 92746
<u>424 213 04 931</u>	DOT.COM L4 ST 93016
<u>424 213 04 932</u>	DOT.COM L4 ST 93032
<u>424 213 04 933</u>	DOT.COM L4 ST 93046
<u>13976 9310</u>	LOGIC 60 R SP 93006
<u>13977 9310</u>	LOGIC 60 R A SP 93006
<u>24220 9210</u>	iMAX II ROUND ADJUSTABLE CL 9276
<u>24220 9310</u>	iMAX II ROUND ADJUSTABLE CL 9306
<u>24224 9210-R</u>	iMAX II ROUND ADJUSTABLE TRIMLESS CL 9276
<u>24224 9210-S</u>	iMAX II SQUARE ADJUSTABLE TRIMLESS CL 9276
<u>24224 9310-R</u>	iMAX II ROUND ADJUSTABLE TRIMLESS CL 9306
<u>24224 9310-S</u>	iMAX II SQUARE ADJUSTABLE TRIMLESS CL 9306
<u>24225 9210</u>	iMAX II SQUARE ADJUSTABLE CL 9276
<u>24225 9310</u>	iMAX II SQUARE ADJUSTABLE CL 9306
<u>27211 9220</u>	SPY 20 CLIP 92730
<u>27211 9320</u>	SPY 20 CLIP 93030
<u>27212 9220</u>	SPY 20 L CLIP 92730
<u>27212 9320</u>	SPY 20 L CLIP 93030
<u>27215 9220</u>	SPY 20 CLIP 2 92730
<u>27215 9320</u>	SPY 20 CLIP 2 93030
<u>27216 9220</u>	SPY 20 L CLIP 2 92730
<u>27216 9320</u>	SPY 20 L CLIP 2 93030
<u>27217 9220</u>	SPY 20 L TRIMLESS 92730
<u>27217 9320</u>	SPY 20 L TRIMLESS 93030
<u>27218 9220</u>	SPY 20 L 2 AIR 92730
<u>27218 9320</u>	SPY 20 L 2 AIR 93030
<u>28418 9210</u>	ENTERO RD-L 92718
<u>28418 9220</u>	ENTERO RD-L 92730
<u>28418 9230</u>	ENTERO RD-L 92745
<u>28418 9310</u>	ENTERO RD-L 93018
<u>28418 9320</u>	ENTERO RD-L 93030
<u>28418 9330</u>	ENTERO RD-L 93045
<u>28435 9210</u>	ENTERO RD-L TRIMLESS 92718
<u>28435 9220</u>	ENTERO RD-L TRIMLESS 92730
<u>28435 9230</u>	ENTERO RD-L TRIMLESS 92745
<u>28435 9310</u>	ENTERO RD-L TRIMLESS 93018
<u>28435 9320</u>	ENTERO RD-L TRIMLESS 93030
<u>28435 9330</u>	ENTERO RD-L TRIMLESS 93045
<u>28518 9210</u>	ENTERO SQ-L 92718
<u>28518 9220</u>	ENTERO SQ-L 92730
<u>28518 9230</u>	ENTERO SQ-L 92745
<u>28518 9310</u>	ENTERO SQ-L 93018
<u>28518 9320</u>	ENTERO SQ-L 93030
<u>28518 9330</u>	ENTERO SQ-L 93045
<u>28535 9210</u>	ENTERO SQ-L TRIMLESS 92718
<u>28535 9220</u>	ENTERO SQ-L TRIMLESS 92730

DELTALIGHT

LED POWER SUPPLY MULTI-POWER HC DIM9

300 90 136

<u>28535 9230</u>	ENTERO SQ-L TRIMLESS 92745
<u>28535 9310</u>	ENTERO SQ-L TRIMLESS 93018
<u>28535 9320</u>	ENTERO SQ-L TRIMLESS 93030
<u>28535 9330</u>	ENTERO SQ-L TRIMLESS 93045
<u>100013 9210</u>	MINIGRID IN TRIMLESS 1 92706
<u>100013 9310</u>	MINIGRID IN TRIMLESS 1 93006
<u>100017 9210</u>	MINIGRID IN TRIMLESS 2 92706
<u>100017 9310</u>	MINIGRID IN TRIMLESS 2 93006
<u>100025 9210</u>	MINIGRID IN 1 92706
<u>100025 9310</u>	MINIGRID IN 1 93006
<u>100036 9210</u>	MINIGRID IN 2 92706
<u>100036 9310</u>	MINIGRID IN 2 93006

Notes: