



## DEEP RINGO TRIMLESS HE 92720

19441 9220 CR

AVAILABLE IN

**BLACK** 19441 9220 B

**BRUSHED ALU** 19441 9220 BRA

**BRUSHED ANTHRACITE** 19441 9220 BRAT

**BRUSHED BROWN BRONZE** 19441 9220 BRBB

**BRUSHED COPPER** 19441 9220 BRCU

**BRUSHED GOLD** 19441 9220 BRG

**BRUSHED OLD BRONZE** 19441 9220 BROB

**CREAM** 19441 9220 CR

**FLEMISH BRONZE** 19441 9220 FBR

**FLEMISH GOLD** 19441 9220 FG

**GOLD COLOURED** 19441 9220 GC

**PIANO BLACK** 19441 9220 PB

**WHITE** 19441 9220 W



[View on website](#)



### General info

|                               |                                               |
|-------------------------------|-----------------------------------------------|
| <b>LOCATION</b>               | indoor                                        |
| <b>INSTALLATION</b>           | Ceiling Recessed                              |
| <b>CUTOUT SHAPE/SIZE (MM)</b> | round - Ø KIT                                 |
| <b>RECESSED DEPTH (MM)</b>    | 95                                            |
| <b>INGRESS PROTECTION</b>     | IP23/20                                       |
| <b>WEIGHT (KG)</b>            | 0.3                                           |
| <b>ADJUSTABILITY</b>          | non adjustable                                |
| <b>INFORMATION</b>            | LENS FL-20°<br>EXCL LED POWER SUPPLY 350mA-DC |

### Electrical info

|                     |                           |
|---------------------|---------------------------|
| <b>CLASS</b>        | III                       |
| <b>DIM TYPE</b>     | depending on power supply |
| <b>ENERGY CLASS</b> | D                         |
| <b>CERTIFICATES</b> | EPD, LCA                  |

### Lightsource info

|                                    |                                                |
|------------------------------------|------------------------------------------------|
| <b>LIGHTSOURCE NAME</b>            | LED                                            |
| <b>LIGHTSOURCE</b>                 | LED array 6W / CRI>90 (R9: 50) / 2700K / 905lm |
| <b>TM-30 VALUES</b>                | rf: 96 / Rg: 99                                |
| <b>SDCM</b>                        | SDCM2                                          |
| <b>RISKGROUP</b>                   | RG1                                            |
| <b>LM80</b>                        | L90B10 > 50000                                 |
| <b>BEAMANGLE</b>                   | 20°                                            |
| <b>LED TECHNICS (LIGHT SOURCE)</b> | 905lm // 6W // 150lm/W                         |
| <b>LED TECHNICS (LUMINAIRE)</b>    | 774lm // 6,9W // 112lm/W                       |

### Remarks

High Efficacy : > 100lm/W

### Requirements

MOUNTING KIT R82 TRIMLESS O.F.A.

MOUNTING KIT AIR 101

## DEEP RINGO TRIMLESS HE 92720

19441 9220 CR

LED POWER SUPPLY 350mA-DC DIM (Remote)

For detailed installation instructions, please consult the manual : [19441\\_XXX0\\_HAND.pdf](#)

### CEILING COMPATIBILITY






| Ceiling Type                                                                                                         | Mounting Kit                                                                                                                      |          |
|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------|
|  <b>System ceiling</b>               |  15212 2000 - MOUNTING KIT R82 TRIMLESS O.F.A.   | Required |
|  <b>Plasterboard</b>                 |  15212 2000 - MOUNTING KIT R82 TRIMLESS O.F.A.   | Required |
|  <b>Stucanet</b>                     |  15212 2000 - MOUNTING KIT R82 TRIMLESS O.F.A.   | Required |
|  <b>Concrete + plaster</b>          |  15212 2000 - MOUNTING KIT R82 TRIMLESS O.F.A.   | Required |
|  <b>Lintel + plaster</b>           |  15212 2000 - MOUNTING KIT R82 TRIMLESS O.F.A. | Required |
|  <b>Hollow-core slab + plaster</b> |  15212 2000 - MOUNTING KIT R82 TRIMLESS O.F.A. | Required |
|                                    |  29810 0100 - MOUNTING KIT SIDE AIR ONLY 1     | Required |
|                                                                                                                      |  29810 0050 - MOUNTING KIT NO AIR 101          | Required |
|                                                                                                                      |  29810 0010 - MOUNTING KIT SIDE AIR 101        | Required |
|                                    |  29810 0210 - MOUNTING KIT TOP AIR 101         | Required |
|                                                                                                                      |  29810 0050 - MOUNTING KIT NO AIR 101          | Required |
|                                                                                                                      |  29810 0200 - MOUNTING KIT TOP AIR ONLY 1      | Required |
|  <b>Cold stretched ceiling</b>     |  15212 0070 - MOUNTING KIT R82 TRIMLESS CSC    | Required |
|  <b>Warm stretched ceiling</b>     |  15212 0150 - MOUNTING KIT R82 TRIMLESS WSC    | Required |




# DELTALIGHT

## DEEP RINGO TRIMLESS HE 92720

19441 9220 CR

| LED power supplies                                                                                                                                                                                                                                                                                                                                                         |  | # of Fixtures                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------|
| <div><div></div><div># of fixtures indicates how many devices can be connected (min -&gt; max) to the power supply. The values before and after the ' ' correspond respectively with the minimum and maximum driving current. Values between brackets are applicable to 110V.</div></div> |  | Min current   Max current        |
| <div><div></div><div><b>300 90 91</b> LED POWER SUPPLY 350mA-DC / 15W</div></div>                                                                                                                                                                                                          |  | 2(1) <input type="checkbox"/>    |
| <div><div><div>Dimtype: non-dimmable</div><div>Cutout dimension (mm): 40</div></div></div>                                                                                                                                                                                                                                                                                 |  |                                  |
| <div><div></div><div><b>300 90 110</b> LED POWER SUPPLY 350mA-DC / 10W DIM8</div></div>                                                                                                                                                                                                    |  | 1 <input type="checkbox"/>       |
| <div><div><div>Dimtype: mains (phase cut-off)</div><div>Cutout dimension (mm): 42</div></div></div>                                                                                                                                                                                                                                                                        |  |                                  |
| <div><div></div><div><b>300 90 116</b> LED POWER SUPPLY 350mA-DC / 18W DIM8</div></div>                                                                                                                                                                                                    |  | 2->2 <input type="checkbox"/>    |
| <div><div><div>Dimtype: mains (phase cut-off)</div><div>Cutout dimension (mm): 55</div></div></div>                                                                                                                                                                                                                                                                        |  |                                  |
| <div><div></div><div><b>21012 0515</b> LED POWER SUPPLY MULTI POWER DIM5</div></div>                                                                                                                                                                                                     |  | 1(1) <input type="checkbox"/>    |
| <div><div><div>Dimtype: DALI</div><div>Cutout dimension (mm): 55</div></div></div>                                                                                                                                                                                                                                                                                         |  |                                  |
| <div><div></div><div><b>21012 0520</b> LED POWER SUPPLY 350mA-DC / 8W</div></div>                                                                                                                                                                                                       |  | 1(0) <input type="checkbox"/>    |
| <div><div><div>Dimtype: non-dimmable</div><div>Cutout dimension (mm): 47</div></div></div>                                                                                                                                                                                                                                                                                 |  |                                  |
| <div><div></div><div><b>21012 0575</b> LED POWER SUPPLY MULTI POWER DIM5</div></div>                                                                                                                                                                                                     |  | 2->3(2) <input type="checkbox"/> |
| <div><div><div>Dimtype: DALI</div><div>Cutout dimension (mm): 55</div></div></div>                                                                                                                                                                                                                                                                                         |  |                                  |

| Mounting kits                                                                                                                                                         |                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <div><div></div><div><b>15212 2000</b> MOUNTING KIT R82 TRIMLESS O.F.A.</div></div> | <input type="checkbox"/> |
| <div><div>Cutout dimension (mm): 105</div></div>                                                                                                                      |                          |

# DELTALIGHT

## DEEP RINGO TRIMLESS HE 92720

19441 9220 CR

### Mounting kits stretched ceiling



**15212 0070** MOUNTING KIT R82 TRIMLESS CSC

☐

**15212 0150** MOUNTING KIT R82 TRIMLESS WSC

☐

### Mounting kits side air + light



**29810 0010** MOUNTING KIT SIDE AIR 101

Cutout dimension (mm): 168

☐

### Mounting kits top air + light




**29810 0210** MOUNTING KIT TOP AIR 101

Cutout dimension (mm): 135

☐

### Mounting kits side air only



**29810 0100** MOUNTING KIT SIDE AIR ONLY 1

Cutout dimension (mm): 168

☐

### Mounting kits top air only



**29810 0200** MOUNTING KIT TOP AIR ONLY 1

Cutout dimension (mm): 135

☐

# DELTALIGHT

## DEEP RINGO TRIMLESS HE 92720

19441 9220 CR

### Mounting kits no air



**29810 0050** MOUNTING KIT NO AIR 101

Cutout dimension (mm): 168

☐

Notes: