



M26L - SPY 391 SOFT 93020 DIM5

23438 9025 BRA

AVAILABLE IN

NEGRO 23438 9025 B

ALU CEPILLADO 23438 9025 BRA

ANTRACITA CEPILLADO 23438 9025 BRAT

COBRE CEPILLADO 23438 9025 BRCU

ORO CEPILLADO 23438 9025 BRG

BRONCE VIEJO CEPILLADO 23438 9025 BROB



FLEMISH BRONZE 23438 9025 FBR

FLEMISH GOLD 23438 9025 FG

ORO COLOREADO 23438 9025 GC

NEGRO PIANO 23438 9025 PB

BLANCO 23438 9025 W



[View on website](#)







General info	
LOCATION	interior
INSTALLATION	Sistemas de baja tensión Montado en sistemas de baja tensión
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.3
ADJUSTABILITY	0° to 85° giratorio, 360° orientable
INFORMATION	REFLECTOR FL-20° EXCL.LED POWER SUPPLY 48V-DC
Electrical info	
ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	con DALI
ENERGY CLASS	F
CERTIFICATION	EPD
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 6W / CRI>90 (R9: 50) / 3000K-1800K / 623lm
RVALUES	rf: 90 / Rg: 99
SDMC	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
BEAMANGLE	20°
LED TECHNICS (LIGHT SOURCE)	623lm // 6W // 105lm/W
LED TECHNICS (LUMINAIRE)	508lm // 6,9W // 74lm/W
Requirements	
SPY 39 TUBE	
LED POWER SUPPLY 48V-DC	

For detailed installation instructions, please consult the manual : [23438_XXX5_HAND.pdf](#)


FINISH YOUR SPECIFICATION

Fuente de Alimentación LED

of Fixtures

web2print_power_supply_info_box			Min current Max current	
	300 89 48 100	LED POWER SUPPLY 48V-DC / 100W DIN	8	☐
Dimtype: no dimerizable				
	300 89 48 240	LED POWER SUPPLY 48V-DC / 240W DIN	20	☐
Dimtype: no dimerizable				
	21012 0230	LED POWER SUPPLY 48V-DC / 100W	8	☐
Dimtype: no dimerizable				
Cutout dimension (mm): 40				
	21012 0240	LED POWER SUPPLY 48V-DC / 200W	17	☐
Dimtype: no dimerizable				
Cutout dimension (mm): 40				

Termina tu producto

	24144 0010 B	SPY 39 TUBE B	☐
24144 0010 FBR SPY 39 TUBE FBR			☐
24144 0010 FG SPY 39 TUBE FG			☐
24144 0010 GC SPY 39 TUBE GC			☐
24144 0010 W SPY 39 TUBE W			☐

M26L - SPY 391 SOFT 93020 DIM5

23438 9025 BRA



24144 0070

SPY 39 TUBE SBL




COMPATIBLE COMPOSABLES

SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)


Available Colours




23358 0000 SLM26L - PROFILE



23358 0010 SLM26L - PROFILE 1m



23358 0020 SLM26L - PROFILE 2m



23358 0030 SLM26L - PROFILE 3m



Notes: