





SUPERNOVA FLAT 95 PRISMATIC DOWN-UP 930 DIM5

20615 9305 B

DISPONIBLE EN
NOIR 20615 9305 B
BLANC 20615 9305 W



SUPERNOVA FLAT 95 PRISMATIC DOWN-UP 930 DIM5

20615 9305 B

Pour des instructions d'installation détaillées, veuillez consulter le manuel : [20615_XXX5_HAND.pdf](#)

TERMINEZ VOTRE SPÉCIFICATION

le cable d'alimentation



203 99 55 ANO CABLE BASE R ANO

☐

203 99 55 B CABLE BASE R B

☐

203 99 55 W CABLE BASE R W

☐


203 99 56 ANO CABLE BASE S ANO

☐


203 99 56 B CABLE BASE S B

☐

203 99 56 W CABLE BASE S W

☐

Equipements de contrôle divers




300 90 004 ED5 WIRELESS CONTROL DIM5

☐

Type de gradation: WDL = dimmable sans fil

Dimension de découpe (mm): 45

les sets pour recouvrement plafond



204 00 62 ANO COVERSET R 62 ANO

☐






204 00 62 B COVERSET R 62 B

☐

DELTA LIGHT

SUPERNOVA FLAT 95 PRISMATIC DOWN-UP 930 DIM5

20615 9305 B



	<u>204 00 62 W</u>	COVERSET R 62 W	☐
	<u>204 00 90 ANO</u>	COVERSET R 90 ANO	☐
	<u>204 00 90 B</u>	COVERSET R 90 B	☐
	<u>204 00 90 W</u>	COVERSET R 90 W	☐
	<u>204 00 100 ANO</u>	COVERSET R 100 ANO	☐
	<u>204 00 100 B</u>	COVERSET R 100 B	☐
	<u>204 00 100 W</u>	COVERSET R 100 W	☐
	<u>204 62 62 ANO</u>	COVERSET S 62 ANO	☐
	<u>204 62 62 B</u>	COVERSET S 62 B	☐
	<u>204 62 62 W</u>	COVERSET S 62 W	☐
	<u>204 80 80 ANO</u>	COVERSET S 80 ANO	☐
	<u>204 80 80 B</u>	COVERSET S 80 B	☐
	<u>204 80 80 W</u>	COVERSET S 80 W	☐
	<u>204 90 90 ANO</u>	COVERSET S 90 ANO	☐
	<u>204 90 90 B</u>	COVERSET S 90 B	☐

SUPERNOVA FLAT 95 PRISMATIC DOWN-UP 930 DIM5

20615 9305 B

204 90 90 W	COVERSET S 90 W	☐
--------------------	-----------------	--------------------------

les accessoires de suspension

	274 97 10 B CENTRAL ROD SUSPENSION SUPERNOVA FLAT 1m B	☐
	274 97 10 W CENTRAL ROD SUSPENSION SUPERNOVA FLAT 1m W	☐
	328 25 43 ED SUSPENSION SET 25 DIM 3m	☐
	328 26 23 B CENTRAL SUSPENSION SUPERNOVA FLAT 3m B	☐
	328 26 23 W CENTRAL SUSPENSION SUPERNOVA FLAT 3m W	☐

les accessoires pour connexions électriques

	15225 0360 B CONNECTION ST B	☐
	Dimension de découpe (mm): 43	
	15225 0360 W CONNECTION ST W	☐

Notes: