
DELTALIGHT




PUNK 621 C 92733 DIM8

REFERENCE 471 321 811 922 ED8 B

AVAILABLE IN
BLACK 471 321 811 922 ED8 B
BLACK PURE 471 321 811 922 ED8 BP
GOLD COLOURED 471 321 811 922 ED8 GC





View on website

General info	
LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.9
ADJUSTABILITY	non adjustable
INFORMATION	REFLECTOR FL-33° INCL.DIMMABLE LED POWER SUPPLY 350mA-DC INCL.1 x CABLE SUSPENSION SINGLE AUTO. 1.6m INCL.1 x CABLE 2 x 0.75mm²

Electrical info	
ELECTRICAL	220-240V / 50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	mains (phase cut-off)
ENERGY CLASS	D
CERTIFICATES	CB, EAC, ENEC, RCM

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 5,8W / CRI>90 (R9: 60) / 2700K / 753lm
TM-30 VALUES	Rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
BEAMANGLE	33°
LED TECHNICS (LIGHT SOURCE)	753lm // 5,8W // 129lm/W
LED TECHNICS (LUMINAIRE)	387lm // 6,7W // 58lm/W

Requirements

SPY TUBE

Options

SUSPENSION + CONNECTION TRIMLESS
COVERSET R 90-100

Accessories

HONEYCOMB 50
LINEAR SPREAD LENS 50
SPREAD LENS 50
SOFTENING LENS 50

DELTALIGHT

PUNK 621 C 92733 DIM8


471 321 811 922 ED8 B

GLASS SBL 50

For detailed installation instructions, please consult the manual : **471_321_811_XXX_ED8_HAND.pdf**

FINISH YOUR SPECIFICATION

Miscellaneous control equipment




300 90 004 ED8 WIRELESS CONTROL DIM8

Dimtype: WDL = wireless dimmable

Cutout dimension (mm): 40


Coversets



204 00 90 ANO COVERSET R 90 ANO

204 00 90 B COVERSET R 90 B

204 00 90 W COVERSET R 90 W




204 00 100 ANO COVERSET R 100 ANO

204 00 100 B COVERSET R 100 B

204 00 100 W COVERSET R 100 W

Suspension parts




328 10 02 SUSPENSION + CONNECTION TRIMLESS O.F.A.

Cutout dimension (mm): 62 (CONCRETE: 102)


PUNK 621 C 92733 DIM8

471 321 811 922 ED8 B


Light altering devices




413 03 01 B HONEYCOMB 50 B




413 03 02 LINEAR SPREAD LENS 50



413 03 03 SPREAD LENS 50




413 03 04 SOFTENING LENS 50



413 03 05 GLASS SBL 50

Finish your product



414 01 00 B SPY TUBE B

414 01 00 FBR SPY TUBE FBR

414 01 00 FG SPY TUBE FG

414 01 00 MMAT SPY TUBE MMAT

414 01 00 SG SPY TUBE SG

414 01 00 W SPY TUBE W

PUNK 621 C 92733 DIM8

471 321 811 922 ED8 B

Notes: