





COMPO S WALLWASH 940

9 15715 9400 C

AVAILABLE IN
CHROM 9 15715 9400 C
WEISS 9 15715 9400 W



 [View on website](#)



General info	
LOCATION	innenbereich
INSTALLATION	Decke Einbau
CUTOUT SHAPE/SIZE (MM)	rund - 90
RECESSED DEPTH (MM)	85
THICKNESS OF MOUNTING SURFACE (MM)	max.25
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.124
ADJUSTABILITY	0° to 30° schwenkbar, 355° drehbar
Electrical info	
CLASS	III
DIM TYPE	Abhängig von der Art der externen Stromversorgung
ENERGY CLASS	F
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 6,4W / CRI>90 / 4000K / 526lm
SDCM	SDCM2
RISKGROUP	RG1
BEAMANGLE	NA
LED TECHNICS (LIGHT SOURCE)	526lm // 6,4W // 127lm/W
LED TECHNICS (LUMINAIRE)	234lm // 7,4W // 32lm/W
Requirements	
LED POWER SUPPLY 350 mA - DC	

For detailed installation instructions, please consult the manual : [9_15715_XXX0_HAND.pdf](#)

COMPO S WALLWASH 940

9 15715 9400 C

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
 System ceiling	 15710 0010 - MOUNTING KIT COMPO S TRIM	Required
	 15710 0040 - MOUNTING KIT COMPO S TRIMLESS	Required
 Plasterboard	 15710 0010 - MOUNTING KIT COMPO S TRIM	Required
	 15710 0040 - MOUNTING KIT COMPO S TRIMLESS	Required
 Wood	 15710 0010 - MOUNTING KIT COMPO S TRIM	Required
	 15710 0040 - MOUNTING KIT COMPO S TRIMLESS	Required

FINISH YOUR SPECIFICATION

LED Netzteil

of Fixtures



of fixtures indicates how many devices can be connected (min -> max) to the power supply. The values before and after the '|' correspond respectively with the minimum and maximum driving current. Values between brackets are applicable to 110V.

Min current | Max current

15710 3300	LED POWER SUPPLY MULTIPOWER 15W NO DIM 350mA	1->2	
15710 3800	LED POWER SUPPLY MULTIPOWER 10W DIM8 350mA	1	
15710 4500	LED POWER SUPPLY MULTIPOWER 12W DIM1 350mA	1	
15710 5300	LED POWER SUPPLY MULTIPOWER 12W DALI DT6 350mA	1	
Dimtype: DALI			

Mounting Kit

 15710 0010 B MOUNTING KIT COMPO S TRIM B	
Cutout dimension (mm): 55	
15710 0010 W MOUNTING KIT COMPO S TRIM W	
 15710 0040 MOUNTING KIT COMPO S TRIMLESS	
Cutout dimension (mm): 55	

DELTALIGHT

COMPO S WALLWASH 940

9 15715 9400 C

Notes: