



## M20/M26H - SPY 52 SOFT 93030 DIM5

23399 9045 FG

AVAILABLE IN



**BLACK** 23399 9045 B

**FLEMISH BRONZE** 23399 9045 FBR

**FLEMISH GOLD** 23399 9045 FG

**GOLD COLOURED** 23399 9045 GC

**WHITE** 23399 9045 W



[View on website](#)



### General info

|                           |                                                                                            |
|---------------------------|--------------------------------------------------------------------------------------------|
| <b>LOCATION</b>           | indoor                                                                                     |
| <b>INSTALLATION</b>       | Low voltage systems Low voltage system mounted                                             |
| <b>INGRESS PROTECTION</b> | IP20                                                                                       |
| <b>WEIGHT (KG)</b>        | 0.5                                                                                        |
| <b>ADJUSTABILITY</b>      | 0° to 90° swiveling, 355° rotatable                                                        |
| <b>INFORMATION</b>        | REFLECTOR FL-30°<br>EXCLLED POWER SUPPLY 48V-DC<br>Optional REFLECTORS 20° & 45° available |

### Electrical info

|                     |               |
|---------------------|---------------|
| <b>ELECTRICAL</b>   | 48V-DC        |
| <b>CLASS</b>        | III           |
| <b>DIM TYPE</b>     | DALI          |
| <b>ENERGY CLASS</b> | F             |
| <b>CERTIFICATES</b> | CB, ENEC, EPD |

### Lightsource info

|                                    |                                                          |
|------------------------------------|----------------------------------------------------------|
| <b>LIGHTSOURCE NAME</b>            | LED                                                      |
| <b>LIGHTSOURCE</b>                 | LED array 10,2W / CRI>90 (R9: 50) / 3000K-1800K / 1038lm |
| <b>SDCM</b>                        | SDCM2                                                    |
| <b>RISKGROUP</b>                   | RG1                                                      |
| <b>LM80</b>                        | L90B10 > 50000                                           |
| <b>BEAMANGLE</b>                   | 30°                                                      |
| <b>LED TECHNICS (LIGHT SOURCE)</b> | 1038lm // 10,2W // 109lm/W                               |
| <b>LED TECHNICS (LUMINAIRE)</b>    | 662lm // 11,7W // 56lm/W                                 |

### Remarks

**Take a look at our MAGNETIC PROFILES movie**

### Requirements

SPY 52 TUBE

LED POWER SUPPLY 48V-DC

### Accessories

HONEYCOMB 42

SPREAD LENS 42

LINEAR SPREAD LENS 42

SOFTENING LENS 42

# DELTALIGHT

## M20/M26H - SPY 52 SOFT 93030 DIM5

23399 9045 FG

GLASS SBL 42

For detailed installation instructions, please consult the manual : [23399\\_XXX5\\_HAND.pdf](#)

### FINISH YOUR SPECIFICATION


#### LED power supplies

#### # of Fixtures



# of fixtures indicates how many devices can be connected (min -> max) to the power supply. The values before and after the '|' correspond respectively with the minimum and maximum driving current. Values between brackets are applicable to 110V.


Min current | Max current



**300 89 48 100** LED POWER SUPPLY 48V-DC / 100W DIN

8


Dimtype: non-dimmable



**300 89 48 240** LED POWER SUPPLY 48V-DC / 240W DIN

20

Dimtype: non-dimmable




**21012 0230** LED POWER SUPPLY 48V-DC / 100W

8

Dimtype: non-dimmable

Cutout dimension (mm): 40




**21012 0240** LED POWER SUPPLY 48V-DC / 200W

17


Dimtype: non-dimmable

Cutout dimension (mm): 40

#### Light altering devices



**19810 0010 B** HONEYCOMB 42 SINGLE USE B



**19810 0020** LINEAR SPREAD LENS 42


# DELTALIGHT

## M20/M26H - SPY 52 SOFT 93030 DIM5


23399 9045 FG

|                                                                                  |                     |                           |                          |
|----------------------------------------------------------------------------------|---------------------|---------------------------|--------------------------|
|  | <b>19810 0030</b>   | SPREAD LENS 42            | <input type="checkbox"/> |
|  | <b>19810 0040</b>   | SOFTENING LENS 42         | <input type="checkbox"/> |
|  | <b>19810 0050</b>   | GLASS SBL 42              | <input type="checkbox"/> |
|  | <b>19810 0060 B</b> | HONEYCOMB 42 DOUBLE USE B | <input type="checkbox"/> |

### Finish your product

|                                                                                    |                       |                 |                          |
|------------------------------------------------------------------------------------|-----------------------|-----------------|--------------------------|
|  | <b>19810 0100 B</b>   | SPY 52 TUBE B   | <input type="checkbox"/> |
|                                                                                    | <b>19810 0100 FBR</b> | SPY 52 TUBE FBR | <input type="checkbox"/> |
|                                                                                    | <b>19810 0100 FG</b>  | SPY 52 TUBE FG  | <input type="checkbox"/> |
|                                                                                    | <b>19810 0100 GC</b>  | SPY 52 TUBE GC  | <input type="checkbox"/> |
|                                                                                    | <b>19810 0100 W</b>   | SPY 52 TUBE W   | <input type="checkbox"/> |

### Replaceable reflector / lens

|                                                                                    |                   |                      |                          |
|------------------------------------------------------------------------------------|-------------------|----------------------|--------------------------|
|  | <b>19810 0180</b> | SPY 52 REFLECTOR 20° | <input type="checkbox"/> |
|------------------------------------------------------------------------------------|-------------------|----------------------|--------------------------|

# DELTALIGHT

## M20/M26H - SPY 52 SOFT 93030 DIM5

23399 9045 FG






**19810 0190** SPY 52 REFLECTOR 45°



**19810 0240** SPY 52 REFLECTOR 30°






### COMPATIBLE COMPOSABLES

| SHIFTLINE M26H + SBL                                                                                                               | Available Colours                                                                     |
|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  <b>30411 9205</b> SHIFTLINE M26H + SBL 2m DIM5   |    |
|  <b>30411 9305</b> SHIFTLINE M26H + SBL 2m DIM5 |  |
|  <b>30412 9205</b> SHIFTLINE M26H + SBL 3m DIM5 |  |
|  <b>30412 9305</b> SHIFTLINE M26H + SBL 3m DIM5 |  |
|  <b>30413 9205</b> SHIFTLINE M26H + SBL 4m DIM5  |  |
|  <b>30413 9305</b> SHIFTLINE M26H + SBL 4m DIM5  |  |



# DELTALIGHT

## M20/M26H - SPY 52 SOFT 93030 DIM5

23399 9045 FG

| SHIFTLINE M26H profile                                                             |                                       | Available Colours                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------------------------------------------|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | <b>23359 0000</b> SLM26H - PROFILE    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|   | <b>23359 0010</b> SLM26H - PROFILE 1m |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|   | <b>23359 0020</b> SLM26H - PROFILE 2m |           |
|  | <b>23359 0030</b> SLM26H - PROFILE 3m |           |

| SPLITLINE M20 ST profile                                                            |                                         | Available Colours                                                                                                                                                           |
|-------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <b>23397 0000</b> SPM20 ST - PROFILE    |   |
|  | <b>23397 0020</b> SPM20 ST - PROFILE 2m |   |
|  | <b>23397 0030</b> SPM20 ST - PROFILE 3m |   |

| SPLITLINE M20 profile                                                              |                                        | Available Colours                                                                     |
|------------------------------------------------------------------------------------|----------------------------------------|---------------------------------------------------------------------------------------|
|  | <b>420 20 10 00</b> SPM20 - PROFILE 1m |  |
|  | <b>420 20 20 00</b> SPM20 - PROFILE 2m |  |

# DELTALIGHT

## M20/M26H - SPY 52 SOFT 93030 DIM5

23399 9045 FG



**420 20 30 00** SPM20 - PROFILE 3m



**23301 0000** SPM20 - PROFILE B



Notes: