



COMPO L WALLWASH 940

9 15739 9400 C


AVAILABLE IN
CHROMED 9 15739 9400 C
WHITE 9 15739 9400 W



EXCLUSIVELY AVAILABLE IN INDIA



0-30°/355°



[View on website](#)



General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	round - 135
RECESSED DEPTH (MM)	130
THICKNESS OF MOUNTING SURFACE (MM)	max.25
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.46
ADJUSTABILITY	0° to 30° swiveling, 355° rotatable
Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED array 17,2W / CRI>90 (R9: 79) / 4000K / 2222lm
TM-30 VALUES	rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
BEAMANGLE	NA
LED TECHNICS (LIGHT SOURCE)	2222lm // 17,2W // 130lm/W
LED TECHNICS (LUMINAIRE)	973lm // 19,8W // 49lm/W
Requirements	
LED POWER SUPPLY 500 mA - DC	

For detailed installation instructions, please consult the manual : [9_15739_XXX0_HAND.pdf](#)

COMPO L WALLWASH 940


9 15739 9400 C

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
	 15710 0030 - MOUNTING KIT COMPO L TRIM	Required
	 15710 0060 - MOUNTING KIT COMPO L TRIMLESS	Required
	 15710 0030 - MOUNTING KIT COMPO L TRIM	Required
	 15710 0060 - MOUNTING KIT COMPO L TRIMLESS	Required
	 15710 0030 - MOUNTING KIT COMPO L TRIM	Required
	 15710 0060 - MOUNTING KIT COMPO L TRIMLESS	Required

FINISH YOUR SPECIFICATION

LED Power supply		# of Fixtures
 # of fixtures indicates how many devices can be connected (min -> max) to the power supply. The values before and after the ' ' correspond respectively with the minimum and maximum driving current. Values between brackets are applicable to 110V.		Min current Max current
15710 3600	LED POWER SUPPLY MULTIPOWER 20W NO DIM 500mA	1
15710 4200	LED POWER SUPPLY MULTIPOWER 20W DIM8 500mA	1
15710 4700	LED POWER SUPPLY MULTIPOWER 20W DIM1 500mA	1
15710 5400	LED POWER SUPPLY MULTIPOWER 20W DALI DT6 500mA	1
Dimtype: DALI		

Mounting kits	
	15710 0030 B MOUNTING KIT COMPO L TRIM B
Cutout dimension (mm): 92	
	15710 0030 W MOUNTING KIT COMPO L TRIM W
	15710 0060 MOUNTING KIT COMPO L TRIMLESS
Cutout dimension (mm): 92	

DELTALIGHT

COMPO L WALLWASH 940

9 15739 9400 C

Notes: