











FTL35 F HE - PROFILE PR

DEEL
PARTIE
TEIL
PART
PARTE
PARTE

A




FIXATION 180°




FTL35 - FIXATION SET / CORNER 90°
391 06 06

1




600mm

2




click

SUSPENSION




FTL35 - SUSPENSION SINGLE 1,6
391 09 01

1




2




1500mm

10mm


A




B



C




D



ELECTRICAL CONNECTION

1



24V DC


+

+

-


-

2




+/-8mm

3




4



HEAT


+

5



click

ELECTRICAL CONNECTION



1,5

17


80

CURRENT SUPPLY
391 97 51

ACCESSORY SET


2x



X1



b

b





WARNING

Beware not to touch the cables while screwing

The luminaire should be positioned so that prolonged staring into the luminaire at a distance closer than 0,8 m is not expected.

照明设备安装的位置应避免距离短于 0,8 厘米的凝视

Светильник должен быть расположен таким образом, чтобы не предполагался

длительный прямой зрительный контакт со светильником с расстояния ближе 0,8м.

يجب وضع المصباح بحيث يمدق لفترة طويلة في المصباح عند المسافة أقرب من ٠,٨ م غير متوقع.

Het toestel dient op een plaats te worden gemonteerd van waaruit langdurig staren in de lichtbron, vanop een afstand van 0,8m ; vermeden wordt.

Le luminaire doit être positionné afin d'éviter tous contacts prolongé visuels à moins de 0,8m .


Die leuchte soll so montiert werden, dass ein längerer direkter aufgekontakt mit der LED aus einer distanz von weniger als 0,8m vermieden wird.

Per evitare il rischio di danni alla vista, l'apparecchio deve essere montato in modo che non si possa guardare direttamente la sorgente luminosa da una distanza inferiore a 0,8m per un tempo prolungato.


La luminaria se tiene que instalar de tal forma que no se puesa mirar fijamente la fuente de luz por un tiempo prolongado a una distancia de menos de 0,8m, ya que pueda dañar los ojos



END CAP



**DELIVERED SEPARATELY
FOR FIELD ASSEMBLY**



**FTL35 F HE - END CAP SET
392 01 03 01**

