
DELTALIGHT




ZOOVER 140 DOWN-UP DARK GREY 930 DIM4

REFERENCE 28222 9304 B

AVAILABLE IN
BLACK 28222 9304 B





View on website

General info	
LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	6.5
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL INCL.DIMMABLE LED POWER SUPPLY INCL.3 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.1 x CABLE 5 x 0.75mm²

Electrical info	
ELECTRICAL	220-240V / 50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	DALI or DSI or push button
ENERGY CLASS	E

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	DOWN: LED cluster 34,4W / CRI>90 (R9: 68) / 3000K / 4767lm UP: LED cluster 5,1W / CRI>90 (R9: 68) / 3000K / 706lm
TM-30 VALUES	Rf: 89 / Rg: 97
SDCM	SDCM3
LM80	L70 > 60000
LED TECHNICS (LIGHT SOURCE)	DOWN: 4767lm // 34,4W // 139lm/W UP: 706lm // 5,1W // 139lm/W
LED TECHNICS (LUMINAIRE)	DOWN: 3842lm // 39,6W // 97lm/W UP: 668lm // 5,9W // 114lm/W

Remarks

Click here for ZOOVER 140 acoustic specifications

Options

CABLE BASE R / S
COVERSET R 62-90-100
CONNECTION ST / CONNECTION TRIMLESS
SUSPENSION ST / SUSPENSION TRIMLESS

DELTALIGHT


ZOOVER 140 DOWN-UP DARK GREY 930 DIM4

28222 9304 B

For detailed installation instructions, please consult the manual : **28222_XXX4_HAND.pdf**

FINISH YOUR SPECIFICATION

Current supply



203 99 55 ANO CABLE BASE R ANO ☐

203 99 55 B CABLE BASE R B ☐

203 99 55 W CABLE BASE R W ☐




203 99 56 ANO CABLE BASE S ANO ☐

203 99 56 B CABLE BASE S B ☐

203 99 56 W CABLE BASE S W ☐


Coversets



204 00 62 ANO COVERSET R 62 ANO ☐

204 00 62 B COVERSET R 62 B ☐

204 00 62 W COVERSET R 62 W ☐




204 00 90 ANO COVERSET R 90 ANO ☐



DELTALIGHT

ZOOVER 140 DOWN-UP DARK GREY 930 DIM4


28222 9304 B

	204 00 90 B COVERSET R 90 B	☐
	204 00 90 W COVERSET R 90 W	☐
	**204 00 100 ANO** COVERSET R 100 ANO	☐
	204 00 100 B COVERSET R 100 B	☐
	204 00 100 W COVERSET R 100 W	☐

Suspension parts

	**328 10 01** SUSPENSION TRIMLESS O.F.A. **Cutout dimension (mm): 62 (CONCRETE: 102)**	☐
	**15225 0340 B** SUSPENSION ST B **Cutout dimension (mm): 27**	☐
	15225 0340 W SUSPENSION ST W	☐

Electric connection parts

	**328 10 03** CONNECTION TRIMLESS O.F.A. **Cutout dimension (mm): 62 (CONCRETE: 102)**	☐
	**15225 0360 B** CONNECTION ST B **Cutout dimension (mm): 43**	☐
	15225 0360 W CONNECTION ST W	☐

DELTALIGHT

ZOOVER 140 DOWN-UP DARK GREY 930 DIM4

28222 9304 B

Notes: