





M26L - MULTINOVA 30 PRISM 930 DIM5

27941 9305 W

AVAILABLE IN
NOIR 27941 9305 B
BLANC 27941 9305 W



[View on website](#)



General info	
LOCATION	interieur
INSTALLATION	Systèmes basse tension Monté sur systèmes basse tension
INGRESS PROTECTION	IP20
WEIGHT (KG)	1.4
ADJUSTABILITY	non réglable
INFORMATION	INCL.PC PRISMATIC EXCL.LED POWER SUPPLY 48V-DC
Electrical info	
ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	DALI
ENERGY CLASS	D
CERTIFICATION	CB, ENEC
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 14,9W / CRI>90 (R9: 68) / 3000K / 2174lm
RVALUES	Rf: 89 / Rg: 97
SDMC	SDCM3
LM80	L70 > 60000
LED TECHNICS (LIGHT SOURCE)	2174lm // 14,9W // 146lm/W
LED TECHNICS (LUMINAIRE)	1394lm // 17,1W // 81lm/W
Remarks	
Take a look at our MAGNETIC PROFILES movie	
Requirements	
LED POWER SUPPLY 48V-DC	

For detailed installation instructions, please consult the manual : **27941_XXX5_HAND.pdf**





M26L - MULTINOVA 30 PRISM 930 DIM5

27941 9305 W

FINISH YOUR SPECIFICATION

les alimentations led




of Fixtures

 web2print_power_supply_info_box		Min current Max current	
	<u>300 89 48 100</u>	LED POWER SUPPLY 48V-DC / 100W DIN	6
Dimtype: non dimmable			
	<u>300 89 48 240</u>	LED POWER SUPPLY 48V-DC / 240W DIN	14
Dimtype: non dimmable			
	<u>21012 0230</u>	LED POWER SUPPLY 48V-DC / 100W	6
Dimtype: non dimmable			
Cutout dimension (mm): 40			
	<u>21012 0240</u>	LED POWER SUPPLY 48V-DC / 200W	11
Dimtype: non dimmable			
Cutout dimension (mm): 40			

COMPATIBLE COMPOSABLES

SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)


Available Colours

	23358 0000 SLM26L - PROFILE	
	23358 0010 SLM26L - PROFILE 1m	
	23358 0020 SLM26L - PROFILE 2m	

DELTALIGHT

M26L - MULTINOVA 30 PRISM 930 DIM5

27941 9305 W




23358 0030 SLM26L - PROFILE 3m




SHIFTLINE M35R profile


Available Colours




23375 0000 SLM35R - PROFILE



23375 0010 SLM35R - PROFILE 1m



23375 0020 SLM35R - PROFILE 2m



23375 0030 SLM35R - PROFILE 3m



Notes: