





POLESANO 940 STREET

43 11 944 N-B

AVAILABLE IN

ALU GREY-BLACK 43 11 944 A-B

ANTHRACITE-BLACK 43 11 944 N-B



[View on website](#)



General info	
LOCATION	outdoor
INSTALLATION	Pole Pole top
INGRESS PROTECTION	IP66
PROTECTION AGAINST MECHANICAL IMPACT	IK08
WEIGHT (KG)	5
ADJUSTABILITY	360° swiveling, 360° rotatable
INFORMATION	4 x LENS STREET INCL.DIMMABLE LED POWER SUPPLY 900mA-DC $\lambda > 0,9$ Inrush current : 32A - 355 μ s @ 230V-AC Max. 10 units on circuit breaker B 16A @ 230V-AC (13 units on B 20A)
Electrical info	
ELECTRICAL	220-240V / 0 50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	DALI
ENERGY CLASS	F
CERTIFICATES	CB, EAC, ENEC, ENEC+, RCM
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 41,6W / CRI>90 (R9: 64) / 4000K / 5136lm
TM-30 VALUES	Rf: 91 / Rg: 100
SDCM	SDCM3
RISKGROUP	RG2
LM80	L80 > 150000
BEAMANGLE	150°
LED TECHNICS (LIGHT SOURCE)	5136lm // 41,6W // 123lm/W
LED TECHNICS (LUMINAIRE)	2672lm // 47,8W // 56lm/W

Remarks

[Take a look at the POLESANO brochure](#)

Requirements

POLESANO POLE

DELTALIGHT






POLESANO 940 STREET

43 11 944 N-B

For detailed installation instructions, please consult the manual : [43_XX_XXX-431_X00_XX1_\(X\)X1_HAND.pdf](#)

FINISH YOUR SPECIFICATION








Pole

	<u>431 400 111 11 A</u>	POLESANO 4M - 1 ANCHORED A	☐
	<u>431 400 111 11 N</u>	POLESANO 4M - 1 ANCHORED N	☐
	<u>431 400 111 21 A</u>	POLESANO 4M - 2 ANCHORED A	☐
	<u>431 400 111 21 N</u>	POLESANO 4M - 2 ANCHORED N	☐
	<u>431 400 111 31 A</u>	POLESANO 4M - 3 ANCHORED A	☐
	<u>431 400 111 31 N</u>	POLESANO 4M - 3 ANCHORED N	☐
	<u>431 400 111 41 A</u>	POLESANO 4M - 4 ANCHORED A	☐
	<u>431 400 111 41 N</u>	POLESANO 4M - 4 ANCHORED N	☐
	<u>431 400 111 211 A</u>	POLESANO 4M - 21L ANCHORED A	☐
	<u>431 400 111 211 N</u>	POLESANO 4M - 21L ANCHORED N	☐

DELTALIGHT

POLESANO 940 STREET







43 11 944 N-B

	<u>431 400 111 221 A</u> POLESANO 4M - 22L ANCHORED A	☐
	<u>431 400 111 221 N</u> POLESANO 4M - 22L ANCHORED N	☐
	<u>431 400 221 11 A</u> POLESANO 4M - 1 BASE A	☐
	<u>431 400 221 11 N</u> POLESANO 4M - 1 BASE N	☐
	<u>431 400 221 21 A</u> POLESANO 4M - 2 BASE A	☐
	<u>431 400 221 21 N</u> POLESANO 4M - 2 BASE N	☐
	<u>431 400 221 31 A</u> POLESANO 4M - 3 BASE A	☐
	<u>431 400 221 31 N</u> POLESANO 4M - 3 BASE N	☐
	<u>431 400 221 41 A</u> POLESANO 4M - 4 BASE A	☐
	<u>431 400 221 41 N</u> POLESANO 4M - 4 BASE N	☐
	<u>431 400 221 211 A</u> POLESANO 4M - 21L BASE A	☐
	<u>431 400 221 211 N</u> POLESANO 4M - 21L BASE N	☐
	<u>431 400 221 221 A</u> POLESANO 4M - 22L BASE A	☐

DELTALIGHT

POLESANO 940 STREET







43 11 944 N-B

	<u>431 400 221 221 N</u>	POLESANO 4M - 22L BASE N	☐
	<u>431 600 121 11 A</u>	POLESANO 6M - 1 ANCHORED A	☐
	<u>431 600 121 11 N</u>	POLESANO 6M - 1 ANCHORED N	☐
	<u>431 600 121 21 A</u>	POLESANO 6M - 2 ANCHORED A	☐
	<u>431 600 121 21 N</u>	POLESANO 6M - 2 ANCHORED N	☐
	<u>431 600 121 31 A</u>	POLESANO 6M - 3 ANCHORED A	☐
	<u>431 600 121 31 N</u>	POLESANO 6M - 3 ANCHORED N	☐
	<u>431 600 121 41 A</u>	POLESANO 6M - 4 ANCHORED A	☐
	<u>431 600 121 41 N</u>	POLESANO 6M - 4 ANCHORED N	☐
	<u>431 600 121 211 A</u>	POLESANO 6M - 21L ANCHORED A	☐
	<u>431 600 121 211 N</u>	POLESANO 6M - 21L ANCHORED N	☐
	<u>431 600 121 221 A</u>	POLESANO 6M - 22L ANCHORED A	☐
	<u>431 600 121 221 N</u>	POLESANO 6M - 22L ANCHORED N	☐

DELTALIGHT

POLESANO 940 STREET

43 11 944 N-B

	<u>431 600 321 11 A</u>	POLESANO 6M - 1 BASE A	☐
	<u>431 600 321 11 N</u>	POLESANO 6M - 1 BASE N	☐
	<u>431 600 321 21 A</u>	POLESANO 6M - 2 BASE A	☐
	<u>431 600 321 21 N</u>	POLESANO 6M - 2 BASE N	☐
	<u>431 600 321 31 A</u>	POLESANO 6M - 3 BASE A	☐
	<u>431 600 321 31 N</u>	POLESANO 6M - 3 BASE N	☐
	<u>431 600 321 41 A</u>	POLESANO 6M - 4 BASE A	☐
	<u>431 600 321 41 N</u>	POLESANO 6M - 4 BASE N	☐
	<u>431 600 321 211 A</u>	POLESANO 6M - 21L BASE A	☐
	<u>431 600 321 211 N</u>	POLESANO 6M - 21L BASE N	☐
	<u>431 600 321 221 A</u>	POLESANO 6M - 22L BASE A	☐
	<u>431 600 321 221 N</u>	POLESANO 6M - 22L BASE N	☐

DELTALIGHT

POLESANO 940 STREET

43 11 944 N-B

Notes: